

## Preus PVP

Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
20020000	AQUALUC MINI Standard frosted	* €/pc	
20030000	AQUALUC MINI Bright clear	* €/pc	
20040000	AQUALUC MINI Bright frosted	* €/pc	
20050000	AQUALUC MINI High Brightness clear	* €/pc	
20060000	AQUALUC MINI High Brightness frosted	* €/pc	
20070000	AQUALUC MINI RGB clear	* €/pc	
20080000	AQUALUC MINI RGB frosted	* €/pc	
20090000	AQUALUC MINI Bright clear 48 V	* €/pc	
20110000	AQUALUC MINI High Brightness clear 48 V	* €/pc	
20120000	AQUALUC MINI High Brightness frosted 48 V	* €/pc	
20200001	Sealing cap set 5-piece	<b>21,00</b> €/pc	4021553120393
20200027	FLEXLUC TopView 11, clear, 5020 mm, typ. 16 W/m, 2700 K, warm white	<b>595,00</b> €/pc	4021553117805
20200040	FLEXLUC TopView 11, clear, 5020 mm, typ. 16 W/m, 4000 K, neutral white	<b>595,00</b> €/pc	4021553117812
20210527	FLEXLUC TOPVIEW 17, 5520 mm, typ. 16 W/m, 2700 K, warm white	<b>330,00</b> €/pc	4021553120478
30010000	AQUALUC C:URVE MINI	* €/pc	
30020000	AQUALUC C:URVE Standard	* €/pc	
30030000	AQUALUC C:URVE Bright	* €/pc	
30033015	Heat-resistant double-sided tape, 33 m x 5 mm	<b>41,50</b> €/pc	4021553118710
30033019	Heat-resistant double-sided tape, 33 m x 9 mm	<b>67,50</b> €/pc	4021553118727
30040000	AQUALUC C:URVE High Brightness	* €/pc	
30050000	AQUALUC C:URVE RGB	* €/pc	
30060000	AQUALUC C:URVE WIDE	* €/pc	
30070000	AQUALUC C:URVE RGBW	* €/pc	
30100000	AQUALUC C:URVE Bright 48 V	* €/pc	
30110000	AQUALUC C:URVE High Brightness 48 V	* €/pc	
30120000	AQUALUC C:URVE WIDE Bright 48 V	* €/pc	
30130000	AQUALUC C:URVE WIDE High Brightness 48 V	* €/pc	
30133009	Thermal conductive 3M double-sided tape with excellent cooling properties, 11 m x 9 mm	<b>54,73</b> €/pc	4021553001203
40010000	AQUALUC W:AVE Bright	* €/pc	
40020000	AQUALUC W:AVE High Brightness	* €/pc	
40030000	AQUALUC W:AVE RGB	* €/pc	
40040000	AQUALUC W:AVE RGBW	* €/pc	
40070000	AQUALUC W:AVE 17,5 Bright 48 V	* €/pc	
40080000	AQUALUC W:AVE 17,5 High Brightness 48 V	* €/pc	
40100107	AQUALUC mini support profile PC plastic, UV resistant, with adhesive tape, 1000 mm PC plastic, UV resistant, with adhesive tape, 1 m	<b>10,28</b> €/pc	4021553062389
40100108	AQUALUC mini support profile PC plastic, UV resistant, with adhesive tape, 2000 mm PC plastic, UV resistant, with adhesive tape, 2 m	<b>20,57</b> €/pc	4021553062396
40100111	Dismantling tool, AQUALUC C:URVE and W:AVE minimizes the mechanical stress on the product when dismantling	<b>31,50</b> €/pc	4021553044637
40100112	Dismantling tool, AQUALUC C:URVE mini minimises mechanical stress on the product during disassembly	<b>31,50</b> €/pc	4021553049618
40100140	AQUALUC S:OLID bracket set V4A stainless steel, 10x holder, 10 screws, 10 dowels V4A-Edelstahl, 10x Halter, 10 Schrauben, 10 Dübel	<b>20,11</b> €/pc	4021553072418
40100141	AQUALUC S:OLID support profile PC plastic, UV resistant, 1000 mm PC plastic, UV resistant, 1 m	<b>12,50</b> €/pc	4021553074252



Codi	Descripció	Preus PVP		EAN
20010000	AQUALUC MINI Standard clear			
40100142	AQUALUC S:OLID support profile PC plastic, UV resistant, 2000 mm PC plastic, UV resistant, 2 m	24,50	€/pc	4021553074269
40500013	AQUALUC W:AVE (13,5 x 13,5 mm) mounting profile aluminium, anodised, 1000 mm aluminium, anodised, 1 m	6,90	€/pc	4021553042565
40500014	AQUALUC W:AVE (13,5 x 13,5 mm) mounting profile aluminium, anodised, 2000 mm aluminium, anodised, 2 m	11,20	€/pc	4021553042572
40500015	AQUALUC W:AVE (13,5 x 13,5 mm) bracket set aluminium, anodised, 10 pieces à 50 mm, 10 screws, 10 dowels aluminium, anodised, 10 pieces à 5 cm, 10 screws, 10 dowels	31,40	€/pc	4021553044408
40500016	AQUALUC W:AVE (13,5 x 13,5 mm) bracket set 316L stainless steel, 10 pieces, 10 screws, 10 dowels 316L stainless steel, 10 pieces, 10 screws, 10 dowels	20,80	€/pc	4021553059143
40500017	AQUALUC W:AVE (13,5 x 13,5 mm); mounting profile; aluminum; anodized; natural; 18,5x19,4 mm; 2000 mm; Aqualuc is freely movable, stretching/compression is avoided	16,90	€/pc	4021553104416
40500018	AQUALUC W:AVE (13,5 x 13,5 mm); mounting profile; aluminum; anodized; natural; 18,5x19,4 mm; 3000 mm; Aqualuc is freely movable, stretching/compression is avoided	24,90	€/pc	4021553104423
40500023	AQUALUC W:AVE (17,5 x 17,5 mm) mounting profile aluminium, anodised, 1000 mm aluminium, anodised, 1 m	7,90	€/pc	4021553042589
40500024	AQUALUC W:AVE (17,5 x 17,5 mm) mounting profile aluminium, anodised, 2000 mm aluminium, anodised, 2 m	13,50	€/pc	4021553042596
40500025	AQUALUC W:AVE (17,5 x 17,5 mm) bracket set aluminium, anodised, 10 pieces à 50 mm, 10 screws, 10 dowels aluminium, anodised, 10 pieces à 5 cm, 10 screws, 10 dowels	31,40	€/pc	4021553044415
40500026	AQUALUC W:AVE (17,5 x 17,5 mm) bracket set 316L stainless steel, 10 pieces, 10 screws, 10 dowels 316L stainless steel, 10 pieces, 10 screws, 10 dowels	20,25	€/pc	4021553059150
40500027	AQUALUC W:AVE (17,5x17,5 mm); mounting profile; aluminium anodised; natural; 22.1x23.4 mm; 2000 mm; Aqualuc is freely movable, stretching/compression is avoided	19,27	€/pc	4021553104430
40500028	AQUALUC W:AVE (17,5x17,5 mm); mounting profile; aluminium anodised; natural; 22.1x23.4 mm; 3000 mm; Aqualuc is freely movable, stretching/compression is avoided	27,87	€/pc	4021553104447
40500033	AQUALUC C:URVE (10 x 18,5 mm) mounting profile aluminium, anodised, 1000 mm aluminium, anodised, 1 m	8,40	€/pc	4021553041858
40500034	AQUALUC C:URVE (10 x 18,5 mm) mounting profile aluminium, anodised, 2000 mm aluminium, anodised, 2 m	15,00	€/pc	4021553041865
40500035	AQUALUC C:URVE (10 x 18,5 mm) bracket set aluminium, anodised, 10 pieces à 50 mm, 10 screws, 10 dowels aluminium, anodised, 10 pieces à 5 cm, 10 screws, 10 dowels	31,40	€/pc	4021553044422
40500036	AQUALUC C:URVE (10 x 18,5 mm) bracket set 316L stainless steel, 10 pieces, 10 screws, 10 dowels 316L stainless steel, 10 pieces, 10 screws, 10 dowels	19,80	€/pc	4021553049557
40500037	AQUALUC C:URVE (10 x 18,5 mm); mounting profile; aluminium; anodised; natural; 14.6x25 mm; 2000 mm; Aqualuc is freely movable, stretching/compression is avoided	18,50	€/pc	4021553104454
40500038	AQUALUC C:URVE (10 x 18,5 mm); mounting profile; aluminium; anodised; natural; 14.6x25 mm; 3000 mm; Aqualuc is freely movable, stretching/compression is avoided	27,50	€/pc	4021553104461
40500043	AQUALUC C:URVE mini mounting profile aluminium, anodised, 1000 mm aluminium, anodised, 1 m	6,40	€/pc	4021553046846
40500044	AQUALUC C:URVE mini mounting profile aluminium, anodised, 2000 mm aluminium, anodised, 2 m	11,15	€/pc	4021553046853
40500045	AQUALUC C:URVE mini bracket set 316L stainless steel, 10 pieces, 10 screws, 10 dowels 316L stainless steel, 10 pieces, 10 screws, 10 dowels	18,45	€/pc	4021553046860
40500051	AQUALUC W:AVE (13,5 x 13,5 mm) mounting profile PC plastic, UV resistant, 1000 mm PC plastic, UV resistant, 1 m	10,90	€/pc	4021553114866
40500052	AQUALUC W:AVE (13,5 x 13,5 mm) mounting profile PC plastic, UV resistant, 2000 mm PC plastic, UV resistant, 2 m	21,50	€/pc	4021553069975
40500061	AQUALUC W:AVE (17,5 x 17,5 mm) mounting profile PC plastic, UV resistant, 1000 mm PC plastic, UV resistant, 1 m	10,90	€/pc	4021553113272
40500062	AQUALUC W:AVE (17,5 x 17,5 mm) mounting profile PC plastic, UV resistant, 2000 mm PC plastic, UV resistant, 2 m	21,90	€/pc	4021553069982
40500071	AQUALUC C:URVE (10 x 18,5 mm) mounting profile PC plastic, UV resistant, 1000 mm PC plastic, UV resistant, 1 m	10,90	€/pc	4021553070001
40500072	AQUALUC C:URVE (10 x 18,5 mm) mounting profile PC plastic, UV resistant, 2000 mm PC plastic, UV resistant, 2 m	21,90	€/pc	4021553114859
40500081	AQUALUC C:URVE mini mounting profile PC plastic, UV resistant, 1000 mm PC plastic, UV resistant, 1 m	10,90	€/pc	4021553070049
40500082	AQUALUC C:URVE mini mounting profile PC plastic, UV resistant, 2000 mm PC plastic, UV resistant, 2 m	21,50	€/pc	4021553070056
40500091	AQUALUC W:AVE (13,5 x 13,5 mm) mountig profile with fixing wing, aluminum, anodised, 1000 mm	9,13	€/pc	4021553085029
40500092	AQUALUC W:AVE (13,5 x 13,5 mm) mountig profile with fixing wing, aluminum, anodised, 2000 mm	17,22	€/pc	4021553085036
40500102	Mounting profile U-system ; aluminium; anodised; natural; 21,1x29,8 mm; 2000 mm suitable for light rails with 17,5 x 17,5 mm	26,63	€/pc	4021553115375
40500103	Mounting profile U-system ; aluminium; anodised; natural; 21,1x29,8 mm; 3000 mm suitable for light rails with 17,5 x 17,5 mm	39,37	€/pc	4021553115382
40500112	Retaining profile H-system ; aluminium; anodised; natural; 21.1x49.7 mm; 2000 mm suitable for light rails with 17.5 x 17.5 mm	41,29	€/pc	4021553115399
40500113	Retaining profile H-system ; aluminium; anodised; natural; 21.1x49.7 mm; 3000 mm suitable for light rails with 17.5 x 17.5 mm	61,62	€/pc	4021553115405
40500123	Mounting bracket, 316L stainless steel, for tiltable installation of retaining brackets and wall brackets of H mounting profile	10,00	€/pc	4021553121710
40500125	Internal fixing set for mounting profile H-system (21.1 x 49.7); aluminium; anodised; natural; 50 mm x 2 pieces	4,80	€/pc	4021553115443



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
40500126	End cap set for mounting profiles U- and H-system; aluminium; anodised; natural; 2 pcs.	15,99 €/pc	4021553115474
40500127	Retaining clip set for mounting profile U- and H-system; V2A; 2 pieces	6,95 €/pc	4021553115481
40500128	Wire suspension with 2 wire suspensions each, suitable for GARgano, CATania and mounting profile H-system; 5000 mm	41,81 €/pc	4021553115368
40500131	Diffuser satined, PC, for mounting profile H, dimensions: 18.51 x 11 mm, length: 1.000 mm for indirect light with suspended/side mounted luminaires	9,50 €/pc	4021553115450
40500132	Diffuser satined, PC, for mounting profile H, dimensions: 18.51 x 11 mm, length: 2.000 mm for indirect light with suspended/side mounted luminaires	19,00 €/pc	4021553115467
50001531	LEDlight flex 15 8p RGB cut 9cm, 24V DC, typ. 1.5W, typ. 740lm/m cut 9cm, 24V DC, typ. 1.5W, typ. 740lm/m	18,22 €/pc	4021553036212
50009128	LEDlight flex 16 10 RGBW High Efficiency cut 10cm, 24 V DC, typ. 1.9 W, RGB + typ. 2,700 K, typ. 1,250 lm/m cut 10cm, 24 V DC, typ. 1.9 W, RGB + typ. 2,700 K, typ. 1,250 lm/m	21,80 €/pc	4021553075839
50009133	LEDlight flex 16 10 RGBW High Efficiency cut 10 cm, 24 V DC, typ. 1.9 W, RGB + typ. 3,000 K, typ. 1270 lm/m cut 10 cm, 24 V DC, typ. 1.9 W, RGB + typ. 3,000 K, typ. 1270 lm/m	21,80 €/pc	4021553075846
50009134	LEDlight flex 16 10 RGBW High Efficiency cut 10cm, 24V DC, typ. 1,9W, RGB + typ. 4000K, typ. 1360lm/m Zuschnitt 10cm, 24V DC, typ. 1,9W, RGB + typ. 4000K, typ. 1360lm/m	21,80 €/pc	4021553104393
50010000	AQUALUC S:OLID Monochrome High Brightness	* €/pc	
50010130	LEDlight flex 15 8p CONTROLLED WHITE 2000, cut 9 cm, 24V DC, 17,3 W/m, 2700 K - 5700 K 1950 lm/m 1950 lm/m	13,33 €/pc	4021553083643
50010230	LEDlight flex 15 8p CONTROLLED WHITE 4000, cut 9 cm, 24V DC, 34,6 W/m, 2700 K - 5700 K 3700 lm/m 3700 lm/m	14,73 €/pc	4021553083667
50011911	LEDlight flex 08 8 COLOR, cut 6 cm, 24V DC, 8,0 W/m, red 330 lm/m 330 lm/m	9,99 €/pc	4021553084794
50011913	LEDlight flex 08 8 COLOR, cut 5 cm, 24V DC, 9,6 W/m, green 1320 lm/m 1320 lm/m	8,40 €/pc	4021553084664
50011914	LEDlight flex 08 8 COLOR, cut 5 cm, 24V DC, 9,6 W/m, blue 210 lm/m 210 lm/m	8,40 €/pc	4021553084657
50011922	LEDlight flex 08 8 COLOR, cut 6 cm, 24V DC, 8,0 W/m, amber 310 lm/m 310 lm/m	9,99 €/pc	4021553084787
50012011	LEDlight flex 12 8p COLOR, cut 9 cm, 24V DC, 17,3 W/m, red 710 lm/m 710 lm/m	14,31 €/pc	4021553084831
50012013	LEDlight flex 14 8p COLOR, cut 8,3 cm, 24V DC, 17,3 W/m, green 1600 lm/m 1600 lm/m	13,36 €/pc	4021553084701
50012014	LEDlight flex 14 8p COLOR, cut 8,3 cm, 24V DC, 17,3 W/m, blue 260 lm/m 260 lm/m	13,36 €/pc	4021553084695
50012022	LEDlight flex 12 8p COLOR, cut 9 cm, 24V DC, 17,3 W/m, amber 690 lm/m 690 lm/m	14,31 €/pc	4021553084824
50012128	LEDlight flex 08 4 SLIM, cut 6 cm, 24V DC, 8,0 W/m, 2700 K 810 lm/m 810 lm/m	7,59 €/pc	4021553084879
50012133	LEDlight flex 08 4 SLIM, cut 6 cm, 24V DC, 8,0 W/m, 4000 K 850 lm/m 850 lm/m	7,59 €/pc	4021553084886
50012134	LEDlight flex 08 4 SLIM, cut 6 cm, 24V DC, 8,0 W/m, 3000 K 890 lm/m 890 lm/m	7,59 €/pc	4021553084893
50012228	LEDlight flex 12 8p 48V 1000, cut 9cm, 48 V DC, 8,0 W/m, 2700 K 840 lm/m 840 lm/m	10,75 €/pc	4021553095356
50012233	LEDlight flex 12 8p 48V 1000, cut 9 cm, 48 V DC, 8,0 W/m, 3000 K 870 lm/m 870 lm/m	10,75 €/pc	4021553095363
50012234	LEDlight flex 12 8p 48V 1000, cut 9 cm, 48 V DC, 8,0 W/m, 4000 K 1000 lm/m 1000 lm/m	10,75 €/pc	4021553095370
50012328	LEDlight flex 12 8p 48V 2000, cut 9 cm, 48 V DC, 17,6 W/m, 2700 K 1820 lm/m 1820 lm/m	10,23 €/pc	4021553095417
50012333	LEDlight flex 12 8p 48V 2000, cut 9 cm, 48 V DC, 17,6 W/m, 3000 K 1880 lm/m 1880 lm/m	10,23 €/pc	4021553095424
50012334	LEDlight flex 12 8p 48V 2000, cut 9 cm, 48 V DC, 17,6 W/m, 4000 K 2170 lm/m 2170 lm/m	10,23 €/pc	4021553095431
50012628	LEDlight flex 08 8 VIBRANT 2000, Cut 6 cm, 24 V DC, 19,2 W/m, 2700 K, typ. CRI 1760 lm/m 1760 lm/m	11,45 €/pc	4021553095295
50012633	LEDlight flex 08 8 VIBRANT 2000, Cut 6 cm, 24 V DC, 19,2 W/m, 3000 K, typ. CRI 98 1880 lm/m 1880 lm/m	11,45 €/pc	4021553095301
50012634	LEDlight flex 08 8 VIBRANT 2000, Cut 6 cm, 24 V DC, 19,2 W/m, 4000 K, typ. CRI 98 2088 lm/m 2088 lm/m	11,45 €/pc	4021553095318
50013030	LEDlight flex 15 8p TUNABLE WHITE 3000, Cut 9 cm, 24 V DC, 34,6 W/m, 2000 K - 3000 K	13,93 €/pc	4021553104522
50013128	LEDlight flex 16 8p STANDARD 500 2.0, cut 10 cm, 24V DC, 4,8 W/m, 2700 K 480 lm/m 480 lm/m	3,88 €/pc	4021553112176
50013133	LEDlight flex 16 8p STANDARD 500 2.0, cut 10 cm, 24V DC, 4,8 W/m, 3000 K 530 lm/m 530 lm/m	3,88 €/pc	4021553112183
50013134	LEDlight flex 16 8p STANDARD 500 2.0, cut 10 cm, 24V DC, 4,8 W/m, 4000 K 560 lm/m 560 lm/m	3,88 €/pc	4021553112190
50013328	LEDlight flex 16 8p STANDARD 1000 2.0, cut 10 cm, 24V DC, 9,8 W/m, 2700 K 930 lm/m 930 lm/m	4,39 €/pc	4021553112237
50013333	LEDlight flex 16 8p STANDARD 1000 2.0, cut 10 cm, 24 V DC, 9,8 W/m, 3000 K 1080 lm/m 1080 lm/m	4,39 €/pc	4021553112244
50013334	LEDlight flex 16 8p STANDARD 1000 2.0, cut 10 cm, 24 V DC, 9,8 W/m, 4000 K 1090 lm/m 1090 lm/m	4,39 €/pc	4021553112251
50013528	LEDlight flex 08 8 STANDARD 1500 2.0, cut 5 cm, 24 V DC, 14,4 W/m, 2700 K 1400 lm/m 1400 lm/m	3,25 €/pc	4021553111483
50013533	LEDlight flex 08 8 STANDARD 1500 2.0, cut 5 cm, 24 V DC, 14,4 W/m, 3000 K 1580 lm/m 1580 lm/m	3,25 €/pc	4021553111490
50013534	LEDlight flex 08 8 STANDARD 1500 2.0, cut 5 cm, 24 V DC, 14,4 W/m, 4000 K 1640 lm/m 1640 lm/m	3,25 €/pc	4021553111506
50013728	LEDlight flex 08 8 STANDARD 2000 2.0, cut 5 cm, 24 V DC, 19,7 W/m, 2700 K 1860 lm/m 1860 lm/m	3,40 €/pc	4021553111544
50013733	LEDlight flex 08 8 STANDARD 2000 2.0, cut 5 cm, 24 V DC, 19,7 W/m, 3000 K 2150 lm/m 2150 lm/m	3,40 €/pc	4021553111551
50013734	LEDlight flex 08 8 STANDARD 2000 2.0, cut 5 cm, 24 V DC, 19,7 W/m, 4000 K 2190 lm/m 2190 lm/m	3,40 €/pc	4021553111568



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
50013928	LEDlight flex 08 8 STANDARD 3000 2.0, cut 5 cm, 24 V DC, 28.8 W/m, 2700 K 2800 lm/m 2800 lm/m	3,72	€/pc	4021553111605
50013933	LEDlight flex 08 8 STANDARD 3000 2.0, cut 5 cm, 24 V DC, 28.8 W/m, 3000 K 2940 lm/m 2940 lm/m	3,72	€/pc	4021553111612
50013934	LEDlight flex 08 8 STANDARD 3000 2.0, cut 5 cm, 24 V DC, 28.8 W/m, 4000 K 3120 lm/m 3120 lm/m	3,72	€/pc	4021553111629
50014128	LEDlight flex 12 10 LITE 500, cut 8,33 cm, 24V DC, 4,4 W/m, 2700 K 470 lm/m 470 lm/m	2,66	€/pc	4021553112657
50014133	LEDlight flex 12 10 LITE 500, cut 8,33 cm, 24V DC, 4,4 W/m, 3000 K 520 lm/m 520 lm/m	2,66	€/pc	4021553112664
50014134	LEDlight flex 12 10 LITE 500, cut 8,33 cm, 24 V DC, 4,4 W/m, 4000 K 550 lm/m 550 lm/m	2,66	€/pc	4021553112671
50014228	LEDlight flex 12 10 LITE 1000, cut 8,33 cm, 24V DC, 8,7 W/m, 2700 K 920 lm/m 920 lm/m	2,91	€/pc	4021553112688
50014233	LEDlight flex 12 10 LITE 1000, cut 8,33 cm, 24V DC, 8,7 W/m, 3000 K 1060 lm/m 1060 lm/m	2,91	€/pc	4021553112695
50014234	LEDlight flex 12 10 LITE 1000, cut 8,33 cm, 24V DC, 8,7 W/m, 4000 K 1070 lm/m 1070 lm/m	2,91	€/pc	4021553112701
50014328	LEDlight flex 12 10 LITE 1500, cut 8,33 cm, 24V DC, 12,8 W/m, 2700 K 1350 lm/m 1350 lm/m	3,15	€/pc	4021553112718
50014333	LEDlight flex 12 10 LITE 1500, cut 8,33 cm, 24V DC, 12,8 W/m, 3000 K 1480 lm/m 1480 lm/m	3,15	€/pc	4021553112725
50014334	LEDlight flex 12 10 LITE 1500, cut 8,33 cm, 24V DC, 12,8 W/m, 4000 K 1500 lm/m 1500 lm/m	3,15	€/pc	4021553112732
50014928	LEDlight flex 16 10 STANDARD RGBW, cut 10 cm, 24 VDC, typ 20 W/m, RGB+typ 2700 K, typ 775 lm/m	12,26	€/pc	4021553114279
50014933	LEDlight flex 16 10 STANDARD RGBW, cut 10 cm, 24 VDC, typ 20 W/m, RGB+typ 3000 K, typ 775 lm/m	12,26	€/pc	4021553114286
50014934	LEDlight flex 16 10 STANDARD RGBW, cut 10 cm, 24 VDC, typ 20 W/m, RGB+typ 4000 K, typ 875 lm/m	12,26	€/pc	4021553114293
50015031	LEDlight flex 15 8p RGB Com-, cut 9 cm, 24 V DC, 2 W, 1000 lm/m	23,33	€/pc	4021553115061
50015331	LEDlight flex 16 10 LITE RGB, cut 10 cm, 24 V DC, 11,52 W/m 430 lm/m (red: 140 lm/m; green: 230 lm/m; blue: 60 lm/m)	7,85	€/pc	4021553115153
50015531	LEDlight flex 25 8p RGB cut 15cm, 24V DC, typ. 1.5W, typ. 440lm/m cut 15cm, 24V DC, typ. 1.5W, typ. 440lm/m	18,80	€/pc	4021553058641
50015615	LEDlight flex 08 8 HIGH EFFICIENCY 2.0, Cut 6 cm, 24 V DC, 6,4 W/m, 5700 K	8,33	€/pc	4021553116006
50015628	LEDlight flex 08 8 HIGH EFFICIENCY 2.0, Cut 6 cm, 24 V DC, 6,4 W/m, 2700 K	8,33	€/pc	4021553115979
50015633	LEDlight flex 08 8 HIGH EFFICIENCY 2.0, Cut 6 cm, 24 V DC, 6,4 W/m, 3000 K	8,33	€/pc	4021553115986
50015634	LEDlight flex 08 8 HIGH EFFICIENCY 2.0, Cut 6 cm, 24 V DC, 6,4 W/m, 4000 K	8,33	€/pc	4021553115993
50015715	LEDlight flex 08 8 HIGH EFFICIENCY PLUS 2.0, Cut 6 cm, 24 V DC, 22 W/m, 5700 K	8,60	€/pc	4021553116082
50015728	LEDlight flex 08 8 HIGH EFFICIENCY PLUS 2.0, Cut 6 cm, 24 V DC, 22 W/m, 2700 K	8,60	€/pc	4021553116051
50015733	LEDlight flex 08 8 HIGH EFFICIENCY PLUS 2.0, Cut 6 cm, 24 V DC, 22 W/m, 3000 K	8,60	€/pc	4021553116068
50015734	LEDlight flex 08 8 HIGH EFFICIENCY PLUS 2.0, Cut 6 cm, 24 V DC, 22 W/m, 4000 K	8,60	€/pc	4021553116075
50015815	LEDlight flex 08 8 HIGH EFFICIENCY PRO 2.0, Cut 6 cm, 24 V DC, 38,8 W/m, 5700 K	10,70	€/pc	4021553116167
50015828	LEDlight flex 08 8 HIGH EFFICIENCY PRO 2.0, Cut 6 cm, 24 V DC, 38,8 W/m, 2700 K	10,70	€/pc	4021553116136
50015833	LEDlight flex 08 8 HIGH EFFICIENCY PRO 2.0, Cut 6 cm, 24 V DC, 38,8 W/m, 3000 K	10,70	€/pc	4021553116143
50015834	LEDlight flex 08 8 HIGH EFFICIENCY PRO 2.0, Cut 6 cm, 24 V DC, 38,8 W/m, 4000 K	10,70	€/pc	4021553116150
50015915	LEDlight flex 12 8p HIGH EFFICIENCY 2.0, Cut 9 cm, 24 V DC, 4,5 W/m, 5700 K	9,62	€/pc	4021553116242
50015928	LEDlight flex 12 8p HIGH EFFICIENCY 2.0, Cut 9 cm, 24 V DC, 4,5 W/m, 2700 K	9,62	€/pc	4021553116211
50015933	LEDlight flex 12 8p HIGH EFFICIENCY 2.0, Cut 9 cm, 24 V DC, 4,5 W/m, 3000 K	9,62	€/pc	4021553116228
50015934	LEDlight flex 12 8p HIGH EFFICIENCY 2.0, Cut 9 cm, 24 V DC, 4,5 W/m, 4000 K	9,62	€/pc	4021553116235
50016015	LEDlight flex 12 8p HIGH EFFICIENCY PLUS 2.0, Cut 9 cm, 24 V DC, 12,5 W/m, 5700 K	9,78	€/pc	4021553116327
50016028	LEDlight flex 12 8p HIGH EFFICIENCY PLUS 2.0, Cut 9 cm, 24 V DC, 12,5 W/m, 2700 K	9,78	€/pc	4021553116297
50016033	LEDlight flex 12 8p HIGH EFFICIENCY PLUS 2.0, Cut 9 cm, 24 V DC, 12,5 W/m, 3000 K	9,78	€/pc	4021553116303
50016034	LEDlight flex 12 8p HIGH EFFICIENCY PLUS 2.0, Cut 9 cm, 24 V DC, 12,5 W/m, 4000 K	9,78	€/pc	4021553116310
50016115	LEDlight flex 12 8p HIGH EFFICIENCY PRO 2.0, Cut 9 cm, 24 V DC, 25,9 W/m, 5700 K	11,97	€/pc	4021553116402
50016128	LEDlight flex 12 8p HIGH EFFICIENCY PRO 2.0, Cut 9 cm, 24 V DC, 25,9 W/m, 2700 K	11,97	€/pc	4021553116372
50016133	LEDlight flex 12 8p HIGH EFFICIENCY PRO 2.0, Cut 9 cm, 24 V DC, 25,9 W/m, 3000 K	11,97	€/pc	4021553116389
50016134	LEDlight flex 12 8p HIGH EFFICIENCY PRO 2.0, Cut 9 cm, 24 V DC, 25,9 W/m, 4000 K	11,97	€/pc	4021553116396
50016215	LEDlight flex 08 8 ULTRA HIGH EFFICIENCY 1000, Cut 6,66 cm, 24 V DC, 5,4 W/m, 5700 K	9,31	€/pc	4021553115849
50016228	LEDlight flex 08 8 ULTRA HIGH EFFICIENCY 1000, Cut 6,66 cm, 24 V DC, 5,4 W/m, 2700 K	9,31	€/pc	4021553115818
50016233	LEDlight flex 08 8 ULTRA HIGH EFFICIENCY 1000, Cut 6,66 cm, 24 V DC, 5,4 W/m, 3000 K	9,31	€/pc	4021553115825



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
50016234	LEDlight flex 08 8 ULTRA HIGH EFFICIENCY 1000, Cut 6,66 cm, 24 V DC, 5,4 W/m, 4000 K	9,31 €/pc	4021553115832
50016315	LEDlight flex 10 8 ULTRA HIGH EFFICIENCY 2000 2.0, Cut 8 cm, 24 V DC, 11,1 W/m, 5700 K	11,17 €/pc	4021553115924
50016328	LEDlight flex 10 8 ULTRA HIGH EFFICIENCY 2000 2.0, Cut 8 cm, 24 V DC, 11,1 W/m, 2700 K	11,17 €/pc	4021553115894
50016333	LEDlight flex 10 8 ULTRA HIGH EFFICIENCY 2000 2.0, Cut 8 cm, 24 V DC, 11,1 W/m, 3000 K	11,17 €/pc	4021553115900
50016334	LEDlight flex 10 8 ULTRA HIGH EFFICIENCY 2000 2.0, Cut 8 cm, 24 V DC, 11,1 W/m, 4000 K	11,17 €/pc	4021553115917
50020000	AQUALUC S:OLID RGB	* €/pc	
50030000	AQUALUC S:OLID RGBW	* €/pc	
50040000	AQUALUC S:OLID Monochrome Bright	* €/pc	
50070201	LED strip plug-in 8 mm 2 pole, 500 mm strands with free wire ends for connecting the strip without tools	4,70 €/pc	4046356834018
50070202	LED strip plug-in 8 mm 4 pole, 500 mm strands with free wire ends for connecting the strip without tools	6,62 €/pc	4021553031361
50070203	LED strip connector 8 mm for connecting 2 pole and 4 pole strip without tools for connecting 2 pole and 4 pole strip without tools	7,15 €/pc	4021553031378
50070204	LED strip connector 8 mm with 40 mm cable for connecting 2 pole and 4 pole strips without tools for connecting 2 pole and 4 pole strips without tools	9,25 €/pc	4021553041643
50070206	LED strip connector 08FF2, Set 5 pieces	11,95 €/pc	4021553119243
50070207	LED strip feeder 08KF2, Set 5 pieces	11,95 €/pc	4021553119250
50070208	LED strip connector 10FF2, Set 5 pieces	12,50 €/pc	4021553119267
50070209	LED strip feeder 10KF2, Set 5 pieces	12,50 €/pc	4021553119274
50070210	LED strip connector 10FF4, Set 5 pieces	13,70 €/pc	4021553119281
50070211	LED strip feeder 10KF4, Set 5 pieces	13,70 €/pc	4021553119298
50070212	LED strip connector 12FF5, Set 5 pieces	14,25 €/pc	4021553119304
50070213	LED strip feeder 12KF5, Set 5 pieces	14,25 €/pc	4021553119311
50070214	LED strip connector 10FF5, Set 5 pieces	12,95 €/pc	4021553119328
50070215	LED strip feeder 10KF5, Set 5 pieces	12,95 €/pc	4021553119335
50110000	AQUALUC S:OLID Monochrome Bright 48 V	* €/pc	
50120000	AQUALUC S:OLID Monochrome High Brightness 48 V	* €/pc	
50324631	LEDlight flex 15 8p RGB reel 3960 mm, 24V DC, typ. 66W, typ. 594lm/m reel 396cm, 24V DC, typ. 66W, typ. 594lm/m	549,00 €/pc	4021553035383
50409128	LEDlight flex 16 10 RGBW High Efficiency reel 4000 mm, 24V DC, typ. 77W, RGB + typ. 2,700K, typ. 1,250lm/m reel 400cm, 24V DC, typ. 77W, RGB + typ. 2,700K, typ. 1,250lm/m	598,00 €/pc	4021553075808
50409133	LEDlight flex 16 10 RGBW High Efficiency reel 4000 mm, 24V DC, typ. 77W, RGB + typ. 3,000K, typ. 1,270lm/m reel 400cm, 24V DC, typ. 77W, RGB + typ. 3,000K, typ. 1,270lm/m	598,00 €/pc	4021553075815
50409134	LEDlight flex 16 10 RGBW High Efficiency reel 4000 mm, 24V DC, typ. 76,8W, RGB + typ. 4.000K, typ. 1360lm/m Rolle 400cm, 24V DC, typ. 76,8W, RGB + typ. 4.000K, typ. 1360lm/m	598,00 €/pc	4021553104386
50410130	LEDlight flex 15 8p CONTROLLED WHITE 2000, reel 504 cm, 24V DC, 17,3 W/m, 2700 K - 5700 K 1950 lm/m 1950 lm/m	499,00 €/pc	4021553083636
50410230	LEDlight flex 15 8p CONTROLLED WHITE 4000, reel 504 cm, 24V DC, 34,6 W/m, 2700 K - 5700 K 3700 lm/m 3700 lm/m	564,90 €/pc	4021553083650
50411911	LEDlight flex 08 8 COLOR, reel 504 cm, 24V DC, 8,0 W/m, red 330 lm/m 330 lm/m	575,00 €/pc	4021553084770
50411913	LEDlight flex 08 8 COLOR, reel 500 cm, 24V DC, 9,6 W/m, green 1320 lm/m 1320 lm/m	575,00 €/pc	4021553084640
50411914	LEDlight flex 08 8 COLOR, reel 500 cm, 24V DC, 9,6 W/m, blue 210 lm/m 210 lm/m	575,00 €/pc	4021553084633
50411922	LEDlight flex 08 8 COLOR, reel 504 cm, 24V DC, 8,0 W/m, amber 310 lm/m 310 lm/m	575,00 €/pc	4021553084763
50412011	LEDlight flex 12 8p COLOR, reel 504 cm, 24V DC, 17,3 W/m, red 710 lm/m 710 lm/m	549,00 €/pc	4021553084817
50412013	LEDlight flex 14 8p COLOR, reel 500 cm, 24V DC, 17,3 W/m, green 1600 lm/m 1600 lm/m	549,00 €/pc	4021553084688
50412014	LEDlight flex 14 8p COLOR, reel 500 cm, 24V DC, 17,3 W/m, blue 260 lm/m 260 lm/m	549,00 €/pc	4021553084671
50412022	LEDlight flex 12 8p COLOR, reel 504 cm, 24V DC, 17,3 W/m, amber 690 lm/m 690 lm/m	549,00 €/pc	4021553084800
50412128	LEDlight flex 08 4 SLIM, reel 360 cm, 24V DC, 8,0 W/m, 2700 K 810 lm/m 810 lm/m	311,85 €/pc	4021553084848
50412133	LEDlight flex 08 4 SLIM, reel 360 cm, 24V DC, 8,0 W/m, 3000 K 850 lm/m 850 lm/m	311,85 €/pc	4021553084855
50412134	LEDlight flex 08 4 SLIM, reel 360 cm, 24V DC, 8,0 W/m, 4000 K 890 lm/m 890 lm/m	311,85 €/pc	4021553084862
50412228	LEDlight flex 12 8p 48V 1000, reel 2016 cm, 48 V DC, 8,0 W/m, 2700 K 840 lm/m 840 lm/m	1650,00 €/pc	4021553095325
50412233	LEDlight flex 12 8p 48V 1000, reel 2016 cm, 48 V DC, 8,0 W/m, 3000 K 870 lm/m 870 lm/m	1650,00 €/pc	4021553095332
50412234	LEDlight flex 12 8p 48V 1000, reel 2016 cm, 48 V DC, 8,0 W/m, 4000 K 1000 lm/m 1000 lm/m	1650,00 €/pc	4021553095349



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
50412328	LEDlight flex 12 8p 48V 2000, reel 1008 cm, 48 V DC, 17,6 W/m, 2700 K 1820 lm/m 1820 lm/m	785,00	€/pc	4021553095387
50412333	LEDlight flex 12 8p 48V 2000, reel 1008 cm, 48 V DC, 17,6 W/m, 3000 K 1880 lm/m 1880 lm/m	785,00	€/pc	4021553095394
50412334	LEDlight flex 12 8p 48V 2000, reel 1008 cm, 48 V DC, 17,6 W/m, 4000 K 2170 lm/m 2170 lm/m	785,00	€/pc	4021553095400
50412628	LEDlight flex 08 8 VIBRANT 2000, reel 504 cm, 24 V DC, 19,2 W/m, 2700 K, typ. CRI 98 1760 lm/m 1760 lm/m	659,00	€/pc	4021553095264
50412633	LEDlight flex 08 8 VIBRANT 2000, reel 504 cm, 24 V DC, 19,2 W/m, 3000 K, typ. CRI 98 1880 lm/m 1880 lm/m	659,00	€/pc	4021553095271
50412634	LEDlight flex 08 8 VIBRANT 2000, reel 504 cm, 24 V DC, 19,2 W/m, 4000 K, typ. CRI 98 2088 lm/m 2088 lm/m	659,00	€/pc	4021553095288
50413030	LEDlight flex 15 8p TUNABLE WHITE 3000, reel 504 cm, 24 V DC, 34,6 W/m, 2000 K - 3000 K 2950 lm/m 2950 lm/m	534,45	€/pc	4021553104515
50413128	LEDlight flex 16 8p STANDARD 500 2.0, reel 500 cm, 24V DC, 4,8 W/m, 2700 K 480 lm/m 480 lm/m	133,00	€/pc	4021553112145
50413133	LEDlight flex 16 8p STANDARD 500 2.0, reel 500 cm, 24V DC, 4,8 W/m, 3000 K 530 lm/m 530 lm/m	133,00	€/pc	4021553112152
50413134	LEDlight flex 16 8p STANDARD 500 2.0, reel 500 cm, 24V DC, 4,8 W/m, 4000 K 560 lm/m 560 lm/m	133,00	€/pc	4021553112169
50413228	LEDlight flex 16 8p STANDARD 500 2.0, reel 2000 cm, 24 V DC, 4,8 W/m, 2700 K 480 lm/m 480 lm/m	532,00	€/pc	4021553112367
50413233	LEDlight flex 16 8p STANDARD 500 2.0, reel 2000 cm, 24 V DC, 4,8 W/m, 3000 K 530 lm/m 530 lm/m	532,00	€/pc	4021553112350
50413234	LEDlight flex 16 8p STANDARD 500 2.0, reel 2000 cm, 24 V DC, 4,8 W/m, 4000 K 560 lm/m 560 lm/m	532,00	€/pc	4021553112343
50413328	LEDlight flex 16 8p STANDARD 1000 2.0, reel 500 cm, 24 V DC, 9,8 W/m, 2700 K 930 lm/m 930 lm/m	150,50	€/pc	4021553112206
50413333	LEDlight flex 16 8p STANDARD 1000 2.0, reel 500 cm, 24 V DC, 9,8 W/m, 3000 K 1080 lm/m 1080 lm/m	150,50	€/pc	4021553112213
50413334	LEDlight flex 16 8p STANDARD 1000 2.0, reel 500 cm, 24 V DC, 9,8 W/m, 4000 K 1090 lm/m 1090 lm/m	150,50	€/pc	4021553112220
50413428	LEDlight flex 16 8p STANDARD 1000 2.0, reel 2000 cm, 24 V DC, 9,8 W/m, 2700 K 930 lm/m 930 lm/m	599,90	€/pc	4021553112336
50413433	LEDlight flex 16 8p STANDARD 1000 2.0, reel 2000 cm, 24 V DC, 9,8 W/m, 3000 K 1080 lm/m 1080 lm/m	599,90	€/pc	4021553112329
50413434	LEDlight flex 16 8p STANDARD 1000 2.0, reel 2000 cm, 24 V DC, 9,8 W/m, 4000 K 1090 lm/m 1090 lm/m	599,90	€/pc	4021553112312
50413528	LEDlight flex 08 8 STANDARD 1500 2.0, reel 500 cm, 24 V DC, 14,4 W/m, 2700 K 1400 lm/m 1400 lm/m	222,80	€/pc	4021553111452
50413533	LEDlight flex 08 8 STANDARD 1500 2.0, reel 500 cm, 24 V DC, 14,4 W/m, 3000 K 1580 lm/m 1580 lm/m	222,80	€/pc	4021553111469
50413534	LEDlight flex 08 8 STANDARD 1500 2.0, reel 500 cm, 24 V DC, 14,4 W/m, 4000 K 1640 lm/m 1640 lm/m	222,80	€/pc	4021553111476
50413628	LEDlight flex 08 8 STANDARD 1500 2.0, reel 2000 cm, 24 V DC, 14,4 W/m, 2700 K 1400 lm/m 1400 lm/m	891,20	€/pc	4021553111643
50413633	LEDlight flex 08 8 STANDARD 1500 2.0, reel 2000 cm, 24 V DC, 14,4 W/m, 3000 K 1580 lm/m 1580 lm/m	891,20	€/pc	4021553111650
50413634	LEDlight flex 08 8 STANDARD 1500 2.0, reel 2000 cm, 24 V DC, 14,4 W/m, 4000 K 1640 lm/m 1640 lm/m	891,20	€/pc	4021553111667
50413728	LEDlight flex 08 8 STANDARD 2000 2.0, reel 500 cm, 24 V DC, 19,7 W/m, 2700 K 1860 lm/m 1860 lm/m	238,15	€/pc	4021553111513
50413733	LEDlight flex 08 8 STANDARD 2000 2.0, reel 500 cm, 24 V DC, 19,7 W/m, 3000 K 2150 lm/m 2150 lm/m	238,15	€/pc	4021553111520
50413734	LEDlight flex 08 8 STANDARD 2000 2.0, reel 500 cm, 24 V DC, 19,7 W/m, 4000 K 2190 lm/m 2190 lm/m	238,15	€/pc	4021553111537
50413828	LEDlight flex 08 8 STANDARD 2000 2.0, reel 2000 cm, 24 V DC, 19,7 W/m, 2700 K 1860 lm/m 1860 lm/m	952,60	€/pc	4021553111674
50413833	LEDlight flex 08 8 STANDARD 2000 2.0, reel 2000 cm, 24 V DC, 19,7 W/m, 3000 K 2150 lm/m 2150 lm/m	952,60	€/pc	4021553111681
50413834	LEDlight flex 08 8 STANDARD 2000 2.0, reel 2000 cm, 24 V DC, 19,7 W/m, 4000 K 2190 lm/m 2190 lm/m	952,60	€/pc	4021553111698
50413928	LEDlight flex 08 8 STANDARD 3000 2.0, reel 500 cm, 24 V DC, 28,8 W/m, 2700 K 2800 lm/m 2800 lm/m	255,25	€/pc	4021553111575
50413933	LEDlight flex 08 8 STANDARD 3000 2.0, reel 500 cm, 24 V DC, 28,8 W/m, 3000 K 2940 lm/m 2940 lm/m	255,25	€/pc	4021553111582
50413934	LEDlight flex 08 8 STANDARD 3000 2.0, reel 500 cm, 24 V DC, 28,8 W/m, 4000 K 3120 lm/m 3120 lm/m	255,25	€/pc	4021553111599
50414028	LEDlight flex 08 8 STANDARD 3000 2.0, reel 2000 cm, 24 V DC, 28,8 W/m, 2700 K 2800 lm/m 2800 lm/m	1021,00	€/pc	4021553111704
50414033	LEDlight flex 08 8 STANDARD 3000 2.0, reel 2000 cm, 24 V DC, 28,8 W/m, 3000 K 2940 lm/m 2940 lm/m	1021,00	€/pc	4021553111711
50414034	LEDlight flex 08 8 STANDARD 3000 2.0, reel 2000 cm, 24 V DC, 28,8 W/m, 4000 K 3120 lm/m 3120 lm/m	1021,00	€/pc	4021553111728
50414128	LEDlight flex 12 10 LITE 500, reel 500 cm, 24 V DC, 4,4 W/m, 2700 K 470lm/m 470 lm/m	109,50	€/pc	4021553112565
50414133	LEDlight flex 12 10 LITE 500, reel 500 cm, 24 V DC, 4,4 W/m, 3000 K 520 lm/m 520 lm/m	109,50	€/pc	4021553112572
50414134	LEDlight flex 12 10 LITE 500, reel 500 cm, 24 V DC, 4,4 W/m, 4000 K 550 lm/m 550 lm/m	109,50	€/pc	4021553112589
50414228	LEDlight flex 12 10 LITE 1000, reel 500 cm, 24V DC, 8,7 W/m, 2700 K 920 lm/m 920 lm/m	119,50	€/pc	4021553112596
50414233	LEDlight flex 12 10 LITE 1000, reel 500 cm, 24V DC, 8,7 W/m, 3000 K 1060 lm/m 1060 lm/m	119,50	€/pc	4021553112602
50414234	LEDlight flex 12 10 LITE 1000, reel 500 cm, 24V DC, 8,7 W/m, 4000 K 1070 lm/m 1070 lm/m	119,50	€/pc	4021553112619
50414328	LEDlight flex 12 10 LITE 1500, reel 500 cm, 24V DC, 12,8 W/m, 2700 K 1500 lm/m 1350 lm/m	129,50	€/pc	4021553112626
50414333	LEDlight flex 12 10 LITE 1500, reel 500 cm, 24V DC, 12,8 W/m, 3000 K 1480 lm/m 1480 lm/m	129,50	€/pc	4021553112633



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
50414334	LEDlight flex 12 10 LITE 1500, reel 500 cm, 24V DC, 12,8 W/m, 4000 K 1500 lm/m 1500 lm/m	129,50	€/pc	4021553112640
50414928	LEDlight flex 16 10 STANDARD RGBW, reel 500 cm, 24 VDC, typ. 20 W/m, RGB+typ. 2700 K, typ. 775 lm/m	449,00	€/pc	4021553114187
50414933	LEDlight flex 16 10 STANDARD RGBW, reel 500 cm, 24 VDC, typ. 20 W/m, RGB+typ. 3000 K, typ. 775 lm/m	449,00	€/pc	4021553113852
50414934	LEDlight flex 16 10 STANDARD RGBW, reel 500 cm, 24 VDC, typ. 20 W/m, RGB+typ. 4000 K, typ. 875 lm/m	449,00	€/pc	4021553114194
50415031	LEDlight flex 15 8p RGB Com-, reel 495 cm, 24 V DC, 110 W, 1000 lm/m	879,00	€/pc	4021553114996
50415331	LEDlight flex 16 10 LITE RGB, reel 500 cm, 24 V DC, 11,5 W/m 430 lm/m (red: 140 lm/m; green: 230 lm/m; blue: 60 lm/m)	269,00	€/pc	4021553115146
50415615	LEDlight flex 08 8 HIGH EFFICIENCY 2.0, reel 504 cm, 24 V DC, 6,4 W/m, 5700 K	479,00	€/pc	4021553115962
50415628	LEDlight flex 08 8 HIGH EFFICIENCY 2.0, reel 504 cm, 24 V DC, 6,4 W/m, 2700 K	479,00	€/pc	4021553115931
50415633	LEDlight flex 08 8 HIGH EFFICIENCY 2.0, reel 504 cm, 24 V DC, 6,4 W/m, 3000 K	479,00	€/pc	4021553115948
50415634	LEDlight flex 08 8 HIGH EFFICIENCY 2.0, reel 504 cm, 24 V DC, 6,4 W/m, 4000 K	479,00	€/pc	4021553115955
50415715	LEDlight flex 08 8 HIGH EFFICIENCY PLUS 2.0, reel 396 cm, 24 V DC, 22 W/m, 5700 K	389,00	€/pc	4021553116044
50415728	LEDlight flex 08 8 HIGH EFFICIENCY PLUS 2.0, reel 396 cm, 24 V DC, 22 W/m, 2700 K	389,00	€/pc	4021553116013
50415733	LEDlight flex 08 8 HIGH EFFICIENCY PLUS 2.0, reel 396 cm, 24 V DC, 22 W/m, 3000 K	389,00	€/pc	4021553116020
50415734	LEDlight flex 08 8 HIGH EFFICIENCY PLUS 2.0, reel 396 cm, 24 V DC, 22 W/m, 4000 K	389,00	€/pc	4021553116037
50415815	LEDlight flex 08 8 HIGH EFFICIENCY PRO 2.0, reel 216 cm, 24 V DC, 38,8 W/m, 5700 K	260,40	€/pc	4021553116129
50415828	LEDlight flex 08 8 HIGH EFFICIENCY PRO 2.0, reel 216 cm, 24 V DC, 38,8 W/m, 2700 K	260,40	€/pc	4021553116099
50415833	LEDlight flex 08 8 HIGH EFFICIENCY PRO 2.0, reel 216 cm, 24 V DC, 38,8 W/m, 3000 K	260,40	€/pc	4021553116105
50415834	LEDlight flex 08 8 HIGH EFFICIENCY PRO 2.0, reel 216 cm, 24 V DC, 38,8 W/m, 4000 K	260,40	€/pc	4021553116112
50415915	LEDlight flex 12 8p HIGH EFFICIENCY 2.0, reel 504 cm, 24 V DC, 4,5W/m, 5700 K	369,00	€/pc	4021553116204
50415928	LEDlight flex 12 8p HIGH EFFICIENCY 2.0, reel 504 cm, 24 V DC, 4,5W/m, 2700 K	369,00	€/pc	4021553116174
50415933	LEDlight flex 12 8p HIGH EFFICIENCY 2.0, reel 504 cm, 24 V DC, 4,5W/m, 3000 K	369,00	€/pc	4021553116181
50415934	LEDlight flex 12 8p HIGH EFFICIENCY 2.0, reel 504 cm, 24 V DC, 4,5W/m, 4000 K	369,00	€/pc	4021553116198
50416015	LEDlight flex 12 8p HIGH EFFICIENCY PLUS 2.0, reel 504 cm, 24 V DC, 12,5W/m, 5700 K	375,00	€/pc	4021553116280
50416028	LEDlight flex 12 8p HIGH EFFICIENCY PLUS 2.0, reel 504 cm, 24 V DC, 12,5W/m, 2700 K	375,00	€/pc	4021553116259
50416033	LEDlight flex 12 8p HIGH EFFICIENCY PLUS 2.0, reel 504 cm, 24 V DC, 12,5W/m, 3000 K	375,00	€/pc	4021553116266
50416034	LEDlight flex 12 8p HIGH EFFICIENCY PLUS 2.0, reel 504 cm, 24 V DC, 12,5W/m, 4000 K	375,00	€/pc	4021553116273
50416115	LEDlight flex 12 8p HIGH EFFICIENCY PRO 2.0, reel 216 cm, 24 V DC, 25,9W/m, 5700 K	194,25	€/pc	4021553116365
50416128	LEDlight flex 12 8p HIGH EFFICIENCY PRO 2.0, reel 216 cm, 24 V DC, 25,9W/m, 2700 K	194,25	€/pc	4021553116334
50416133	LEDlight flex 12 8p HIGH EFFICIENCY PRO 2.0, reel 216 cm, 24 V DC, 25,9W/m, 3000 K	194,25	€/pc	4021553116341
50416134	LEDlight flex 12 8p HIGH EFFICIENCY PRO 2.0, reel 216 cm, 24 V DC, 25,9W/m, 4000 K	194,25	€/pc	4021553116358
50416215	LEDlight flex 08 8 ULTRA HIGH EFFICIENCY 1000, reel 480 cm, 24 V DC, 5,4 W/m, 5700 K	459,00	€/pc	4021553115801
50416228	LEDlight flex 08 8 ULTRA HIGH EFFICIENCY 1000, reel 480 cm, 24 V DC, 5,4 W/m, 2700 K	459,00	€/pc	4021553115771
50416233	LEDlight flex 08 8 ULTRA HIGH EFFICIENCY 1000, reel 480 cm, 24 V DC, 5,4 W/m, 3000 K	459,00	€/pc	4021553115788
50416234	LEDlight flex 08 8 ULTRA HIGH EFFICIENCY 1000, reel 480 cm, 24 V DC, 5,4 W/m, 4000 K	459,00	€/pc	4021553115795
50416315	LEDlight flex 10 8 ULTRA HIGH EFFICIENCY 2000 2.0, reel 480 cm, 24 V DC, 11,1 W/m, 5700 K	459,00	€/pc	4021553115887
50416328	LEDlight flex 10 8 ULTRA HIGH EFFICIENCY 2000 2.0, reel 480 cm, 24 V DC, 11,1 W/m, 2700 K	459,00	€/pc	4021553115856
50416333	LEDlight flex 10 8 ULTRA HIGH EFFICIENCY 2000 2.0, reel 480 cm, 24 V DC, 11,1 W/m, 3000 K	459,00	€/pc	4021553115863
50416334	LEDlight flex 10 8 ULTRA HIGH EFFICIENCY 2000 2.0, reel 480 cm, 24 V DC, 11,1 W/m, 4000 K	459,00	€/pc	4021553115870
50510531	LEDtape flex 60LED/m	449,00	€/pc	4021553000534
50602531	LEDlight flex 25 8p RGB reel 600cm, 24V DC, typ. 60W, typ. 440lm/m reel 600cm, 24V DC, typ. 60W, typ. 440lm/m	515,00	€/pc	4021553058634
50990007	one-sided skinning and tinning/soldering to LEDlight flex (plus cable), 2 pole, free wire ends 2-polig, free wire ends	10,50	€/pc	4021553770475
50990013	Connector plug 2,1mm incl. 75cm-cable for power supply bared and tin-plated on one end, max 1.5 A	5,98	€/pc	4021553771144
50990014	Connector socket 2,1mm incl. 75cm-cable for power supply bared and tin-plated on one end, max. 1.5 A	6,57	€/pc	4021553771151
50990015	Circular socket 2.1mm with 250cm cable, for plug-in power supply bared and tin-plated on one end, max. 7 A	25,15	€/pc	4021553069333
50990021	one-sided skinning and tinning/soldering to LEDlight flex (plus cable), 4 pole, free wire ends	11,70	€/pc	4021553770505



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
50990024	Cable 2-pole PUR white 2x 0,34 mm² for outdoors, per metre	3,35 €/pc	4021553733814
50990027	one-sided skinning and tinning/soldering to LEDlight flex (plus cable), 5 pole, free wire ends	12,90 €/pc	4021553021225
50990090	BARdolino holding set V2A, 2 mounting clips + 2 screws	1,70 €/pc	4021553779324
50990091	BARdolino holding set 45° V2A, 2 mounting clips + 2 screws	1,80 €/pc	4021553852324
50990190	Mounting clip set, 304 stainless steel, incl. 2 mounting clips + 2 screws, high retention force	2,40 €/pc	4021553034102
50990191	BARdolino holding set pivotable V2A , 2 brackets + 4 screws	5,00 €/pc	4021553009797
50990200	Sealing of IP 66 MFC cuts to restore IP protection	14,50 €/pc	4021553119700
50990207	two-sided skinning and tinning/soldering to LEDlight flex (plus cable), 4 pole, free wire ends	16,20 €/pc	4021553853611
50990221	two-sided skinning and tinning/soldering to LEDlight flex (plus cable), 2 pole, free wire ends	14,50 €/pc	4021553853628
50990227	two-sided skinning and tinning/soldering to LEDlight flex (plus cable), 5 pole, free wire ends	17,90 €/pc	4021553038483
50990291	BARdolino accessories: metal connector for BARdolino – aluminum profile	1,45 €/pc	4021553009803
50990741	Cable 1000 mm for indoors, 4pole, ribbon, white, incl. soldering on LED stripe	* €/pc	4021553023144
50990742	Cable 2000 mm for indoors, 4pole, ribbon, white, incl. soldering on LED stripe	21,90 €/pc	4021553023151
50990743	Cable 3000 mm for indoors, 4pole, ribbon, white, incl. soldering on LED stripe	26,20 €/pc	4021553023168
50990821	Cable 1000 mm for outdoor use, 2pole, white, incl. soldering to LED stripe	16,40 €/pc	4021553023113
50990822	Cable 2000 mm for outdoor use, 2pole, white, incl. soldering to LED stripe	19,80 €/pc	4021553023120
50990823	Cable 3000 mm for outdoor use, 2pole, white, incl. soldering to LED stripe	23,10 €/pc	4021553023137
50990841	Cable 1000 mm for outdoor use, 4pole, white, incl. soldering to LED stripe	20,50 €/pc	4021553023175
50990842	Cable 2000 mm for outdoor use, 4pole, white, incl. soldering to LED stripe	23,90 €/pc	4021553023182
50990843	Cable 3000 mm for outdoor use, 4pole, white, incl. soldering to LED stripe	27,50 €/pc	4021553023199
50990851	Cable 1000 mm for indoors, 5pole, white, incl. soldering on LED stripe	19,50 €/pc	4021553023205
50990852	Cable 2000 mm for indoors, 5pole, white, incl. soldering on LED stripe	22,50 €/pc	4021553023212
50990853	Cable 3000 mm for indoors, 5pole, white, incl. soldering on LED stripe	25,50 €/pc	4021553023229
50991800	ESD earthing set consists of earthing module, spiral cable 1.8 m and wrist bracelet	89,50 €/pc	4021553023311
50999002	Light panel Neptun, all side in-feed	* €/pc	4021553004884
50999003	Light panel Mars, all side in-feed, IP 64	* €/pc	4021553004891
50999009	Light panel Apollon, all side in-feed	* €/pc	4021553064161
51540001	LED STRIP BASIC 120 RGB, reel 500 cm, 24 V DC, typ. 12 W/m, typ. 490 lm/m	96,60 €/pc	4021553127231
51540128	LED STRIP BASIC 210 IP54, reel 500 cm, 24 V DC, typ. 72 W, typ. 2700 K	177,15 €/pc	4021553096650
51540133	LED STRIP BASIC 210 IP54, reel 500 cm, 24 V DC, typ. 72 W, typ. 3000 K	177,15 €/pc	4021553096667
51540134	LED STRIP BASIC 210 IP54, reel 500 cm, 24 V DC, typ. 72 W, typ. 4000 K	178,44 €/pc	4021553096674
51540228	LED STRIP BASIC 140 IP54, reel 500 cm, 24 V DC, typ. 48 W, typ. 2700 K	140,41 €/pc	4021553096681
51540233	LED STRIP BASIC 140 IP54, reel 500 cm, 24 V DC, typ. 48 W, typ. 3000 K	140,41 €/pc	4021553096698
51540234	LED STRIP BASIC 140 IP54, reel 500 cm, 24 V DC, typ. 48 W, typ. 4000 K	140,41 €/pc	4021553096704
51540328	LED STRIP BASIC 70 IP54, reel 500 cm, 24 V DC, typ. 24 W, typ. 2700 K	106,56 €/pc	4021553096711
51540333	LED STRIP BASIC 70 IP54, reel 500 cm, 24 V DC, typ. 24 W, typ. 3000 K	106,56 €/pc	4021553096728
51540334	LED STRIP BASIC 70 IP54, reel 500 cm, 24 V DC, typ. 24 W, typ. 4000 K	106,56 €/pc	4021553096735
51540428	LED STRIP BASIC 30 IP54, reel 500 cm, 12 V DC, typ. 12 W, typ. 2700 K	94,91 €/pc	4021553096742
51540433	LED STRIP BASIC 30 IP54, reel 500 cm, 12 V DC, typ. 12 W, typ. 3000 K	94,91 €/pc	4021553096759
51540434	LED STRIP BASIC 30 IP54, reel 500 cm, 12 V DC, typ. 12 W, typ. 4000 K	94,91 €/pc	4021553096766
51540501	Mounting set BASIC TOP VIEW 4 mm, 10 silicone holders, 20 screws, 5 feedcaps, 5 endcaps	15,00 €/pc	4021553102269
51540528	LED STRIP BASIC TOP VIEW 4 mm 140 IP67, reel 500 cm, 24 V DC, typ. 96 W, typ. 2700K outdoor, coated outdoor, coated	180,81 €/pc	4021553096773
51540533	LED STRIP BASIC TOP VIEW 4 mm 140 IP67, reel 500 cm, 24 V DC, typ. 96 W, typ. 3000K outdoor, coated outdoor, coated	180,81 €/pc	4021553096780
51540534	LED STRIP BASIC TOP VIEW 4 mm 140 IP67, reel 500 cm, 24 V DC, typ. 96 W, typ. 4000K outdoor, coated outdoor, coated	180,81 €/pc	4021553096797
51540601	Mounting kit BASIC SIDE VIEW 11 mm	25,51 €/pc	4021553102276



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
51540628	LED STRIP BASIC SIDE VIEW 11 mm 140 IP66, reel 500 cm, 24 V DC, typ. 72 W, typ. 2700K outdoor, coated outdoor, coated	219,49	€/pc	4021553096803
51540633	LED STRIP BASIC SIDE VIEW 11 mm 140 IP66, reel 500 cm, 24 V DC, typ. 72 W, typ. 3000K outdoor, coated outdoor, coated	219,49	€/pc	4021553096810
51540634	LED STRIP BASIC SIDE VIEW 11 mm 140 IP66, reel 500 cm, 24 V DC, typ. 72 W, typ. 4000K outdoor, coated outdoor, coated	219,49	€/pc	4021553096827
51540701	Mounting set BASIC SIDE VIEW 8 mm, 20 retaining clips/screws, 5 feedcaps, 5 endcaps	25,37	€/pc	4021553102283
51540728	LED STRIP BASIC SIDE VIEW 8 mm 140 IP66, reel 500 cm, 24 V DC, typ. 48 W, typ. 2700 K outdoor, coated outdoor, coated	201,37	€/pc	4021553096834
51540733	LED STRIP BASIC SIDE VIEW 8 mm 140 IP66, reel 500 cm, 24 V DC, typ. 48 W, typ. 3000 K outdoor, coated outdoor, coated	201,37	€/pc	4021553096841
51540734	LED STRIP BASIC SIDE VIEW 8 mm 140 IP66, reel 500 cm, 24 V DC, typ. 48 W, typ. 4000 K outdoor, coated outdoor, coated	201,37	€/pc	4021553096858
51540831	LED STRIP BASIC 60 RGB IP54, reel 500 cm, 24 V DC, typ. 72 W	198,11	€/pc	4021553096865
51540911	LED STRIP BASIC 120, reel 500 cm, 24 V DC, typ. 43 W, red	139,90	€/pc	4021553113975
51540913	LED STRIP BASIC 120, reel 500 cm, 24 V DC, typ. 43 W, green	139,90	€/pc	4021553113968
51540914	LED STRIP BASIC 120, reel 500 cm, 24 V DC, typ. 43 W, blue	139,90	€/pc	4021553113951
51541128	LED STRIP BASIC 60, reel 500 cm, 12 V DC, typ. 35 W, typ. 2700 K	54,54	€/pc	4021553109855
51541133	LED STRIP BASIC 60, reel 500 cm, 12 V DC, typ. 35 W, typ. 3000 K	54,54	€/pc	4021553109862
51541134	LED STRIP BASIC 60, reel 500 cm, 12 V DC, typ. 35 W, typ. 4000 K	54,54	€/pc	4021553109879
51541228	LED STRIP BASIC 70, reel 500 cm, 24 V DC, typ. 30 W, typ. 2700 K	54,54	€/pc	4021553109886
51541233	LED STRIP BASIC 70, reel 500 cm, 24 V DC, typ. 30 W, typ. 3000 K	54,54	€/pc	4021553109893
51541234	LED STRIP BASIC 70, reel 500 cm, 24 V DC, typ. 30 W, typ. 4000 K	54,54	€/pc	4021553109909
51541328	LED STRIP BASIC 80, reel 500 cm, 24 V DC, typ. 72 W, typ. 2700 K	64,78	€/pc	4021553109916
51541330	LED STRIP BASIC TW, reel 500 cm, 24 V DC, typ. 48 W, typ. 2700-6000 K	125,99	€/pc	4021553109978
51541331	LED STRIP BASIC RGB, reel 500 cm, 24 V DC, typ. 72 W	93,71	€/pc	4021553109985
51541333	LED STRIP BASIC 80, reel 500 cm, 24 V DC, typ. 72 W, typ. 3000 K	64,78	€/pc	4021553109923
51541334	LED STRIP BASIC 80, reel 500 cm, 24 V DC, typ. 72 W, typ. 4000 K	64,78	€/pc	4021553109930
51542128	LED STRIP BASIC COB, reel 500 cm, 24 V DC, typ. 90 W, typ. 2700 K	233,73	€/pc	4021553109947
51542133	LED STRIP BASIC COB, reel 500 cm, 24 V DC, typ. 90 W, typ. 3000 K	233,73	€/pc	4021553109954
51542134	LED STRIP BASIC COB, reel 500 cm, 24 V DC, typ. 90 W, typ. 4000 K	233,73	€/pc	4021553109961
51542228	LED STRIP BASIC 128, reel 500 cm, 24 V DC, typ. 96 W, typ. 2700 K	95,00	€/pc	4021553119021
51542233	LED STRIP BASIC 128, reel 500 cm, 24 V DC, typ. 96 W, typ. 3000 K	95,00	€/pc	4021553119038
51542234	LED STRIP BASIC 128, reel 500 cm, 24 V DC, typ. 96 W, typ. 4000 K	95,00	€/pc	4021553119045
51542328	LED STRIP BASIC COB 480, reel 500 cm, 24 V DC, typ. 55 W, typ. 2700 K	184,00	€/pc	4021553119052
51542333	LED STRIP BASIC COB 480, reel 500 cm, 24 V DC, typ. 55 W, typ. 3000 K	184,00	€/pc	4021553119069
51542334	LED STRIP BASIC COB 480, reel 500 cm, 24 V DC, typ. 55 W, typ. 4000 K	184,00	€/pc	4021553119076
51542428	LED STRIP BASIC RGBW, reel 500 cm, 24 V DC, typ. 96 W, RGB+typ. 2700 K	186,00	€/pc	4021553119083
51542433	LED STRIP BASIC RGBW, reel 500 cm, 24 V DC, typ. 96 W, RGB+typ. 3000 K	186,00	€/pc	4021553119090
51542434	LED STRIP BASIC RGBW, reel 500 cm, 24 V DC, typ. 96 W, RGB+typ. 4000 K	186,00	€/pc	4021553119106
51542501	Mounting set LED STRIP BASIC TOP VIEW 12 mm COB 2 x connektor stripe to open wires	20,61	€/pc	4021553119540
51542502	Mounting set LED STRIP BASIC TOP VIEW 12 mm COB 10 x hoder + 20 x screws	6,77	€/pc	4021553119557
51542528	LED STRIP BASIC TOP VIEW 12mm COB 280 IP67, reel 500 cm, 24 V DC, typ. 72 W, typ. 2700 K	240,00	€/pc	4021553119113
51542533	LED STRIP BASIC TOP VIEW 12mm COB 280 IP67, reel 500 cm, 24 V DC, typ. 72 W, typ. 3000 K	240,00	€/pc	4021553119120
51542534	LED STRIP BASIC TOP VIEW 12mm COB 280 IP67, reel 500 cm, 24 V DC, typ. 72 W, typ. 4000 K	240,00	€/pc	4021553119137
51542628	LED STRIP BASIC 240 RGBW IP54, reel 500 cm, 24 V DC, typ. 100 W, typ. 2700 K	271,90	€/pc	4021553124636
51542633	LED STRIP BASIC 240 RGBW IP54, reel 500 cm, 24 V DC, typ. 100 W, typ. 3000 K	271,90	€/pc	4021553124643
51542634	LED STRIP BASIC 240 RGBW IP54, reel 500 cm, 24 V DC, typ. 100 W, typ. 4000 K	271,90	€/pc	4021553124650
51542727	LED STRIP BASIC CSP 320, reel 500 cm, 24 V DC, typ. 10 W/m, typ. 2700 K, typ. 970 lm/m	82,50	€/pc	4021553127743
51542730	LED STRIP BASIC CSP 320, reel 500 cm, 24 V DC, typ. 10 W/m, typ. 3000 K, typ. 1012 lm/m	82,50	€/pc	4021553127750
51542740	LED STRIP BASIC CSP 320, reel 500 cm, 24 V DC, typ. 10 W/m, typ. 4000 K, typ. 1036 lm/m	82,50	€/pc	4021553127767



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
51542827	LED STRIP BASIC CSP 480, reel 500 cm, 24 V DC, typ. 14,4 W/m, typ. 2700 K, typ. 1300 lm/m	109,70 €/pc	4021553127774
51542830	LED STRIP BASIC CSP 480, reel 500 cm, 24 V DC, typ. 14,4 W/m, typ. 3000 K, typ. 1320 lm/m	109,70 €/pc	4021553127781
51542840	LED STRIP BASIC CSP 480, reel 500 cm, 24 V DC, typ. 14,4 W/m, typ. 4000 K, typ. 1360 lm/m	109,70 €/pc	4021553127798
51542927	LED STRIP BASIC CSP 480 IP54, reel 500 cm, 24 V DC, typ. 14,4 W/m, typ. 2700 K, typ. 1296 lm/m	132,00 €/pc	4021553127804
51542930	LED STRIP BASIC CSP 480 IP54, reel 500 cm, 24 V DC, typ. 14,4 W/m, typ. 3000 K, typ. 1296 lm/m	132,00 €/pc	4021553127811
51542940	LED STRIP BASIC CSP 480 IP54, reel 500 cm, 24 V DC, typ. 14,4 W/m, typ. 4000 K, typ. 1296 lm/m	132,00 €/pc	4021553127828
51543131	LED STRIP BASIC CSP 540 RGB, reel 500 cm, 24 V DC, typ. 15 W/m, typ. 550 lm/m	174,75 €/pc	4021553127835
51543231	LED STRIP BASIC CSP 540 RGB IP54, reel 500 cm, 24 V DC, typ. 15 W/m, typ. 540 lm/m	185,00 €/pc	4021553127842
51982001	Plug contact & socket contact extension, white, max. 3 A, 1000 mm	6,20 €/pc	4021553009179
51982002	Plug contact & socket contact extension, white, max. 3 A, 2000 mm	8,30 €/pc	4021553008769
51990002	Y-splitter, white, max. 3 A	4,00 €/pc	4021553008738
51991002	Socket contact, white, max. 3 A, 1000 mm	8,90 €/pc	4021553008752
51992009	9-splitter, white, max. 3 A	8,34 €/pc	4021553008745
62013070	Adriano, recessed floor spot, Ø 145 mm, 3000 K, 665 lm, 16.8 W, 230 V AC, stainless steel trim, IP67, 70x52°	278,09 €/pc	4021553113586
62023021	Marzana S, Outdoor spotlight, Ø 55 mm, 3000 K, 375 lm, 8,4 W, 230 V AC Triac, aluminium, IP66, 16°	138,99 €/pc	4021553113593
62023038	Marzana S, Outdoor spotlight, Ø 55 mm, 3000 K, 340 lm, 8,4 W, 230 V AC Triac, aluminium, IP66, 44°	138,99 €/pc	4021553113609
62033018	Marzana M, Outdoor spotlight, Ø 82 mm, 3000 K, 1315 lm, 14,2 W, 230 V AC Triac, aluminium, IP66, 15°	224,59 €/pc	4021553113616
62033055	Marzana M, Outdoor spotlight, Ø 82 mm, 3000 K, 1050 lm, 14,2 W, 230 V AC Triac, aluminium, IP66, 46°	213,89 €/pc	4021553113623
62043016	Scotto S, recessed floor spot, Ø 50 mm, 3000 K, 185 lm, 5.3 W, 24 VDC, stainless steel trim, IP67, 16°	85,49 €/pc	4021553113630
62043031	Scotto S, recessed floor spot, Ø 50 mm, 3000 K, 180 lm, 5.3 W, 24 VDC, stainless steel cover, IP67, 38°	85,49 €/pc	4021553113647
62053016	Scotto M, recessed floor spot, Ø 77 mm, 3000 K, 335 lm, 5.8 W, 230 V AC, stainless steel trim, IP67, 16°	160,39 €/pc	4021553113654
62053037	Scotto M, recessed floor spot, Ø 77 mm, 3000 K, 355 lm, 5.8 W, 230 V AC, stainless steel trim, IP67, 37°	160,39 €/pc	4021553113661
62378001	BARdolino; Midi flat; profile; aluminium; anodised; natural; 15x12 mm; 1000 mm	12,50 €/pc	4021553117874
62378002	BARdolino; Midi flat; profile; aluminium; anodised; natural; 15x12 mm; 2010 mm	25,00 €/pc	4021553117881
62378003	BARdolino; Midi flat; profile; aluminium; anodised; natural; 15x12 mm; 3020 mm	39,80 €/pc	4021553117898
62378005	BARdolino; Midi flat; profile; aluminium; anodised; natural; 15x12 mm; 5030 mm	68,75 €/pc	4021553117904
62378007	BARdolino; Midi flat; endcap set; plastics; grey; 15x12x2 mm	3,45 €/pc	4021553118734
62378008	BARdolino; Midi flat; endcap set; plastics; black; 15x12x2 mm	3,45 €/pc	4021553118758
62378011	BARdolino; Midi flat/T; cover; PMMA; satin finish; 12,8x6 mm; 1000 mm	9,50 €/pc	4021553117911
62378012	BARdolino; Midi flat/T; cover; PMMA; satin finish; 12,8x6 mm; 2010 mm	19,00 €/pc	4021553117928
62378013	BARdolino; Midi flat/T; cover; PMMA; satin finish; 12,8x6 mm; 3020 mm	29,45 €/pc	4021553117935
62378015	BARdolino; Midi flat/T; cover; PMMA; satin finish; 12,8x6 mm; 5030 mm	52,25 €/pc	4021553117942
62378021	BARdolino; Midi flat/T; cover; PMMA; opal white; 12,8x6 mm; 1000 mm	9,50 €/pc	4021553117959
62378022	BARdolino; Midi flat/T; cover; PMMA; opal white; 12,8x6 mm; 2010 mm	19,00 €/pc	4021553117966
62378023	BARdolino; Midi flat/T; cover; PMMA; opal white; 12,8x6 mm; 3020 mm	29,45 €/pc	4021553117973
62378025	BARdolino; Midi flat/T; cover; PMMA; opal white; 12,8x6 mm; 5030 mm	52,25 €/pc	4021553117980
62378031	BARdolino; Midi flat/T; cover; PMMA; satin finish; asymmetric; 12,8x6,8 mm; 1000 mm	15,50 €/pc	4021553117997
62378032	BARdolino; Midi flat/T; cover; PMMA; satin finish; asymmetric; 12,8x6,8 mm; 2010 mm	31,00 €/pc	4021553118000
62378033	BARdolino; Midi flat/T; cover; PMMA; satin finish; asymmetric; 12,8x6,8 mm; 3020 mm	48,00 €/pc	4021553118017
62378035	BARdolino; Midi flat/T; cover; PMMA; satin finish; asymmetric; 12,8x6,8 mm; 5030 mm	85,25 €/pc	4021553118024
62378041	BARdolino; Midi flat; profile; aluminium; anodised; black; 15x12 mm; 1000 mm	12,50 €/pc	4021553118031
62378042	BARdolino; Midi flat; profile; aluminium; anodised; black; 15x12 mm; 2010 mm	25,00 €/pc	4021553118048
62378043	BARdolino; Midi flat; profile; aluminium; anodised; black; 15x12 mm; 3020 mm	39,80 €/pc	4021553118055
62378051	BARdolino; Midi Angolo; profile; aluminium; anodised; natural; 20x20 mm; 1000 mm	14,50 €/pc	4021553118079
62378052	BARdolino; Midi Angolo; profile; aluminium; anodised; natural; 20x20 mm; 2010 mm	29,00 €/pc	4021553118086



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear		
62378053	BARdolino; Midi Angolo; profile; aluminium; anodised; natural; 20x20 mm; 3020 mm	* 44,95 €/pc	4021553118093
62378055	BARdolino; Midi Angolo; profile; aluminium; anodised; natural; 20x20 mm; 5030 mm	79,75 €/pc	4021553118109
62378057	BARdolino; Midi Angolo; endcap set round; plastics; grey; 20x20x2 mm	3,45 €/pc	4021553118772
62378058	BARdolino; Midi Angolo; endcap set angular; plastics; grey; 20x20x2 mm	3,45 €/pc	4021553118796
62378059	BARdolino; Midi Angolo; Retaining clip set; stainless steel; 20x0.4 mm	6,95 €/pc	4021553118857
62378061	BARdolino; Midi Angolo; cover round; PMMA; opal white; 18x18 mm; 1000 mm	10,50 €/pc	4021553118116
62378062	BARdolino; Midi Angolo; cover round; PMMA; opal white; 18x18 mm; 2010 mm	21,00 €/pc	4021553118123
62378063	BARdolino; Midi Angolo; cover round; PMMA; opal white; 18x18 mm; 3020 mm	33,60 €/pc	4021553118130
62378065	BARdolino; Midi Angolo; cover round; PMMA; opal white; 18x18 mm; 5030 mm	57,75 €/pc	4021553118147
62378067	BARdolino; Midi Angolo; endcap set round; plastics; black; 20x20x2 mm	3,45 €/pc	4021553118819
62378068	BARdolino; Midi Angolo; endcap set angular; plastics; black; 20x20x2 mm	3,45 €/pc	4021553118833
62378071	BARdolino; Midi Angolo; cover angular; PMMA; opal white; 18x18 mm; 1000 mm	10,50 €/pc	4021553118154
62378072	BARdolino; Midi Angolo; cover angular; PMMA; opal white; 18x18 mm; 2010 mm	21,00 €/pc	4021553118161
62378073	BARdolino; Midi Angolo; cover angular; PMMA; opal white; 18x18 mm; 3020 mm	33,60 €/pc	4021553118178
62378075	BARdolino; Midi Angolo; cover angular; PMMA; opal white; 18x18 mm; 5030 mm	57,75 €/pc	4021553118185
62378081	BARdolino; Midi Angolo; profile; aluminium; anodised; black; 20x20 mm; 1000 mm	14,50 €/pc	4021553118192
62378082	BARdolino; Midi Angolo; profile; aluminium; anodised; black; 20x20 mm; 2010 mm	29,00 €/pc	4021553118208
62378083	BARdolino; Midi Angolo; profile; aluminium; anodised; black; 20x20 mm; 3020 mm	44,95 €/pc	4021553118215
62378151	BARdolino; Midi T; aluminium; anodised; natural; 20x12 mm; 1000 mm	12,50 €/pc	4021553118437
62378152	BARdolino; Midi T; aluminium; anodised; natural; 20x12 mm; 2010 mm	25,00 €/pc	4021553118444
62378153	BARdolino; Midi T; aluminium; anodised; natural; 20x12 mm; 3020 mm	39,80 €/pc	4021553118451
62378155	BARdolino; Midi T; aluminium; anodised; natural; 20x12 mm; 5030 mm	68,75 €/pc	4021553118468
62378157	BARdolino; Midi T; endcap set; plastics; grey; 20x12x7 mm	3,45 €/pc	4021553118918
62378158	BARdolino; Midi T; endcap set; Plastics; black; 20x12x7 mm	3,45 €/pc	4021553118932
62378161	BARdolino; Midi flach/T; Abdeckung; PMMA; opalschwarz; 12,8 x 6 mm; 1000 mm	11,70 €/pc	4021553125183
62378162	BARdolino; Midi flach/T; Abdeckung; PMMA; opalschwarz; 12,8 x 6 mm; 2010 mm	23,40 €/pc	4021553125190
62378163	BARdolino; Midi flach/T; Abdeckung; PMMA; opalschwarz; 12,8 x 6 mm; 3020 mm	36,15 €/pc	4021553125206
62378165	BARdolino; Midi flach/T; Abdeckung; PMMA; opalschwarz; 12,8 x 6 mm; 5030 mm	63,60 €/pc	4021553125213
62378191	BARdolino; Midi T; aluminium; anodised; black; 20x12 mm; 1000 mm	12,50 €/pc	4021553118598
62378192	BARdolino; Midi T; aluminium; anodised; black; 20x12 mm; 2010 mm	25,00 €/pc	4021553118604
62378193	BARdolino; Midi T; aluminium; anodised; black; 20x12 mm; 3020 mm	39,80 €/pc	4021553118611
62379151	BARdolino; lens 15°; diffuser; PMMA; satined; 14,8x8 mm; 1,000 mm	14,50 €/pc	4021553108131
62379152	BARdolino; lens 15°; diffuser; PMMA; satined; 14,8x8 mm; 2,010 mm	29,00 €/pc	4021553108148
62379153	BARdolino; lens 15°; diffuser; PMMA; satined; 14,8x8 mm; 3,020 mm	45,00 €/pc	4021553108155
62379155	BARdolino; lens 15°; diffuser; PMMA; satined; 14,8x8 mm; 5,030 mm	80,00 €/pc	4021553108162
62379301	BARdolino; lens 30°; diffuser; PMMA; satined; 14,8x8 mm; 1,000 mm	12,25 €/pc	4021553108179
62379302	BARdolino; lens 30°; diffuser; PMMA; satined; 14,8x8 mm; 2,010 mm	24,50 €/pc	4021553108186
62379303	BARdolino; lens 30°; diffuser; PMMA; satined; 14,8x8 mm; 3,020 mm	38,00 €/pc	4021553108193
62379305	BARdolino; lens 30°; diffuser; PMMA; satined; 14,8x8 mm; 5,030 mm	67,25 €/pc	4021553108209
62379601	BARdolino; lens 60°; diffuser; PMMA; satined; 14,8x8 mm; 1,000 mm	11,75 €/pc	4021553108216
62379602	BARdolino; lens 60°; diffuser; PMMA; satined; 14,8x8 mm; 2,010 mm	23,50 €/pc	4021553108223
62379603	BARdolino; lens 60°; diffuser; PMMA; satined; 14,8x8 mm; 3,020 mm	36,50 €/pc	4021553108230
62379605	BARdolino; lens 60°; diffuser; PMMA; satined; 14,8x8 mm; 5,030 mm	64,75 €/pc	4021553108247
62388029	Sample Case Profiles 2023	99,50 €/pc	4021553119014
62389300	magnetic double tape for easy mounting and positioning of LED strips recommended up to max. 15 W/m, dimensions: 0.6 x 10 x 1,0 mm	6,90 €/pc	4021553019215



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear		
62389961	Plastic cover lens profile 30° clear for GARgano and Pino HP PMMA, 30° lens for a directed light focus, 1000 mm	* 14,50 €/pc	4021553853642
62389962	Plastic cover lens profile 30° clear for GARgano and Pino HP PMMA, 30° lens for a directed light focus, 2010 mm	29,00 €/pc	4021553853659
62389963	Plastic cover lens profile 30° clear for GARgano and Pino HP PMMA, 30° lens for a directed light focus, 3020 mm	45,00 €/pc	4021553010397
62389965	Plastic cover lens profile 30° clear for GARgano and Pino HP PMMA, 30° lens for a directed light focus, 5030 mm	80,00 €/pc	4021553010380
62393141	BARdolino DUO; profile; aluminium; anodised; natural; 18,6x51 mm; 1000 mm	30,50 €/pc	4021553114309
62393142	BARdolino DUO; profile; aluminium; anodised; natural; 18,6x51 mm; 2010 mm	61,00 €/pc	4021553114316
62393143	BARdolino DUO; profile; aluminium; anodised; natural; 18,6x51 mm; 3020 mm	94,50 €/pc	4021553114323
62393145	BARdolino DUO; profile; aluminium; anodised; natural; 18,6x51 mm; 5030 mm	167,75 €/pc	4021553114330
62393147	Bardolino Duo, set profile connectors galvanised incl. 4 stud bolts M4	7,25 €/pc	4021553115016
62393151	CATania 43125 DUO; wall profile; aluminium; powder coating; white RAL9016 // 41x102 mm; 1000 mm	90,00 €/pc	4021553114347
62393152	CATania 43125 DUO; wall profile; aluminium; powder coating; white RAL9016 // 41x102 mm; 2010 mm	180,00 €/pc	4021553114354
62393153	CATania 43125 DUO; wall profile; aluminium; powder coating; white RAL9016 // 41x102 mm; 3020 mm	279,00 €/pc	4021553114361
62393155	CATania 43125 DUO; wall profile; aluminium; powder coating; white RAL9016 // 41x102 mm; 5030 mm	495,00 €/pc	4021553114378
62393157	CATania DUO, screw set for fixing the front panel, 6 x drilling screw vz 3,5x,9,5mm	5,24 €/pc	4021553114989
62393161	CATania 43125 DUO; wall profile; front panel; aluminium; powder coating black RAL 9005 14x125 mm; 1000 mm	40,00 €/pc	4021553114385
62393162	CATania 43125 DUO; wall profile; front panel; aluminium; powder coating black RAL 9005 14x125 mm; 2010 mm	80,00 €/pc	4021553114392
62393163	CATania 43125 DUO; wall profile; front panel; aluminium; powder coating black RAL 9005 14x125 mm; 3020 mm	124,00 €/pc	4021553114408
62393165	CATania 43125 DUO; wall profile; front panel; aluminium; powder coating black RAL 9005 14x125 mm; 5030 mm	220,00 €/pc	4021553114415
62393171	CATania 43125 DUO; wall profile; front panel; aluminium; powder coating white RAL 9016 14x125 mm; 1000 mm	40,00 €/pc	4021553114422
62393172	CATania 43125 DUO; wall profile; front panel; aluminium; powder coating white RAL 9016 14x125 mm; 2010 mm	80,00 €/pc	4021553114439
62393173	CATania 43125 DUO; wall profile; front panel; aluminium; powder coating white RAL 9016 14x125 mm; 3020 mm	124,00 €/pc	4021553114446
62393175	CATania 43125 DUO; wall profile; front panel; aluminium; powder coating white RAL 9016 14x125 mm; 5030 mm	220,00 €/pc	4021553114453
62394131	CATania 30 insert for in-wall profile, aluminium raw, incl. drill screws, 1000 mm	5,50 €/pc	4021553082950
62394132	CATania 30 insert for in-wall profile, aluminium raw, incl. drill screws, 2010 mm	11,00 €/pc	4021553082967
62394133	CATania 30 insert for in-wall profile, aluminium raw, incl. drill screws, 3020 mm	17,00 €/pc	4021553082974
62394141	End cap set CATania 30 in-wall profile, aluminium raw, 2 pieces, incl. 12 screws	11,00 €/pc	4021553082998
62394143	Retaining springs CATania 30 in-wall profile, V2A, 2 pieces, incl. 2 mounting plates and 2 screws for mounting BARdolino T	18,30 €/pc	4021553083209
62394145	End cap set CATania 30 dry construction profile, aluminium raw, 2 pieces, incl. 4 screws	11,00 €/pc	4021553083261
62394148	1m foam insert for CATania 30 UP, for protection against ingress during plastering work, reusable for protection against plaster penetration	5,75 €/pc	4021553083445
62394151	CATania 30 dry construction profile, aluminium raw, 1000 mm	17,00 €/pc	4021553083223
62394152	CATania 30 dry construction profile, aluminium raw, 2010 mm	34,00 €/pc	4021553083230
62394153	CATania 30 dry construction profile, aluminium raw, 3020 mm	52,75 €/pc	4021553083247
62394155	CATania 30 dry construction profile, aluminium raw, 5030 mm	93,50 €/pc	4021553083254
62394160	CATania 3030; concrete installation profile screw set for 5 running metres	18,72 €/pc	4021553102405
62394161	CATania 3030; concrete installation profile feed-in piece; sheet steel; powder-coated; RAL 9010 40,5 x 60 mm; 195 mm	299,00 €/pc	4021553102412
62394162	CATania 3030; concrete installation profile end piece; sheet steel; powder-coated; RAL 9010 40,5 x 39,5 mm; 195 mm	225,00 €/pc	4021553102429
62394163	CATania 3030; concrete installation profile centrepiece; sheet steel; powder-coated; RAL 9010 40,5 x 39,5 mm; 1620 mm	529,00 €/pc	4021553102436
62394164	CATania 3030; concrete installation profile corner piece 90°; sheet steel; powder-coated; RAL 9010 195 x 39,5 mm; 195 mm	299,00 €/pc	4021553102443
62394165	CATania 3030; concrete installation profile connector; sheet steel; powder-coated; RAL 9010 350 x 41,5 mm; 90 mm	89,00 €/pc	4021553102450
62394166	CATania 3030; concrete installation profile, screen printing plate; wood; 34x21 mm; 1,500 mm	49,00 €/pc	4021553102467
62394168	Palermo concrete installation profile fixed length; sheet steel; powder-coated; RAL 9010 39.5 x 65 mm; 2,370 mm, closed on both sides	689,00 €/pc	4021553110172
62394211	CATania 2525 profile aluminium anodized natural tone 25x25 mm 1000 mm	20,00 €/ pc	4021553119151
62394212	CATania 2525 profile aluminium anodized natural tone 25x25 mm 2010 mm	40,00 € / pc	4021553119168
62394213	CATania 2525 profile aluminium anodized natural tone 25x25 mm 3020 mm	60,00 € / pc	4021553119175
62394215	CATania 2525 profile aluminium anodized natural tone 25x25 mm 5030 mm	105,00 € / pc	4021553119182



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
62394216	CATania 2525 cover PMMA satined 23.7x4.7 mm 20,000 mm on roll	205,00 €/ pc	4021553119199
62394217	CATania 2525 cover PMMA clear 23,7x4,7 mm 20.000 mm auf Rolle	205,00 €/ pc	4021553119205
62394218	CATania 2525 cover PMMA opal 23,7x4,7 mm 20.000 mm auf Rolle	205,00 €/ pc	4021553119212
62394219	CATania 2525 end cap set aluminium anodized natural toneal 25x25 mm 2 mm 2 pieces incl. 8 screws	13,00 €/ pc	4021553119229
62394220	CATania 2525 reflector tape width 11.5 mm, roll 10,000 mm	18,00 €/ pc	4021553119342
62394221	CATania 2525 reflector tape width 11.5 mm, roll per meter	2,65 €/ pc	4021553119991
62394222	CATania 2525 connector straight, 2 pieces incl. 8 grub screws M4 V2A	12,00 €/ pc	4021553125732
62394223	CATania 2525 connector 90°, 2 pieces incl. 8 grub screws M4 V2A	12,90 €/ pc	4021553125756
62394231	CATania 2525 cover PMMA clear 23,7x4,7 mm 1000 mm	10,80 €/ pc	4021553125565
62394232	CATania 2525 cover PMMA clear 23,7x4,7 mm 2010 mm	21,60 €/ pc	4021553125572
62394233	CATania 2525 cover PMMA clear 23,7x4,7 mm 3020 mm	33,53 €/ pc	4021553125589
62394235	CATania 2525 cover PMMA clear 23,7x4,7 mm 5030 mm	59,90 €/ pc	4021553125596
62394241	CATania 2525 cover PMMA opal 23,7x4,7 mm 1000 mm	10,80 €/ pc	4021553125602
62394242	CATania 2525 cover PMMA opal 23,7x4,7 mm 2010 mm	21,60 €/ pc	4021553125619
62394243	CATania 2525 cover PMMA opal 23,7x4,7 mm 3020 mm	33,53 €/ pc	4021553125626
62394245	CATania 2525 cover PMMA opal 23,7x4,7 mm 5030 mm	59,90 €/ pc	4021553125633
62394251	CATania 2525 cover PMMA satined 23,7x4,7 mm 1000 mm	10,80 €/ pc	4021553125640
62394252	CATania 2525 cover PMMA satined 23,7x4,7 mm 2010 mm	21,60 €/ pc	4021553125657
62394253	CATania 2525 cover PMMA satined 23,7x4,7 mm 3020 mm	33,53 €/ pc	4021553125664
62394255	CATania 2525 cover PMMA satined 23,7x4,7 mm 5030 mm	59,90 €/ pc	4021553125671
62394263	CATania 2525 "darklight" insert - PMMA black 15,8 x 8,5 mm 3020 mm	29,90 €/ pc	4021553117911
62394270	CATania 2525 foil strip Glare Control 19,7 x 0,35 mm reel 5000 mm	36,90 €/ pc	4021553127200
62394271	CATania 2525 foil strip Glare Control 11,5 x 0,35 mm reel 3000 mm	13,90 €/ pc	4021553127217
62394272	CATania 2525 foil strip Batwing BW90 19,7 x 0,20 mm reel 5000 mm	41,90 €/ pc	4021553127224
62394281	CATania 2525 profile aluminium anodized black 25x25 mm 1000 mm	20,00 €/ pc	4021553128559
62394282	CATania 2525 profile aluminium anodized black 25x25 mm 2010 mm	40,00 €/ pc	4021553128566
62394283	CATania 2525 profile aluminium anodized black 25x25 mm 3020 mm	20,00 €/ pc	4021553128573
62394285	CATania 2525 profile aluminium anodized black 25x25 mm 5030 mm	20,00 €/ pc	4021553128580
62394311	CATania 30 in-wall profile, aluminium raw, 1000 mm	23,00 €/ pc	4021553130040
62394312	CATania 30 in-wall profile, aluminium raw, 2010 mm	46,00 €/ pc	4021553130057
62394313	CATania 30 in-wall profile, aluminium raw, 3020 mm	71,50 €/ pc	4021553130064
62394315	CATania 30 in-wall profile, aluminium raw, 5030 mm	126,50 €/ pc	4021553130071
62394321	CATania 30 in-wall profile for installation of power supply unit, aluminium raw, 1000 mm	49,00 €/ pc	4021553130088
62394322	CATania 30 in-wall profile for installation of power supply unit, aluminium raw, 2010 mm	98,00 €/ pc	4021553130095
62395901	GARgano; diffuser; PMMA; opal; 27x27 mm; 1000 mm	16,50 €/pc	4021553098364
62395902	GARgano; diffuser; PMMA; opal; 27x27 mm; 2010 mm	33,00 €/pc	4021553098371
62395903	GARgano; diffuser; PMMA; opal; 27x27 mm; 3020 mm	51,15 €/pc	4021553098388
62395905	GARgano; diffuser; PMMA; opal; 27x27 mm; 5030 mm	90,75 €/pc	4021553098395
62396901	Plastic cover satined for GARgano and Pino PMMA, half-round, for a diffused light distribution and concealment of the technology, 1000 mm PMMA	6,20 €/pc	4021553007809
62396902	Plastic cover satined for GARgano and Pino PMMA, half-round, for a diffused light distribution and concealment of the technology, 2010 mm PMMA	12,40 €/pc	4021553007816
62396903	Plastic cover satined for GARgano and Pino PMMA, half-round, for a diffused light distribution and concealment of the technology, 3020 mm PMMA	19,20 €/pc	4021553007823
62396905	Plastic cover satined for GARgano and Pino PMMA, half-round, for a diffused light distribution and concealment of the technology, 5030 mm PMMA	33,55 €/pc	4021553007830
62397002	Cutting stainless steel profile/plastic cover, per cut	8,90 €/pc	4021553080604
62397341	Self-adhesive black tape for covering the Scala stairway profile screws, per meter	3,10 €/pc	4021553016481
62397350	Scala Downlight stairway profile endcaps, 2 pieces, incl. 6 screws, thickness: 2 mm inkl. 6 Schrauben, Stärke: 2 mm	21,00 €/pc	4021553015026



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
62397351	BARdolino Scala downlight staircase profile, aluminium, anodised, 1000 mm	26,00	€/pc	4021553015033
62397352	BARdolino Scala downlight staircase profile, aluminium, anodised, 2010 mm	52,00	€/pc	4021553015040
62397353	BARdolino Scala downlight staircase profile, aluminium, anodised, 3020 mm	80,50	€/pc	4021553015057
62397355	BARdolino Scala downlight staircase profile, aluminium, anodised, 5030 mm	143,00	€/pc	4021553015064
62397360	Scala Uplight stairway profile endcaps, 2 pieces, incl. 4 screws, thickness: 2 mm inkl. 4 Schrauben, Stärke: 2 mm	15,00	€/pc	4021553018386
62397361	BARdolino Scala Uplight staircase profile, aluminium, anodised, 1000 mm	28,00	€/pc	4021553016740
62397362	BARdolino Scala Uplight staircase profile, aluminium, anodised, 2010 mm	56,00	€/pc	4021553016757
62397363	BARdolino Scala Uplight staircase profile, aluminium, anodised, 3020 mm	86,75	€/pc	4021553016764
62397365	BARdolino Scala Uplight staircase profile, aluminium, anodised, 5030 mm	154,00	€/pc	4021553016771
62397901	Plastic cover semiround, opal white for GARgano and Pino PMMA, half-round, for a homogenous and glare-free light distribution, 1000 mm PMMA	7,50	€/pc	4021553007762
62397902	Plastic cover semiround, opal white for GARgano and Pino PMMA, half-round, for a homogenous and glare-free light distribution, 2010 mm PMMA	15,00	€/pc	4021553007779
62397903	Plastic cover semiround, opal white for GARgano and Pino PMMA, half-round, for a homogenous and glare-free light distribution, 3020 mm PMMA	24,00	€/pc	4021553007786
62397905	Plastic cover semiround, opal white for GARgano and Pino PMMA, half-round, for a homogenous and glare-free light distribution, 5030 mm PMMA	41,25	€/pc	4021553007793
62398101	GARliano luminaire profile, aluminium, anodised, 1000 mm	7,50	€/pc	4021553009605
62398102	GARliano luminaire profile, aluminium, anodised, 2010 mm	15,00	€/pc	4021553009612
62398103	GARliano luminaire profile, aluminium, anodised, 3020 mm	23,25	€/pc	4021553009629
62398105	GARliano luminaire profile, aluminium, anodised, 5030 mm	41,25	€/pc	4021553009636
62398112	Lugano tile profile, aluminium, anodised, outer corner for C:URVE mini, 8 mm tile, 2000 mm	21,00	€/pc	4021553073897
62398113	Lugano tile profile, aluminium, anodised, outer corner for C:URVE mini, 8 mm tile, 3000 mm	32,50	€/pc	4021553073903
62398132	Lugano tile profile, aluminium, anodised, inner corner for C:URVE mini, 8 mm tile, 2000 mm	21,00	€/pc	4021553073934
62398133	Lugano tile profile, aluminium, anodised, inner corner for C:URVE mini, 8 mm tile, 3000 mm	32,50	€/pc	4021553073941
62398152	LUGano tile profile, diffuser opal white, 10 mm tile, PC, 2010 mm	19,00	€/pc	4021553089270
62398153	LUGano tile profile, diffuser opal white, 10 mm tile, PC, 3020 mm	29,50	€/pc	4021553089287
62398162	Lugano tile profile, aluminium, anodised, outer corner für LLF MFC, 10mm tile, incl. opal diffuser 2010 mm	37,50	€/pc	4021553089294
62398163	Lugano tile profile, aluminium, anodised, outer corner für LLF MFC, 10mm tile, incl. opal diffuser 3020 mm	58,00	€/pc	4021553089317
62398172	Lugano tile profile, aluminium, anodised, inner corner für LLF MFC, 10mm tile, incl. opal diffuser 2010 mm	37,50	€/pc	4021553089324
62398173	Lugano tile profile, aluminium, anodised, inner corner für LLF MFC, 10mm tile, incl. opal diffuser 3020 mm	58,00	€/pc	4021553089331
62398201	Plastic cover flat, clear for GARliano, PMMA, for maximum light yield and protection of the LED strip, 1000 mm PMMA	10,30	€/pc	4021553009643
62398202	Plastic cover flat, clear for GARliano, PMMA, for maximum light yield and protection of the LED strip, 2010 mm PMMA	20,60	€/pc	4021553009650
62398203	Plastic cover flat, clear for GARliano, PMMA, for maximum light yield and protection of the LED strip, 3020 mm PMMA	31,93	€/pc	4021553009667
62398205	Plastic cover flat, clear for GARliano, PMMA, for maximum light yield and protection of the LED strip, 5030 mm PMMA	56,65	€/pc	4021553009674
62398211	Plastic cover flat, frosted white for GARliano, PMMA, for a glare-free light distribution and concealment of the technology, 1000 mm PMMA	10,50	€/pc	4021553027937
62398212	Plastic cover flat, frosted white for GARliano, PMMA, for a glare-free light distribution and concealment of the technology, 2010 mm PMMA	21,00	€/pc	4021553027944
62398213	Plastic cover flat, frosted white for GARliano, PMMA, for a glare-free light distribution and concealment of the technology, 3020 mm PMMA	33,00	€/pc	4021553027951
62398215	Plastic cover flat, frosted white for GARliano, PMMA, for a glare-free light distribution and concealment of the technology, 5030 mm PMMA	57,75	€/pc	4021553027968
62398221	Plastic cover flat, satined for GARliano PMMA, for a diffused light distribution and concealment of the technology, 1000 mm PMMA	10,30	€/pc	4021553028033
62398222	Plastic cover flat, satined for GARliano PMMA, for a diffused light distribution and concealment of the technology, 2010 mm PMMA	20,60	€/pc	4021553028040
62398223	Plastic cover flat, satined for GARliano PMMA, for a diffused light distribution and concealment of the technology, 3020 mm PMMA	31,93	€/pc	4021553028057
62398225	Plastic cover flat, satined for GARliano PMMA, for a diffused light distribution and concealment of the technology, 5030 mm PMMA	56,65	€/pc	4021553028064
62398231	Cover satined, for CATania/GARgano retaining clip groove, PC, 1000 mm Diffuser satined, for CATania/GARgano retaining clip groove, PC, 1000 mm	10,00	€/pc	4021553083278
62398232	Cover satined, for CATania/GARgano retaining clip groove, PC, 2010 mm for indirect light with suspended luminaire for indirect light with suspended luminaire	20,00	€/pc	4021553083285
62398233	Cover satined, for CATania/GARgano retaining clip groove, PC, 3020 mm for indirect light with suspended luminaire for indirect light with suspended luminaire	31,00	€/pc	4021553083292
62398235	Cover satined, for CATania/GARgano retaining clip groove, PC, 5030 mm for indirect light with suspended luminaire for indirect light with suspended luminaire	55,00	€/pc	4021553083308
62398301	Plastic cover high, 180°, opal white for GARliano PMMA, 180°, for an all-round homogenous light distribution, 1000 mm PMMA	14,50	€/pc	4021553009681
62398302	Plastic cover high, 180°, opal white for GARliano PMMA, 180°, for an all-round homogenous light distribution, 2010 mm PMMA	29,00	€/pc	4021553009698



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
62398303	Plastic cover high, 180°, opal white for GARliano PMMA, 180°, for an all-round homogenous light distribution, 3020 mm PMMA	45,00	€/pc	4021553009704
62398305	Plastic cover high, 180°, opal white for GARliano PMMA, 180°, for an all-round homogenous light distribution, 5030 mm PMMA	79,75	€/pc	4021553009711
62398310	GARliano aluminium endcaps flat, 2 pieces, incl. 4 screws	8,50	€/pc	4021553009766
62398311	GARliano aluminium endcaps high, 2 pieces, incl. 4 screws	8,75	€/pc	4021553009773
62398312	GARliano Alu-endcaps high, screwless visible area, 2 pieces, incl. 2 screws	20,00	€/pc	4021553070353
62398401	BARdolino Walllight 2.0 luminaire profile, aluminium, anodised, 1000 mm cove profile, with integrated cable guide	18,50	€/pc	4021553009728
62398402	BARdolino Walllight 2.0 luminaire profile, aluminium, anodised, 2010 mm cove profile, with integrated cable guide	37,00	€/pc	4021553009735
62398403	BARdolino Walllight 2.0 luminaire profile, aluminium, anodised, 3020 mm cove profile, with integrated cable guide	57,50	€/pc	4021553009742
62398405	BARdolino Walllight 2.0 luminaire profile, aluminium, anodised, 5030 mm cove profile, with integrated cable guide	101,75	€/pc	4021553017945
62398520	BARdolino stainless steel 1.4404 luminaire profile, 1990 mm	73,00	€/pc	4021553046044
62398530	BARdolino stainless steel 1.4404 luminaire profile, 3000 mm	99,00	€/pc	4021553046068
62398605	BARdolino aluminium end cap, flat with hole (M8 screw thread), 1 piece, incl. 2 screws	6,00	€/pc	4021553014227
62398606	BARdolino aluminium end cap, high with hole (M8 screw thread), 1 pieces, incl. 2 screws	6,00	€/pc	4021553014234
62398613	BARdolino high aluminium endcaps, width 3mm, 2 pieces, incl. 4 screws	11,00	€/pc	4021553018225
62398614	BARdolino flat aluminium endcaps, width 3mm, 2 pieces, incl. 4 screws	11,00	€/pc	4021553018201
62398761	CATania 3030 Blackline, aluminium, black anodised, 1000 mm	18,00	€/pc	4021553088846
62398762	CATania 3030 Blackline, aluminium, black anodised, 2010 mm	36,00	€/pc	4021553088853
62398763	CATania 3030 Blackline, aluminium, black anodised, 3020 mm	55,75	€/pc	4021553088860
62398765	CATania 3030 Blackline, aluminium, black anodised, 5030 mm	99,00	€/pc	4021553088877
62398767	CATania 3030 endcaps, screwless visible surface, aluminum, black anodized, 2 pcs, incl. 2 grub screws thickness (without fixing lug): 2 mm	26,50	€/pc	4021553089522
62398771	CATania 3060 Blackline, aluminium, black anodised, 1000 mm	35,00	€/pc	4021553088884
62398772	CATania 3060 Blackline, aluminium, black anodised, 2010 mm	70,00	€/pc	4021553088891
62398773	CATania 3060 Blackline, aluminium, black anodised, 3020 mm	108,50	€/pc	4021553088907
62398775	CATania 3060 Blackline, aluminium, black anodised, 5030 mm	192,50	€/pc	4021553088914
62398777	CATania 3060 endcaps, screwless visible surface, alu, black anodized, 2 pcs. incl. 2 screws thickness (without fixing lug): 2 mm	28,00	€/pc	4021553089539
62398781	CATania 30 insert profile, aluminium, black anodised, 1000 mm to accommodate LED boards with a max. width of 23.5 mm	8,50	€/pc	4021553088921
62398782	CATania 30 insert profile, aluminium, black anodised, 2010 mm to accommodate LED boards with a max. width of 23.5 mm	17,00	€/pc	4021553088938
62398783	CATania 30 insert profile, aluminium, black anodised, 3020 mm to accommodate LED boards with a max. width of 23.5 mm	26,50	€/pc	4021553088945
62398785	CATania 30 insert profile, aluminium, black anodised, 5030 mm to accommodate LED boards with a max. width of 23.5 mm	46,75	€/pc	4021553088952
62398791	CATania 3060 DUO luminaire profile, aluminum, anodized, 1000 mm	37,00	€/pc	4021553085432
62398792	CATania 3060 DUO luminaire profile, aluminum, anodized, 2010 mm	74,00	€/pc	4021553085449
62398793	CATania 3060 DUO luminaire profile, aluminum, anodized, 3020 mm	114,50	€/pc	4021553085456
62398795	CATania 3060 DUO luminaire profile, aluminum, anodized, 5030 mm	203,50	€/pc	4021553085463
62398801	CATania corner bracket 90° for CATania profile, 2 pieces	19,00	€/pc	4021553070315
62398802	CATania straight connectors, metal, 2 pieces incl. 8 grub screws	7,50	€/pc	4021553073866
62398803	CATania connectors, 90° angle, metal, 2 pieces incl. 8 grub screws	8,75	€/pc	4021553073873
62398804	CATania cable safeguard for CATania insert profiles, length 200 mm, 2 pieces incl. 4 screws	11,00	€/pc	4021553073880
62398806	CATania connector, adjustable (variant 1), 1 piece incl. screws	16,50	€/pc	4021553087597
62398807	CATania connector, adjustable (variant 2), 1 piece incl. screws	19,50	€/pc	4021553087603
62398817	CATania 3060 luminaire profile aluminium endcaps, 2 pieces, incl. 8 screws	27,00	€/pc	4021553055664
62398821	CATania 30 insert profile aluminium, anodised, for mounting of LED PCBs with a maximum width of 23.5 mm, 1000 mm	8,25	€/pc	4021553055497
62398822	CATania 30 insert profile aluminium, anodised, for mounting of LED PCBs with a maximum width of 23.5 mm, 2010 mm	16,50	€/pc	4021553055503
62398823	CATania 30 insert profile aluminium, anodised, for mounting of LED PCBs with a maximum width of 23.5 mm, 3020 mm	25,50	€/pc	4021553055510
62398825	CATania 30 insert profile aluminium, anodised, for mounting of LED PCBs with a maximum width of 23.5 mm, 5030 mm	45,50	€/pc	4021553055527
62398841	CATania 30 insert profile, asymmetric aluminium anodised for mounting the LEDlight flex family, light deflection 14°, 1000 mm	11,25	€/pc	4021553055572



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
62398842	CATania 30 insert profile, asymmetric aluminium anodised for mounting the LEDlight flex family, light deflection 14°, 2010 mm	22,50	€/pc	4021553055589
62398843	CATania 30 insert profile, asymmetric aluminium anodised for mounting the LEDlight flex family, light deflection 14°, 3020 mm	35,00	€/pc	4021553055596
62398845	CATania 30 insert profile, asymmetric aluminium anodised for mounting the LEDlight flex family, light deflection 14°, 5030 mm	62,00	€/pc	4021553055602
62398851	CATania 30 cover aluminium, anodised, for concealment of control technology, 1000 mm	8,25	€/pc	4021553055619
62398852	CATania 30 cover aluminium, anodised, for concealment of control technology, 2010 mm	16,50	€/pc	4021553055626
62398861	CATania 6075 luminaire profile, aluminium, anodised, 1000 mm	48,00	€/pc	4021553059662
62398862	CATania 6075 luminaire profile, aluminium, anodised, 2010 mm	96,00	€/pc	4021553059679
62398863	CATania 6075 luminaire profile, aluminium, anodised, 3020 mm	149,00	€/pc	4021553059686
62398865	CATania 6075 luminaire profile, aluminium, anodised, 5030 mm	264,00	€/pc	4021553059693
62398866	CATania 6075 luminaire profile end cap, with earthing bolts, 2 pieces incl. 8 screws	21,00	€/pc	4021553057590
62398868	CATania 6075 end cap set, screwless visible area, 2 pieces incl. 4 screws thickness (excl. fixing clips): 2 mm thickness (excl. fixing clips): 2 mm	36,00	€/pc	4021553070346
62398871	CATania 60 insert profile, aluminium, anodised for installation of LED strips or PCBs according to Zhaga class L28W2 and L56W2, 1000 mm	27,00	€/pc	4021553059709
62398872	CATania 60 insert profile, aluminium, anodised for installation of LED strips or PCBs according to Zhaga class L28W2 and L56W2, 2010 mm	54,00	€/pc	4021553059716
62398873	CATania 60 insert profile, aluminium, anodised for installation of LED strips or PCBs according to Zhaga class L28W2 and L56W2, 3020 mm	83,50	€/pc	4021553059723
62398875	CATania 60 insert profile, aluminium, anodised for installation of LED strips or PCBs according to Zhaga class L28W2 and L56W2, 5030 mm	148,50	€/pc	4021553059730
62398876	CATania 6075 luminaire profile suspension, 2x 1500 mm wire cable, 2x profile holder, 2x ceiling mounts	29,00	€/pc	4021553059884
62398878	CATania 60 micro louvre for glare-free lighting of LED luminaires, 50cm	95,00	€/pc	4021553085043
62398891	CATania 6075 T luminaire profile, aluminium, anodised, 1000 mm	53,00	€/pc	4021553065298
62398892	CATania 6075 T luminaire profile, aluminium, anodised, 2010 mm	106,00	€/pc	4021553065304
62398893	CATania 6075 T luminaire profile, aluminium, anodised, 3020 mm	164,50	€/pc	4021553065311
62398895	CATania 6075 T luminaire profile, aluminium, anodised, 5030 mm	291,50	€/pc	4021553065328
62398896	End cap set, aluminium, anodised, thickness (incl. wings, without earthing bolt): 12 mm, 2 pieces incl. 8 screws	29,75	€/pc	4021553065335
62398897	Holding bracket set, steel, galvanized, 2 pieces, incl. 2 screws	14,90	€/pc	4021553065342
62398901	Profile cover clear for GARGano and Pino PMMA, half-round, for maximum light yield and protection of the LED strip, 1000 mm PMMA	5,00	€/pc	4021553007724
62398902	Profile cover clear for GARGano and Pino PMMA, half-round, for maximum light yield and protection of the LED strip, 2010 mm PMMA	10,00	€/pc	4021553007731
62398903	Profile cover clear for GARGano and Pino PMMA, half-round, for maximum light yield and protection of the LED strip, 3020 mm PMMA	15,50	€/pc	4021553007748
62398905	Profile cover clear for GARGano and Pino PMMA, half-round, for maximum light yield and protection of the LED strip, 5030 mm PMMA	27,50	€/pc	4021553007755
62398916	CATania 6075 cover 180° end cap 2 pieces	6,00	€/pc	4021553059860
62398921	Plastic cover satined for CATania 6075 luminaire profile PMMA, for a diffused light distribution and concealment of the technology, 1000 mm	18,50	€/pc	4021553059785
62398922	Plastic cover satined for CATania 6075 luminaire profile PMMA, for a diffused light distribution and concealment of the technology, 2010 mm	37,00	€/pc	4021553059792
62398923	Plastic cover satined for CATania 6075 luminaire profile PMMA, for a diffused light distribution and concealment of the technology, 3020 mm	57,50	€/pc	4021553059808
62398925	Plastic cover satined for CATania 6075 luminaire profile PMMA, for a diffused light distribution and concealment of the technology, 5030 mm	102,00	€/pc	4021553059815
62398931	Plastic cover opal white for CATania 6075 luminaire profile PMMA, for a homogenous and glare-free light distribution, 1000 mm	18,50	€/pc	4021553059822
62398932	Plastic cover opal white for CATania 6075 luminaire profile PMMA, for a homogenous and glare-free light distribution, 2010 mm	37,00	€/pc	4021553059839
62398933	Plastic cover opal white for CATania 6075 luminaire profile PMMA, for a homogenous and glare-free light distribution, 3020 mm	57,50	€/pc	4021553059846
62398935	Plastic cover opal white for CATania 6075 luminaire profile PMMA, for a homogenous and glare-free light distribution, 5030 mm	102,00	€/pc	4021553059853
62398941	CATania 4040 luminaire profile, aluminium, anodised, 1000 mm	25,90	€/pc	4021553065366
62398942	CATania 4040 luminaire profile, aluminium, anodised, 2010 mm	51,80	€/pc	4021553065373
62398943	CATania 4040 luminaire profile, aluminium, anodised, 3020 mm	80,30	€/pc	4021553065380
62398945	CATania 4040 luminaire profile, aluminium, anodised, 5030 mm	142,50	€/pc	4021553065397
62398946	CATania 4040 end cap set, 2 pieces incl. 4 screws	13,00	€/pc	4021553065403
62398947	CATania 4040 end cap set, screwless visible area, 2 pieces incl. 2 screws thickness (excl. fixing clips): 2 mm thickness (excl. fixing clips): 2 mm	27,00	€/pc	4021553070322
62398951	Profile cover clear for CATania 4040 luminaire profile PMMA, for maximum light yield and protection of the LED strip, 1000 mm	15,00	€/pc	4021553065410
62398952	Profile cover clear for CATania 4040 luminaire profile PMMA, for maximum light yield and protection of the LED strip, 2010 mm	30,00	€/pc	4021553065427
62398953	Profile cover clear for CATania 4040 luminaire profile PMMA, for maximum light yield and protection of the LED strip, 3020 mm	46,50	€/pc	4021553065434



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
62398955	Profile cover clear for CATania 4040 luminaire profile PMMA, for maximum light yield and protection of the LED strip, 5030 mm	82,50 €/pc	4021553065441
62398961	Plastic cover opal white CATania 4040 PMMA, for a homogenous and glare-free light distribution, 1000 mm	15,20 €/pc	4021553065458
62398962	Plastic cover opal white CATania 4040 PMMA, for a homogenous and glare-free light distribution, 2010 mm	30,40 €/pc	4021553065465
62398963	Plastic cover opal white CATania 4040 PMMA, for a homogenous and glare-free light distribution, 3020 mm	47,12 €/pc	4021553065472
62398965	Plastic cover opal white CATania 4040 PMMA, for a homogenous and glare-free light distribution, 5030 mm	83,60 €/pc	4021553065489
62398971	Plastic cover satined for CATania 4040 PMMA, for a diffused light distribution and concealment of the technology, 1000 mm	16,00 €/pc	4021553065496
62398972	Plastic cover satined for CATania 4040 PMMA, for a diffused light distribution and concealment of the technology, 2010 mm	32,00 €/pc	4021553065502
62398973	Plastic cover satined for CATania 4040 PMMA, for a diffused light distribution and concealment of the technology, 3020 mm	49,50 €/pc	4021553065519
62398975	Plastic cover satined for CATania 4040 PMMA, for a diffused light distribution and concealment of the technology, 5030 mm	88,00 €/pc	4021553065526
62398991	CATania 3060 luminaire profile, aluminium, anodised, 1000 mm	33,00 €/pc	4021553103938
62398992	CATania 3060 luminaire profile, aluminium, anodised, 2010 mm	66,00 €/pc	4021553103945
62398993	CATania 3060 luminaire profile, aluminium, anodised, 3020 mm	102,30 €/pc	4021553103952
62398995	CATania 3060 luminaire profile, aluminium, anodised, 5030 mm	181,50 €/pc	4021553103969
62398998	CATania 3060 end cap set screwless visible surface, aluminum, anodized, natural, 2 pcs, incl. screws	26,50 €/pc	4021553103976
62399081	PG-cable gland mini M8x1, for cable diameters of 3,5-5,5 mm	6,80 €/pc	4021553004648
62399101	BARdolino hoch Leuchtenprofil, Aluminium, eloxiert, 1000 mm	11,25 €/pc	4021553852447
62399102	BARdolino hoch Leuchtenprofil, Aluminium, eloxiert, 2010 mm	22,50 €/pc	4021553852454
62399103	BARdolino hoch Leuchtenprofil, Aluminium, eloxiert, 3020 mm	35,00 €/pc	4021553852461
62399105	BARdolino hoch Leuchtenprofil, Aluminium, eloxiert, 5030 mm	62,00 €/pc	4021553853444
62399110	BARdolino H end caps, aluminium, anodized, 2 pieces, incl. 4 screws	12,00 €/pc	4021553018584
62399111	BARdolino H luminaire profile, aluminium, anodized, 1,000 mm	19,25 €/pc	4021553017808
62399112	BARdolino H luminaire profile, aluminium, anodized, 2,010 mm	38,50 €/pc	4021553017815
62399113	BARdolino H luminaire profile, aluminium, anodized, 3,020 mm	59,75 €/pc	4021553017822
62399115	BARdolino H luminaire profile, aluminium, anodized, 5,030 mm	106,00 €/pc	4021553017839
62399121	BARdolino H cable duct, aluminium, anodised, for extending the space for cables, 1000 mm	10,50 €/pc	4021553041490
62399122	BARdolino H cable duct, aluminium, anodised, for extending the space for cables, 2010 mm	21,00 €/pc	4021553041506
62399123	BARdolino H cable duct, aluminium, anodised, for extending the space for cables, 3020 mm	32,50 €/pc	4021553041513
62399127	BARdolino H aluminium endcaps, in conjunction with cable duct, 2 pieces, incl. 8 screws	34,00 €/pc	4021553041926
62399146	Bardolino end cap, V4A stainless steel, 1 pieces	15,50 €/pc	4021553044439
62399147	Bardolino end cap, V4A stainless steel, with 8mm hole, 1 pieces	21,00 €/pc	4021553044446
62399148	BARdolino mounting clip set, 316L stainless steel, 2 holding clips + 2 screws	6,90 €/pc	4021553044453
62399149	M8 cable screw connection, 316L stainless steel, for cables Ø 3.5-5.0 mm	39,50 €/pc	4021553046150
62399201	BARdolino flat luminaire profile, aluminium, anodised, 1000 mm	8,00 €/pc	4021553852478
62399202	BARdolino flat luminaire profile, aluminium, anodised, 2010 mm	16,00 €/pc	4021553852485
62399203	BARdolino flat luminaire profile, aluminium, anodised, 3020 mm	25,00 €/pc	4021553852492
62399205	BARdolino flat luminaire profile, aluminium, anodised, 5030 mm	44,00 €/pc	4021553853451
62399241	BARdolino mini luminaire profile, aluminium, anodised, 1000 mm	5,25 €/pc	4021553062235
62399242	BARdolino mini luminaire profile, aluminium, anodised, 2010 mm	10,50 €/pc	4021553062242
62399243	BARdolino mini luminaire profile, aluminium, anodised, 3020 mm	16,50 €/pc	4021553062259
62399245	BARdolino mini luminaire profile, aluminium, anodised, 5030 mm	29,00 €/pc	4021553062266
62399247	BARdolino mini holder, V2A stainless steel, 2 pieces, incl. 2 screws	1,45 €/pc	4021553062334
62399251	Plastic cover opal white for BARdolino mini PMMA, for a homogenous and glare-free light distribution, 1000 mm	8,20 €/pc	4021553062273
62399252	Plastic cover opal white for BARdolino mini PMMA, for a homogenous and glare-free light distribution, 2010 mm	16,40 €/pc	4021553062280
62399253	Plastic cover opal white for BARdolino mini PMMA, for a homogenous and glare-free light distribution, 3020 mm	25,42 €/pc	4021553062297
62399255	Plastic cover opal white for BARdolino mini PMMA, for a homogenous and glare-free light distribution, 5030 mm	45,10 €/pc	4021553062303



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
62399256	BARdolino mini end cap set, plastic, 2x without hole to clip on thickness (without retaining pins): 1.5 mm	1,14	€/pc	4021553062310
62399257	BARdolino mini end cap set, plastic, 1x with 4.1mm borehole - 1x without, push-fit, thickness (without holding pins): 1,5 mm thickness (excl. holding pins): 1.5 mm	1,14	€/pc	4021553062327
62399261	Plastic cover lens profile 30° satined for BARdolino mini PMMA, 30° lens for a directed light focus, 1000 mm	10,00	€/pc	4021553071589
62399262	Plastic cover lens profile 30° satined for BARdolino mini PMMA, 30° lens for a directed light focus, 2010 mm	20,00	€/pc	4021553071596
62399263	Plastic cover lens profile 30° satined for BARdolino mini PMMA, 30° lens for a directed light focus, 3020 mm	31,00	€/pc	4021553071602
62399265	Plastic cover lens profile 30° satined for BARdolino mini PMMA, 30° lens for a directed light focus, 5030 mm	55,00	€/pc	4021553071619
62399271	BARdolino R mini luminaire profile round, aluminium, anodised, 1000 mm	8,00	€/pc	4021553078410
62399272	BARdolino R mini luminaire profile round, aluminium, anodised, 2010 mm	16,00	€/pc	4021553078427
62399273	BARdolino R mini luminaire profile round, aluminium, anodised, 3020 mm	25,00	€/pc	4021553078434
62399275	BARdolino R mini luminaire profile round, aluminium, anodised, 5030 mm	44,00	€/pc	4021553078441
62399276	BARdolino R mini holder, plastic transparent, 2 pieces, incl. 2 screws	4,90	€/pc	4021553078502
62399277	BARdolino R mini end cap set, plastic, 2x without borehole for clip-on mounting	7,97	€/pc	4021553078496
62399281	Plastic cover lens profil 30° clear for BARdolino mini PMMA, 30° lens for a directed light focus, 1000 mm	10,00	€/pc	4021553078458
62399282	Plastic cover lens profil 30° clear for BARdolino mini PMMA, 30° lens for a directed light focus, 2010 mm	20,00	€/pc	4021553078465
62399283	Plastic cover lens profil 30° clear for BARdolino mini PMMA, 30° lens for a directed light focus, 3020 mm	31,00	€/pc	4021553078472
62399285	Plastic cover lens profil 30° clear for BARdolino mini PMMA, 30° lens for a directed light focus, 5030 mm	55,00	€/pc	4021553078489
62399301	Plastic cover opal white for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for a homogenous and glare-free light distribution, 1000 mm	9,50	€/pc	4021553852508
62399302	Plastic cover opal white for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for a homogenous and glare-free light distribution, 2010 mm	19,00	€/pc	4021553852515
62399303	Plastic cover opal white for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for a homogenous and glare-free light distribution, 3020 mm	29,45	€/pc	4021553852522
62399305	Plastic cover opal white for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for a homogenous and glare-free light distribution, 5030 mm	53,25	€/pc	4021553853420
62399311	Plastic cover opal white, inact-resistant for BARdolino and Scala Uplight PMMA, walkable up to 500 kg, break-proof/impact resistant, 1000 mm	10,50	€/pc	4021553014630
62399312	Plastic cover opal white for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, walkable up to 500 kg, break-proof/impact resistant, 2010 mm	21,00	€/pc	4021553014647
62399313	Plastic cover opal white, inact-resistant for BARdolino and Scala Uplight PMMA, walkable up to 500 kg, break-proof/impact resistant, 3020 mm	33,00	€/pc	4021553014654
62399315	Plastic cover opal white, inact-resistant for BARdolino and Scala Uplight PMMA, walkable up to 500 kg, break-proof/impact resistant, 5030 mm	57,75	€/pc	4021553014661
62399321	BARdolino mounting profile aluminium, anodised, also functions as cover for feed-in or touch dimmer etc., 1000 mm	7,25	€/pc	4021553017846
62399322	BARdolino mounting profile aluminium, anodised, also functions as cover for feed-in or touch dimmer etc., 2010 mm	14,50	€/pc	4021553017853
62399323	BARdolino mounting profile aluminium, anodised, also functions as cover for feed-in or touch dimmer etc., 3020 mm	22,50	€/pc	4021553017860
62399325	BARdolino mounting profile aluminium, anodised, also functions as cover for feed-in or touch dimmer etc., 5030 mm	40,00	€/pc	4021553017877
62399351	Plastic cover reflector opal white for BARdolino high PMMA, for up to 20 % more effective lumen yield, 1000 mm	12,25	€/pc	4021553036540
62399352	Plastic cover reflector opal white for BARdolino high PMMA, for up to 20 % more effective lumen yield, 2010 mm	24,50	€/pc	4021553036557
62399353	Plastic cover reflector opal white for BARdolino high PMMA, for up to 20 % more effective lumen yield, 3020 mm	38,00	€/pc	4021553036564
62399355	Plastic cover reflector opal white for BARdolino high PMMA, for up to 20 % more effective lumen yield, 5030 mm	67,50	€/pc	4021553036571
62399361	Plastic cover high 180° opal white for BARdolino opal white, PMMA, 180°, for an all-round homogenous light distribution, 1000 mm	11,25	€/pc	4021553043586
62399362	Plastic cover high 180° opal white for BARdolino opal white, PMMA, 180°, for an all-round homogenous light distribution, 2010 mm	22,50	€/pc	4021553043593
62399363	Plastic cover high 180° opal white for BARdolino opal white, PMMA, 180°, for an all-round homogenous light distribution, 3020 mm	35,00	€/pc	4021553043609
62399365	Plastic cover high 180° opal white for BARdolino opal white, PMMA, 180°, for an all-round homogenous light distribution, 5030 mm	62,00	€/pc	4021553043616
62399369	BARdolino end cap set for plastic cover 180°, 2 pieces	2,89	€/pc	4021553044675
62399371	Plastic cover natural for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for a diffused light distribution and concealment of the technology, 1000 mm	9,50	€/pc	4021553044187
62399372	Plastic cover natural for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for a diffused light distribution and concealment of the technology, 2010 mm	19,00	€/pc	4021553044194
62399373	Plastic cover natural for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for a diffused light distribution and concealment of the technology, 3020 mm	29,45	€/pc	4021553044200
62399375	Plastic cover natural for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for a diffused light distribution and concealment of the technology, 5030 mm	52,25	€/pc	4021553044217
62399391	BARdolino semi-circular diffuser, opal white, PMMA, 18,4x13,4 mm, 1000 mm	11,50	€/pc	4021553104546
62399392	BARdolino semi-circular diffuser, opal white, PMMA, 18,4x13,4 mm, 2010 mm	23,00	€/pc	4021553104553
62399393	BARdolino semi-circular diffuser, opal white, PMMA, 18,4x13,4 mm, 3020 mm	35,75	€/pc	4021553104560
62399395	BARdolino semi-circular diffuser, opal white, PMMA, 18,4x13,4 mm, 5030 mm	63,25	€/pc	4021553104577



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
62399396	BARdolino flat, end cap set semicircular, aluminum, anodized, natural, 2 pieces, incl. screws	14,50	€/pc	4021553104584
62399397	BARdolino high, end cap set semicircular, aluminum, anodized, natural, 2 pieces, incl. screws	15,50	€/pc	4021553104607
62399401	Plastic cover clear for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for maximum light yield and protection of the LED strip, 1000 mm	8,50	€/pc	4021553852539
62399402	Plastic cover clear for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for maximum light yield and protection of the LED strip, 2010 mm	17,00	€/pc	4021553852546
62399403	Plastic cover clear for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for maximum light yield and protection of the LED strip, 3020 mm	26,35	€/pc	4021553852553
62399405	Plastic cover clear for BARdolino/Walllight/Scala Downlight/Soffitto PMMA, for maximum light yield and protection of the LED strip, 5030 mm	46,75	€/pc	4021553853437
62399411	BARdolino/Walllight/Scala Downlight/Soffitto cover PMMA, opal black; 14,8 x 6 mm; 1000 mm	11,40	€/pc	4021553127705
62399412	BARdolino/Walllight/Scala Downlight/Soffitto cover PMMA, opal black; 14,8 x 6 mm; 2010 mm	22,80	€/pc	4021553127712
62399413	BARdolino/Walllight/Scala Downlight/Soffitto cover PMMA, opal black; 14,8 x 6 mm; 3020 mm	34,20	€/pc	4021553127729
62399415	BARdolino/Walllight/Scala Downlight/Soffitto cover PMMA, opal black; 14,8 x 6 mm; 5030 mm	57,00	€/pc	4021553127736
62399419	GARliano flex holding clamps, 2 holders, 2 screws	2,40	€/pc	4021553078793
62399420	GARliano flex endcaps, plastic, 2 pieces, pluggable	2,66	€/pc	4021553078786
62399421	GARliano flex aluminium profile, not anodized, 1000 mm	5,75	€/pc	4021553021874
62399422	GARliano flex aluminium profile, not anodized, 2010 mm	11,50	€/pc	4021553021881
62399423	GARliano flex aluminium profile, not anodized, 3020 mm	18,00	€/pc	4021553021898
62399425	GARliano flex aluminium profile, not anodized, 5030 mm	31,75	€/pc	4021553078779
62399431	Pino HP luminaire profile, aluminium, anodised, 1000 mm	14,90	€/pc	4021553021911
62399432	Pino HP luminaire profile, aluminium, anodised, 2010 mm	29,80	€/pc	4021553021928
62399433	Pino HP luminaire profile, aluminium, anodised, 3020 mm	46,20	€/pc	4021553021935
62399435	Pino HP luminaire profile, aluminium, anodised, 5030 mm	81,95	€/pc	4021553021942
62399437	Pino retaining brackets, 2 holder, 2 screws	3,70	€/pc	4021553034416
62399438	Pino HP mounting clip, 304 stainless steel	18,50	€/pc	4021553034706
62399448	Pino aluminium endcaps, 2 pieces, incl. screws	15,00	€/pc	4021553045955
62399461	BARdolino Angolo luminaire profile, aluminium, anodised, 1000 mm	15,30	€/pc	4021553022031
62399462	BARdolino Angolo luminaire profile, aluminium, anodised, 2010 mm	30,60	€/pc	4021553022048
62399463	BARdolino Angolo luminaire profile, aluminium, anodised, 3020 mm	47,50	€/pc	4021553022055
62399465	BARdolino Angolo luminaire profile, aluminium, anodised, 5030 mm	84,20	€/pc	4021553022062
62399466	BARdolino Angolo endcaps, 2 pieces, incl. 4 screws	11,25	€/pc	4021553024943
62399467	BARdolino Angolo brackets set, 2 brackets, plastic, incl. 4 screws	4,80	€/pc	4021553025032
62399471	BARdolino Soffitto luminaire profile, aluminium, anodised, 1000 mm	15,30	€/pc	4021553022079
62399472	BARdolino Soffitto luminaire profile, aluminium, anodised, 2010 mm	30,60	€/pc	4021553022086
62399473	BARdolino Soffitto luminaire profile, aluminium, anodised, 3020 mm	47,50	€/pc	4021553022093
62399475	BARdolino Soffitto luminaire profile, aluminium, anodised, 5030 mm	84,20	€/pc	4021553022109
62399487	Mounting bracket standard, for mounting in ceiling and floor, 304 stainless steel, distance: 17 mm for BERgamo HP/Pino HP	16,00	€/pc	4021553025001
62399488	Cantilever arm short, for mounting on walls, 304 stainless steel height: 57 mm, distance to wall: 65 mm, incl. 2 screws and dowels, BERgamo HP/Pino HP	31,40	€/pc	4021553025018
62399489	Mounting bracket cantilever, long, BERgamo HP/Pino HP height: 82 mm, wall distance: 201 mm	52,70	€/pc	4021553025025
62399490	Bergamo wall bracket 90°, set	26,34	€/pc	4021553083551
62399501	BARdolino T-profile, aluminium, anodized, 1,000 mm	17,50	€/pc	4021553000749
62399502	BARdolino T-profile, aluminium, anodized, 2,010 mm	35,00	€/pc	4021553000756
62399503	BARdolino T-profile, aluminium, anodized, 3,020 mm	53,50	€/pc	4021553000763
62399505	BARdolino T-profile, aluminium, anodized, 5,030 mm	92,50	€/pc	4021553034867
62399531	BARdolino Muro luminaire profile, anodized aluminium, 1,000 mm	18,50	€/pc	4021553029313
62399532	BARdolino Muro luminaire profile, anodized aluminium, 2,010 mm	37,00	€/pc	4021553029320
62399533	BARdolino Muro luminaire profile, anodized aluminium, 3,020 mm	57,50	€/pc	4021553029337
62399535	BARdolino Muro luminaire profile, anodized aluminium, 5,030 mm	101,75	€/pc	4021553029344



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
62399536	BARdolino Muro end cap set, aluminium, anodised, 2 pieces, incl. 4 screws	9,25	€/pc	4021553029498
62399591	BARdolino Laminato luminaire profile, aluminium, anodised, 1000 mm	11,25	€/pc	4021553034621
62399592	BARdolino Laminato luminaire profile, aluminium, anodised, 2010 mm	22,50	€/pc	4021553034638
62399593	BARdolino Laminato luminaire profile, aluminium, anodised, 3020 mm	35,00	€/pc	4021553034645
62399595	BARdolino Laminato luminaire profile, aluminium, anodised, 5030 mm	62,00	€/pc	4021553034652
62399603	BARdolino high plastic-endcaps, width 3mm, 2 pieces, incl. 4 screws	1,80	€/pc	4021553853406
62399604	BARdolino flat plastic-endcaps, width 3mm, 2 pieces, incl. 4 screws	1,80	€/pc	4021553853413
62399605	BARdolino T profile aluminium end cap, long, 1 pieces, incl. 4 screws thickness (incl. wings): 10 mm	13,50	€/pc	4021553000787
62399606	BARdolino T profile aluminium end cap, short with 8,5mm hole, 1 pieces, incl. 4 screws thickness (incl. wings): 10 mm, for subsequent mounting of holding springs	12,50	€/pc	4021553007717
62399607	BARdolino T profile aluminium end cap, short, 1 piece, incl. 4 screws Thickness (incl. wings): 10 mm, for subsequent mounting of holding springs	13,50	€/pc	4021553008677
62399608	BARdolino aluminium end cap, high with wall mounting 90°, 1 pieces, incl. 2 screws thickness (incl. bracket): 9,8 mm	10,50	€/pc	4021553013022
62399609	BARdolino aluminium end cap, flat with wall mounting 90°, 1 pieces, incl. 2 screws thickness (incl. bracket): 9,8 mm	12,00	€/pc	4021553032269
62399621	CATania 40 semi-circular diffuser, opal white, PMMA, 40x20 mm, 1000 mm	20,75	€/pc	4021553104294
62399622	CATania 40 semi-circular diffuser, opal white, PMMA, 40x20 mm, 2010 mm	41,50	€/pc	4021553104300
62399623	CATania 40 semi-circular diffuser, opal white, PMMA, 40x20 mm, 3020 mm	64,50	€/pc	4021553104317
62399625	CATania 40 semi-circular diffuser, opal white, PMMA, 40x20 mm, 5030 mm	114,00	€/pc	4021553104324
62399626	CATania 4040, end cap set semicircular, aluminum, anodized, natural, 2 pieces, incl. screws	21,50	€/pc	4021553104331
62399627	CATania 4050, end cap set semicircular, aluminum, anodized, natural, 2 pieces, incl. screws	27,50	€/pc	4021553104355
62399641	CATania 4050 luminaire profile, aluminium, anodized, 1,000 mm	32,00	€/pc	4021553080741
62399642	CATania 4050 luminaire profile, aluminium, anodized, 2,010 mm	64,00	€/pc	4021553080758
62399643	CATania 4050 luminaire profile, aluminium, anodized, 3,020 mm	99,50	€/pc	4021553080765
62399645	CATania 4050 luminaire profile, aluminium, anodized, 5,030 mm	176,00	€/pc	4021553080772
62399646	CATania 4050 end cap set, aluminium, anodized, 2 pieces, incl. 8 screws	18,00	€/pc	4021553098647
62399647	CATania 4050 end cap set, screwless visible surface, aluminum, anodized, 2 pieces, incl. 2 grub screws	30,80	€/pc	4021553080789
62399648	CATania 4040/4050 diffuser 180° closing cap, plastic, 2 pieces	5,90	€/pc	4021553080796
62399651	CATania 40 insert profile, aluminium press-finished, for LED strips, 1000 mm	13,00	€/pc	4021553080802
62399652	CATania 40 insert profile, aluminium press-finished, for LED strips, 2010 mm	26,00	€/pc	4021553080819
62399653	CATania 40 insert profile, aluminium press-finished, for LED strips, 3020 mm	40,25	€/pc	4021553080826
62399655	CATania 40 insert profile, aluminium press-finished, for LED strips, 5030 mm	71,50	€/pc	4021553114835
62399661	CATania 40 cover high 180°, opal white, PMMA, 1000 mm for an all-round homogeneous light distribution for an all-round homogeneous light distribution	20,75	€/pc	4021553080840
62399662	CATania 40 cover high 180°, opal white, PMMA, 2010 mm for an all-round homogeneous light distribution for an all-round homogeneous light distribution	41,50	€/pc	4021553080857
62399663	CATania 40 cover high 180°, opal white, PMMA, 3020 mm for an all-round homogeneous light distribution for an all-round homogeneous light distribution	64,00	€/pc	4021553080864
62399665	CATania 40 cover high 180°, opal white, PMMA, 5030 mm for an all-round homogeneous light distribution for an all-round homogeneous light distribution	114,25	€/pc	4021553080871
62399669	BARdolino DUO end cap set, aluminium, anodised, natural, 18,6x51x2 mm	16,90	€/pc	4021553109640
62399671	CATania 4050 cover, aluminium, anodised, e.g. for concealing control technology, 1000 mm	16,00	€/pc	4021553081083
62399672	CATania 4050 cover, aluminium, anodised, e. g. for concealing control technology, 2010 mm	32,00	€/pc	4021553081090
62399673	CATania 4050 cover, aluminium, anodised, e. g. for concealing control technology, 3020 mm	50,00	€/pc	4021553081106
62399675	CATania 4050 cover, aluminium, anodised, e. g. for concealing control technology, 5030 mm	88,00	€/pc	4021553081113
62399681	CATania 40 cover prism clear, PMMA, 1000 mm to reduce the glare effect	20,75	€/pc	4021553082738
62399682	CATania 40 cover prism clear, PMMA, 2010 mm to reduce the glare effect	41,50	€/pc	4021553082745
62399683	CATania 40 cover prism clear, PMMA, 3020 mm to reduce the glare effect	64,25	€/pc	4021553082752
62399685	CATania 40 cover prism clear, PMMA, 5030 mm to reduce the glare effect	114,25	€/pc	4021553082769
62399691	CATania 30 cover black, PMMA, 1000 mm	15,30	€/pc	4021553087894
62399692	CATania 30 cover black, PMMA, 2010 mm	30,60	€/pc	4021553087900
62399693	CATania 30 cover black, PMMA, 3020 mm	47,43	€/pc	4021553087917



Codi	Descripció	Preus PVP		EAN
			€/pc	
20010000	AQUALUC MINI Standard clear			
62399695	CATania 30 cover black, PMMA, 5030 mm	84,15	€/pc	4021553087924
62399705	BARdolino T profile mounting holder with tension spring, 1 piece	5,80	€/pc	4021553001180
62399719	CATania 43125 DUO, wall profile, endcap set, aluminium, powder coating, white RAL9016 43,5x125x2 mm	99,00	€/pc	4021553109718
62399720	CATania 43125 DUO, wall profile, endcap set, aluminium, powder coating, black RAL9005 43,5x125x2 mm	99,00	€/pc	4021553109725
62399741	CATania 8090 luminaire profile, aluminium, anodised, 1000 mm	76,00	€/pc	4021553071046
62399742	CATania 8090 luminaire profile, aluminium, anodised, 201 mm	152,00	€/pc	4021553071053
62399743	CATania 8090 luminaire profile, aluminium, anodised, 3020 mm	235,50	€/pc	4021553071060
62399745	CATania 8090 luminaire profile, aluminium, anodised, 5030 mm	418,00	€/pc	4021553071077
62399747	CATania 8090 aluminium endcap, 2 pieces, incl. Screws	27,80	€/pc	4021553071244
62399748	CATania 8090 endcaps with screwless visible surface, aluminium, anodised, 2 pieces incl. Screws thickness (excl. fixing clips): 2 mm thickness (excl. fixing clips): 2 mm	39,50	€/pc	4021553071251
62399749	CATania 8090 cover 180° endcap, 2 pieces	6,20	€/pc	4021553073859
62399761	Plastic cover satined for CATania 80 luminaire profile PMMA, for a diffused light distribution and concealment of the technology, 1000 mm	21,50	€/pc	4021553071121
62399762	Plastic cover satined for CATania 80 luminaire profile PMMA, for a diffused light distribution and concealment of the technology, 2010 mm	43,00	€/pc	4021553071138
62399763	Plastic cover satined for CATania 80 luminaire profile PMMA, for a diffused light distribution and concealment of the technology, 3020 mm	66,50	€/pc	4021553071145
62399765	Plastic cover satined for CATania 80 luminaire profile PMMA, for a diffused light distribution and concealment of the technology, 5030 mm	118,25	€/pc	4021553071152
62399771	Plastic cover opal white for CATania 80 luminaire profile PMMA, for a homogenous and glare-free light distribution, 1000 mm	21,50	€/pc	4021553071169
62399772	Plastic cover opal white for CATania 80 luminaire profile PMMA, for a homogenous and glare-free light distribution, 2010 mm	43,00	€/pc	4021553071176
62399773	Plastic cover opal white for CATania 80 luminaire profile PMMA, for a homogenous and glare-free light distribution, 3020 mm	66,50	€/pc	4021553071183
62399775	Plastic cover opal white for CATania 80 luminaire profile PMMA, for a homogenous and glare-free light distribution, 5030 mm	118,25	€/pc	4021553071190
62399781	CATania 80 insert profile, aluminium, anodised, 1000mm, for installation of LED strips or PCBs according to Zhaga class L28W2 and L56W2; white powder coated reflective surface	45,00	€/pc	4021553071206
62399782	CATania 80 insert profile, aluminium, anodised, 2010mm, for installation of LED strips or PCBs according to Zhaga class L28W2 and L56W2; white powder coated reflective surface	90,00	€/pc	4021553071213
62399783	CATania 80 insert profile, aluminium, anodised, 3020mm, for installation of LED strips or PCBs according to Zhaga class L28W2 and L56W2; white powder coated reflective surface	139,50	€/pc	4021553071220
62399785	CATania 80 insert profile, aluminium, anodised, 5030mm, for installation of LED strips or PCBs according to Zhaga class L28W2 and L56W2; white powder coated reflective surface	247,50	€/pc	4021553071237
62399786	Connecting terminal, metal, with strain relief and clamps	26,15	€/pc	4021553073972
62399787	Strain relief for cable Ø 5-12 mm, plastic, incl. fixing screw	2,10	€/pc	4021553073989
62399788	Voltage carrying suspension, 2x150cm, for CATania 3060, 4050, 6075, 8090	100,00	€/pc	4021553083469
62399791	Plastic cover opal white, half-round for CATania Angolo 3030 PMMA, for a homogenous and glare-free light distribution, close to 180° emittance, 1000 mm	17,00	€/pc	4021553074016
62399792	Plastic cover opal white, half-round for CATania Angolo 3030 PMMA, for a homogenous and glare-free light distribution, close to 180° emittance, 2010 mm	34,00	€/pc	4021553074023
62399793	Plastic cover opal white, half-round for CATania Angolo 3030 PMMA, for a homogenous and glare-free light distribution, close to 180° emittance, 3020 mm	54,40	€/pc	4021553074030
62399795	Plastic cover opal white, half-round for CATania Angolo 3030 PMMA, for a homogenous and glare-free light distribution, close to 180° emittance, 5030 mm	93,50	€/pc	4021553074047
62399796	CATania Angolo 3030 endcaps, round, aluminium, anodised, 2 pieces incl. 4 screws	16,30	€/pc	4021553074054
62399811	CATania 3030 Leuchtenprofil, Aluminium, eloxiert, 1000 mm	18,00	€/pc	4021553041414
62399812	CATania 3030 Leuchtenprofil, Aluminium, eloxiert, 2010 mm	36,00	€/pc	4021553041421
62399813	CATania 3030 luminaire profile, aluminium, anodised, 3020 mm	54,00	€/pc	4021553041438
62399815	CATania 3030 luminaire profile, aluminium, anodised, 5030 mm	101,00	€/pc	4021553041445
62399816	CATania (3030, 3030 T and 4040) reflector tape, width 15,6 mm, light reflection > 97 %, per meter	3,50	€/pc	4021553041841
62399817	CATania (3030, 3030 T and 4040) reflector tape, width 15,6 mm, light reflection > 97 %, reel 10 m	24,00	€/pc	4021553046686
62399821	Plastic cover opal white CATania 3030, PMMA, for a homogenous and glare-free light distribution, 1000 mm	12,10	€/pc	4021553041452
62399822	Plastic cover opal white CATania 3030, PMMA, for a homogenous and glare-free light distribution, 2010 mm	24,20	€/pc	4021553041469
62399823	Plastic cover opal white CATania 3030, PMMA, for a homogenous and glare-free light distribution, 3020 mm	37,60	€/pc	4021553041476



Codi	Descripció	Preus PVP		EAN
			€/pc	
20010000	AQUALUC MINI Standard clear		*	
62399825	Plastic cover opal white CATania 3030, PMMA, for a homogenous and glare-free light distribution, 5030 mm	66,55	€/pc	4021553041483
62399827	CATania 3030 aluminium endcaps Standard, 2 pieces, incl. 4 screws	14,90	€/pc	4021553041902
62399828	CATania 3030 aluminium endcaps with screwless surface, 2 pieces thickness (without fixing lug): 2 mm	20,70	€/pc	4021553044620
62399829	CATania 3030 aluminium endcaps, for cable conduit, 2 pieces, incl. 4 screws	16,30	€/pc	4021553041919
62399831	CATania 3030 T luminaire profile, aluminium, anodized, 1000 mm	21,50	€/pc	4021553044781
62399832	CATania 3030 T luminaire profile, aluminium, anodized, 2010 mm	43,00	€/pc	4021553044798
62399833	CATania 3030 T luminaire profile, aluminium, anodized, 3020 mm	66,70	€/pc	4021553044804
62399835	CATania 3030 T luminaire profile, aluminium, anodized, 5030 mm	118,30	€/pc	4021553044811
62399837	CATania T 3030 end caps, aluminium, anodized, 2 pieces, incl. 4 screws	16,60	€/pc	4021553046747
62399838	CATania T 3030 retaining spring, 1 piece	8,80	€/pc	4021553047300
62399841	Plastic cover 180°, opal white for CATania PMMA, 180°, for an all-round homogenous light distribution, 1000 mm	16,00	€/pc	4021553046761
62399842	Plastic cover 180°, opal white for CATania PMMA, 180°, for an all-round homogenous light distribution, 2010 mm	32,00	€/pc	4021553046778
62399843	Plastic cover 180°, opal white for CATania PMMA, 180°, for an all-round homogenous light distribution, 3020 mm	49,50	€/pc	4021553046785
62399845	Plastic cover 180°, opal white for CATania PMMA, 180°, for an all-round homogenous light distribution, 5030 mm	88,00	€/pc	4021553046792
62399846	CATania cover 180° end cap 2 pieces thickness (excl. holding pins): 2 mm thickness (excl. holding pins): 2 mm	5,89	€/pc	4021553048901
62399851	Plastic cover satined for CATania PMMA, for a diffused light distribution and concealment of the technology, 1000 mm	13,50	€/pc	4021553046877
62399852	Plastic cover satined for CATania PMMA, for a diffused light distribution and concealment of the technology, 2010 mm	27,00	€/pc	4021553046884
62399853	Plastic cover satined for CATania PMMA, for a diffused light distribution and concealment of the technology, 3020 mm	42,00	€/pc	4021553046891
62399855	Plastic cover satined for CATania PMMA, for a diffused light distribution and concealment of the technology, 5030 mm	74,50	€/pc	4021553046907
62399861	Plastic cover clear for CATania PMMA, for maximum light yield and protection of the LED strip, 1000 mm	13,50	€/pc	4021553046914
62399862	Plastic cover clear for CATania PMMA, for maximum light yield and protection of the LED strip, 2010 mm	27,00	€/pc	4021553046921
62399863	Plastic cover clear for CATania PMMA, for maximum light yield and protection of the LED strip, 3020 mm	42,00	€/pc	4021553046938
62399865	Plastic cover clear for CATania PMMA, for maximum light yield and protection of the LED strip, 5030 mm	74,50	€/pc	4021553046945
62399871	Plastic cover Prisma clear for CATania PMMA, to reduce the dazzling effect, 1000 mm	15,00	€/pc	4021553048857
62399872	Plastic cover Prisma clear for CATania PMMA, to reduce the dazzling effect, 2010 mm	30,00	€/pc	4021553048864
62399873	Plastic cover Prisma clear for CATania PMMA, to reduce the dazzling effect, 3020 mm	46,50	€/pc	4021553048871
62399875	Plastic cover Prisma clear for CATania PMMA, to reduce the dazzling effect, 5030 mm	82,50	€/pc	4021553048888
62399881	CATania Angolo 3030 luminaire profile, aluminium, anodised, 1000 mm	15,00	€/pc	4021553056944
62399882	CATania Angolo 3030 luminaire profile, aluminium, anodised, 2010 mm	30,00	€/pc	4021553056951
62399883	CATania Angolo 3030 luminaire profile, aluminium, anodised, 3020 mm	46,50	€/pc	4021553056968
62399885	CATania Angolo 3030 luminaire profile, aluminium, anodised, 5030 mm	82,50	€/pc	4021553056975
62399886	CATania Angolo 3030 endcaps, 2 pieces, incl. 4 screws	12,20	€/pc	4021553056982
62399891	Plastic cover opal white, rectangular for CATania Angolo 3030 PMMA, for a homogenous and glare-free light distribution, close to 180° emittance, 1000 mm	18,00	€/pc	4021553056999
62399892	Plastic cover opal white, rectangular for CATania Angolo 3030 PMMA, for a homogenous and glare-free light distribution, close to 180° emittance, 2010 mm	36,00	€/pc	4021553057033
62399893	Plastic cover opal white, rectangular for CATania Angolo 3030 PMMA, for a homogenous and glare-free light distribution, close to 180° emittance, 3020 mm	55,80	€/pc	4021553057040
62399895	Plastic cover opal white, rectangular for CATania Angolo 3030 PMMA, for a homogenous and glare-free light distribution, close to 180° emittance, 5030 mm	99,00	€/pc	4021553057057
62399901	GARgano luminaire profile, aluminium, anodised, 1000 mm	8,00	€/pc	4021553007069
62399902	GARgano luminaire profile, aluminium, anodised, 2010 mm	16,00	€/pc	4021553007076
62399903	GARgano luminaire profile, aluminium, anodised, 3020 mm	25,00	€/pc	4021553007083
62399905	GARgano luminaire profile, aluminium, anodised, 5030 mm	44,00	€/pc	4021553007090
62399906	GARgano/GARliano/CATania holding set, 304 stainless steel, incl. 2x brackets + 2x screws	3,25	€/pc	4021553034096
62399908	CATania/GARgano/GARliano vandal-proof mounting, aluminium, 1 holder, excl. mounting material, the LED profile is fixed to the holder with Allen screw (M2x10), dimensions: 40 x 27 x 5 mm	27,00	€/pc	4021553066059
62399912	GARgano plastic end cap set, grey, 2 pieces	5,55	€/pc	4021553007106
62399914	GARgano profile bracket set, 2 holder, 4 screws	2,45	€/pc	4021553007120



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
62399916	Wallight 2.0 holder, 2 pieces, incl. 4 screws and 4 dowels	3,99	€/pc	4021553012667
62399917	Wallight 2.0 aluminium endcaps, 2 pieces, incl. 4 screws	9,60	€/pc	4021553012995
62399918	GARgano/GARliano magnet holder, 1 pieces	5,78	€/pc	4021553014241
62399919	GARgano/GARliano connector, metal, incl. 2 grub screw	3,50	€/pc	4021553013015
62399920	GARgano/GARliano 45° corner holder transparent, 2 holder, 8 screws	4,80	€/pc	4021553013008
62399934	BARdolino H bracket set 50 mm, aluminium anodised, 2 pieces, incl. screws and dowels	7,60	€/pc	4021553034409
62399935	GARgano/GARliano 45° corner holder Set, transparent, 2 pieces, 4 screws, 4 dowels	4,35	€/pc	4021553014722
62399936	GARgano/GARliano corner connector 90°, metal, incl. 2 grub screw	2,90	€/pc	4021553016733
62399962	GARgano endcap-set, screwless visible surface, aluminium, 2 pieces incl. 2 screws one of the end caps with hole for cable entry	30,00	€/pc	4021553078021
62399963	GARgano; end cap set; ABS; white; 30,6x35,9x8,5 mm	4,70	€/pc	4021553098401
62517800	Converter CC, 300-1.400 mA, 15-32 V DC, 40 W, IP 20, 157 x 42 x 32 mm, dimmable 1-10 V	68,65	€/pc	4021553007526
62519903	Converter CC, 350/700 mA, 3-32 V DC, 12 W, IP 20, 99 x 39 x 23 mm, trailing edge phase dimmer	49,58	€/pc	4021553782164
62616230	Milano UGR <16, 1126 mm, Dali, 2700 K - 6500 K, connection cable 5 m, 5-pole incl. wire end sleeves	595,00	€/pc	4021553113296
62616240	Milano UGR <16, 1126 mm, Dali, 4000 K, connection cable 5 m, 5-pin incl. wire end sleeves	509,00	€/pc	4021553113289
63100002	Microfuse 6,3 x 32 mm, 2A, use for 63300010	1,22	€/pc	4021553004471
63100004	Microfuse 6,3 x 32 mm, 4A, use for 63300010	1,22	€/pc	4021553004488
63100006	Microfuse 6,3 x 32 mm, 6A, use for 63300010	1,45	€/pc	4021553004495
63100008	Microfuse 6,3 x 32 mm, 8A, use for 63300010	1,45	€/pc	4021553004617
63100110	Microfuse 6,3 x 32 mm, 10A, use for 63300010	1,67	€/pc	4021553004624
63300010	Fuse holder for up to 10A	34,80	€/pc	4021553852379
63500024	Technical Vaseline, tube 80g For easier installation of AQUALUC / FLEXLUC in confined installation situations	11,90	€/pc	4021553117652
63500033	Silicone adhesive and sealant, one-component, transparent, cartridge 310 ml Teroson SI 9140	59,40	€/pc	4021553115702
63500041	Structure instant adhesive for stainless steel, 2K, 50 ml mixture through mixing nozzles, incl. 5 nozzles	117,00	€/pc	4021553046181
63500042	Replacement static mixing nozzles for structure instant adhesive	2,20	€/pc	4021553046198
63500043	Adhesive spray gun for dosing of structure instant adhesive	147,00	€/pc	4021553046204
63500050	mibenco liquid rubber 175g can, clear matt, for sealing soldering and interfaces Dangerous goods: UN1139; Class 3; VG II; Xylene - Heptane	41,20	€/pc	4260178234423
65000012	Connecting clamp, compact, 2 pole, for 2 cables	0,93	€/pc	4021553046235
65000013	Connecting clamp, compact, 3 pole, for 3 cables	1,00	€/pc	4021553046242
65000015	Connecting clamp, compact, 5 pole, for 5 cables	1,72	€/pc	4021553046259
65300160	Suspension Pino HP/BARdolino H/BARdolino Fourside (2x 150cm wire cable M3 screw, 2x ceiling mounts)	46,00	€/pc	4021553028019
65400100	Suspension GARliano/GARgano/CATania/Pino Solo, 2x 150cm wire cable M4, 2x plate, 2x ceiling holder	31,00	€/pc	4021553016580
65400150	Suspension GARliano/GARgano/CATania, 4x150cm wire cable M4, 4x mounting plate, 4x ceiling mounts	59,50	€/pc	4021553015262
65400170	Suspension CATania 3060 / Angolo 3030, 2x 150cm wire cable, 2x profile holder, 2x ceiling holders	24,50	€/pc	4021553055657
66000057	PowerController, 1 channel dimmer, 12-30V, max. 10A, push dimm, 1-10V, 0-10V	82,85	€/pc	4021553113722
66000059	PWM Repeater	153,25	€/pc	4021553095585
66000124	Power supply constant voltage 24V, 13W, 0,54A, 158x22x 19mm	36,95	€/pc	4021553015101
66000128	Power supply constant voltage 24V, 150W, 6,25A, MM-symbol, 240x61x49mm	138,83	€/pc	4021553015118
66000130	Wall power supply 12V DC 24W 2A AC 110-240V 75x34x43 black	29,00	€/pc	4021553732084
66000131	Wall power supply 24V DC 24W 1A AC 110-240V 75x34x43 black	26,00	€/pc	4021553732091
66000212	Power supply pri. 100-240VAC, 12VDC, 36W, 3A, strain relief, 129x75x32mm	63,66	€/pc	4021553042343
66000213	Power supply CV pri. 100-240V AC, 24V DC, 0-0.8A, 20W, IP64, 145x38.5x28mm	55,76	€/pc	4021553073545
66000214	Power supply CV pri. 100-240V AC, 24V DC, 0-2.5A, 60W, IP65, 171x61.5x36,8mm	84,60	€/pc	4021553073552
66000215	Power supply CV pri. 100-240V AC, 24V DC, 0-3.15A, 75W, IP67, 180x63x35,5mm	92,15	€/pc	4021553073569
66000216	Power supply CV pri. 100-240V AC, 24V DC, 0-4A, 96W, IP65, 220x68x38.8mm	135,00	€/pc	4021553073576
66000217	Power supply CV pri. 100-240V AC, 24V DC, 0-4A, 96W, IP67, 199x63x35.5mm	99,00	€/pc	4021553073583



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
66000218	Power supply CV pri. 100-240V AC, 24V DC, 0-6.25A, 150W, IP67, 219x63x35.5mm	98,47	€/pc	4021553073590
66000219	Power supply CV pri. 100-240V AC, 24V DC, 0-6.3A, 150W, IP65, 228x68x38.8mm	120,00	€/pc	4021553073606
66000220	Power supply CV pri. 100-240V AC, 24V DC, 0-10A, 240W, IP67, 244x71x35.5mm	123,00	€/pc	4021553073613
66000221	Power supply CV pri. 100-240V AC, 48V DC, 0-2A, 96W, IP65, 220x68x38.8mm	140,99	€/pc	4021553077574
66000230	Wall power supply 12V DC 24W 2A AC 100-240V 72x 34x90mm white	26,00	€/pc	4021553018256
66000231	Wall power supply 24V DC 24W 1A AC 100-240V 72x 34x90mm white	24,34	€/pc	4021553018263
66000232	Power supply constant voltage 24V, 20W, 0,83A, 146x55x19mm	34,77	€/pc	4021553015125
66000233	Wall power supply 24V DC, 60W, 93,5x35x51,5, black	64,55	€/pc	4021553062402
66000315	Power supply pri. 220-240VAC, 24VDC, 60W, 2.5A, dimmable, slim build frame, 280x30x22mm	77,65	€/pc	4021553042497
66000316	Power supply pri. 220-240VAC, 24VDC, 100W, 4.16A, slim build frame, 360x30x22mm	117,65	€/pc	4021553080581
66000319	Power supply unit; SLIM; CV; 24 V; 0-2,5 A; 60 W; IP20; 298x30x17 mm	77,95	€/pc	4021553112503
66000320	Power supply unit; SLIM; CV; 24 V; 0-4,17 A; 100 W; IP20; 298x30x17 mm	95,87	€/pc	4021553112510
66000321	Power supply unit; SLIM; CV; 24 V; 0-8,33 A; 200 W; IP20; 384x30x22 mm	158,77	€/pc	4021553112527
66000324	Power LED converter LV, 10-30VDC, 12VAC, 350mA 1W for 1-3/6LEDs	16,34	€/pc	4021553761671
66000325	Power supply unit; CV; 24 V/DC; 0-1,5 A; 36 W; IP20; 170x57x18 mm	27,50	€/pc	4021553119625
66000326	Power supply unit; CV; 24 V/DC; 0,625-2,5 A; 15-60 W; IP20; 170x57x18 mm; DALI2	83,50	€/pc	4021553119632
66000327	Power supply unit; CV; 24 V/DC; 0-2,5 A; 60 W; IP20; 170x57x18 mm	36,50	€/pc	4021553119649
66000328	Power supply unit; CV; 24 V/DC; 0-3,75 A; 90 W; IP20; 190x65x22 mm	49,50	€/pc	4021553119656
66000329	Power supply unit; CV; 24 V/DC; 0-4,2 A; 100 W; IP20; 190x65x22 mm; DALI2	103,00	€/pc	4021553119663
66000330	Power supply unit; CV; 24 V/DC; 0-5 A; 120 W; IP20; 190x65x22 mm	55,00	€/pc	4021553119670
66000331	Power supply unit; SLIM; CV; 24 V/DC; 1-2,5 A; 24-60 W; IP20; 350x30x18 mm; DALI2	76,50	€/pc	4021553119687
66000332	Power supply unit; SLIM; CV; 24 V/DC; 1,25-4,17 A; 30-100 W; IP20; 350x30x18 mm; DALI2	94,00	€/pc	4021553119694
66000333	Power LED converter LV, 10-30VDC, 12VAC, 700mA 3W for 1-3/6LEDs	19,03	€/pc	4021553761688
66000374	CHROMOFLEX Pro KNX LED-sequence actuator 4-channel, constant voltage 10-48V DC, max. 2,2A per channel	323,00	€/pc	4021553035574
66000378	CHROMOFLEX Pro KNX LED-sequence actuator 4-channel, constant current i350 - i1050mA, 10-48V DC	345,56	€/pc	4021553056791
66000384	CHROMOFLEX Pro KNX Controller 4-channel, constant voltage 12-48V DC, max. 4,4A per channel, DIN rail mounting	418,70	€/pc	4021553027715
66000434	CHROMOFLEX Pro DALI Controller 4-channel, constant current 700mA, 10-48V DC Controller 4-channel, constant current 700mA, 10-48V DC	190,21	€/pc	4021553018461
66000444	CHROMOFLEX Pro DALI Controller 4-channel, constant voltage 8-48V DC, 4x2,2A Controller 4-channel, constant voltage 8-48V DC, 4x2,2A	201,00	€/pc	4021553018508
66000465	CHROMOFLEX CASAMBI	223,88	€/pc	4021553095561
66000469	CHROMOFLEX CASAMBI remote control	320,00	€/pc	4021553096117
66000500	Power supply 24V DC, max. 10,5W, 70x42x 20mm	23,85	€/pc	4021553001289
66000574	CHROMOFLEX Pro DALI DT8 controller 4-channel, constant voltage 8-48V DC, 4x2 Controller 4-Kanal, Konstanzspannung 8-48V DC, 4x2,2A	243,80	€/pc	4021553086095
66000650	DIN rail power supply; CV; 24 V; 0-1,5 A; 36 W; IP20; 35x90x54,5 mm	39,00	€/pc	4021553102290
66000651	DIN rail power supply; CV; 24 V; 0-2,5 A; 60 W; IP20; 52,5x90x54,5 mm	52,79	€/pc	4021553102306
66000652	DIN railpower supply; CV; 24 V; 0-4,2 A; 100 W; IP20; 70x90x54,5 mm	80,08	€/pc	4021553102313
66000653	DIN rail power supply; CV; 48 V; 0-2,1 A; 100 W; IP20; 70x90x54,5 mm	81,91	€/pc	4021553102320
66000654	DIN rail power supply; CV; 12 V; 0-11,3 A; 135,6 W; IP20; 105x90x54,5 mm	100,20	€/pc	4021553102337
66000655	DIN rail power supply; CV; 24 V; 0-6,25 A; 150 W; IP20; 105x90x54,5 mm	94,92	€/pc	4021553102344
66000656	DIN rail power supply; CV; 48 V; 0-3,2 A; 150 W; IP20; 105x90x54,5 mm	104,00	€/pc	4021553102351
66000657	DIN rail power supply; CV; 24 V; 0-10 A; 240 W; IP20; 63x125x114 mm	138,65	€/pc	4021553102368
66000658	DIN rail power supply; CV; 48 V; 0-5 A; 240 W; IP20; 63x125x114 mm	152,73	€/pc	4021553102375
66000659	DIN rail power supply; CV; 24 V; 0-20 A; 480 W; IP20; 88,5x125,2x128,5 mm	252,68	€/pc	4021553102382
66000660	DIN rail power supply; CV; 48 V; 0-10 A; 480 W; IP20; 88,5x125,2x128,5 mm	291,37	€/pc	4021553102399
66000703	Transformer DC-DC, Pri. 9,2-18V DC, Sek. 24V DC/2,1A, 50W	82,44	€/pc	4021553032122
66000704	Transformer DC-DC, Pri. 19-36V DC, Sek. 24V DC/2,1A, 50W	74,09	€/pc	4021553032139



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
66000705	Power supply unit; CV; 12 V; 0-3.33 A; 40 W; IP65; 171x61.5x36.8 mm	87,00 €/pc	4021553105673
66000706	Power supply unit; CV; 12 V; 0-5 A; 60 W; IP65; 195.6x61.5x38.8 mm	103,51 €/pc	4021553105680
66000707	power supply; CV; 12 V; 0-10 A; 120 W; IP65; 220x68x38.8 mm	118,53 €/pc	4021553105697
66000759	DMX control unit LINEARdrive 180D; CV; 12-28 V; max. 6 A; 180 W; IP40; 153x50x23 mm; 4 channel	238,50 €/pc	4021553114934
66000761	Touch panel DALI 2; 87.7x87.7x16.5 mm; 1 channel (monochrome) suitable for switch box installation (without integrated bus voltage supply)	750,00 €/pc	4021553115528
66000762	Touch panel DALI 2; 87.7x87.7x16.5 mm; 2 channel (Tunable White) suitable for switch box installation (without integrated bus voltage supply)	750,00 €/pc	4021553115535
66000763	Touch panel DALI 2; 87.7x87.7x16.5 mm; 3 channel (RGB) suitable for switch box installation (without integrated bus voltage supply)	750,00 €/pc	4021553115542
66000764	Touch panel DALI 2; 87.7x87.7x16.5 mm; 4 channel (RGBW) suitable for switch box installation (without integrated bus voltage supply)	750,00 €/pc	4021553115559
66000770	Radio control unit; 5 channel; CV; 12-36 V; max. 5x5 A; IP20; 170x59x29 mm	145,80 €/pc	4021553115252
66000771	Radio remote control; 1 channel; IP20; 120x55x17 mm	97,52 €/pc	4021553115269
66000772	Radio remote control; 2 channel; IP20; 120x55x17 mm	97,52 €/pc	4021553115276
66000773	Radio remote control; 3/4 channel; IP20; 120x55x17 mm	97,52 €/pc	4021553115283
66000774	Wireless touch panel; 5 channel; 230 V/AC; IP20; 86x86x29.1 mm	132,50 €/pc	4021553115290
66000775	Radio remote control; 5 channel; IP20; 153x52x19 mm	156,88 €/pc	4021553115306
66001012	Power supply; CV; 24 V; 0,5-5 A; 120 W; IP20 , 223x64x32 mm; phase on and phase off	135,96 €/pc	4021553098340
66001075	Power supply; CV; 24 V; 0,5-3,1 A; 75 W; IP20 , 185x60x31 mm; phase on and phase off	119,24 €/pc	4021553098333
66001141	LED-drivers dimmable, 40W, 245-1050mA, 1-10V/Poti, 157x42x 32mm	68,76 €/pc	4021553019178
66001143	Metal film resistor 2,2kOhm 0,25W	0,31 €/pc	4021553070148
66001144	Metal film resistor 10kOhm 0,25W	0,31 €/pc	4021553070155
66001145	Metal film resistor 160kOhm 0,25W	0,27 €/pc	4021553070162
66001600	Inrush-current limiter 230 V, 16 A	194,80 €/pc	4021553029542
66001610	Surge protection 230 V, parallel wiring, IP 65	55,32 €/pc	4021553044606
66001611	Surge protection 230 V, series or parallel wiring,, IP 20, max. 16 A	55,32 €/pc	4021553044613
66002060	Power supply unit; CV; 24 V; 0-2.5 A; 60 W; IP67; 150x53x35 mm; CASAMBI	210,00 €/pc	4021553112480
66002120	Power supply unit; CV; 24 V; 0-5 A; 120 W; IP67; 191x63x37.5 mm; CASAMBI	300,00 €/pc	4021553112497
66002200	Power supply unit; CV; 24 V; 0-8,3 A; 200 W; IP67; 195x68x39,5 mm; CASAMBI	390,00 €/pc	4021553116778
66002412	Power supply for mounting in flush socket, 24VDC/0.5A	56,98 €/pc	4021553017600
66002424	Power supply pri. 230V/AC sek.24V/DC, 240W, 10,0A, IP65, 251x68x39mm, with F-test symbol	145,00 €/pc	4021553022840
66002432	Power supply pri. 100-240VAC, 24VDC, 320W, 13,3A, IP65, 252x 90x44mm	189,00 €/pc	4021553045986
66002460	Power supply pri. 230V/AC sek.24V/DC, 600W, 25A, IP65, 280x144x48,5mm, with MM symbol	457,07 €/pc	4021553082721
66003007	Stripmax Bluetooth LED controller, monochrome 1-channel	110,19 €/pc	4021553107943
66003008	Stripmax Bluetooth LED controller, RGBW 3-/4-channel	138,00 €/pc	4021553107950
66003060	Power supply CV; 24 V; 0-2,5 A; 60 W; IP67; 150x53x35 mm; DALI	77,75 €/pc	4021553098418
66003120	Power supply pri. 230V/AC, sek. 24V/DC, 120W, 191x63x38mm, DALI	150,35 €/pc	4021553082318
66003200	Power supply unit; CV; 24 V; 0-8,3 A; 200 W; IP67; 195x68x39,5 mm; DALI 2	166,00 €/pc	4021553116761
66004100	Synchronisation cable 1.5m, for parameter adjustment synchronisation-capable converter	7,90 €/pc	4021553028149
66004154	LED converter 12V, 10W, 0,82A, 76x36x18mm	34,96 €/pc	4021553019079
66004260	LED converter CV/CC, max. 32W, 12/24V, 350/700mA, dimmable, 166x47x35mm	70,12 €/pc	4021553019154
66004400	LED converter Universal 230V/10 V/12V/24Vmax.20W or 350/700mA dimmable	50,77 €/pc	4021553021553
66004401	LED Converter Universal DALI, 24V or 350/500/700mA, max. 20W, dimmable	73,35 €/pc	4021553069326
66004407	Power supply unit; CV; 48 V; 0-1,46 A; 70 W; IP20; 225x60x36 mm	112,99 €/pc	4021553096872
66004415	Power supply unit; CV; 48 V; 0-3.13 A; 150 W; IP20; 240x60x49 mm	147,83 €/pc	4021553096889
66004434	LED converter IP65 24V, 13W, 0,55A, 182x 20x20mm	36,74 €/pc	4021553019031
66004680	LED converter CV/CC, 32W, 24V, 700mA, dimmable 1-10V & Push, 237x30x21mm	77,36 €/pc	4021553019147
66004750	LED converter 24V, 70W, 2,9A, 225x60x36mm	88,55 €/pc	4021553019093



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
66004758	LED converter 12V, 70W, 5,8A, 240x60x49mm	106,32 €/pc	4021553019109
66004806	Power supply 48VDC, 60W, 1,3A, IP65, 171x62x 37mm	96,30 €/pc	4021553057422
66004815	Power supply 48VDC, 150W, 3,2A, IP65, 228x68x39mm	119,00 €/pc	4021553057439
66004824	Power supply 48VDC, 240W, 5A, IP65, 244x68x39mm	179,30 €/pc	4021553057446
66004832	Power supply 48VDC, 320W, 6,7A, IP65, 252x 90x44mm	242,00 €/pc	4021553057453
66007413	LED converter DALI CC, max. 60W, dimmable 1-10V & Push, 124x79x22mm	98,58 €/pc	4021553096209
66100023	Special RGB-cable white PUR 3x0,34mm <sup>2</sup> 1x0,5mm <sup>2</sup> , for outdoors, perm	4,85 €/pc	4021553733821
66100026	Special RGBW/RGBA cable white PUR rough 4x0,34mm <sup>2</sup> 1x0,5mm <sup>2</sup> , per m	4,85 €/pc	4021553085258
66100027	Special RGBW/RGBA-cable white 4x0,34mm <sup>2</sup> 1x0,5mm <sup>2</sup> , perm	4,50 €/pc	4021553021188
66100033	Cable 2-pole, round, white, 2x0,5mm <sup>2</sup> , PUR rough, outdoor, per metre	3,50 €/pc	4021553034690
66100052	Cable 2-pole PUR black 2x0,5mm <sup>2</sup> for outdoor use, per metre	4,00 €/pc	4021553029528
66100223	Special RGB-cable black PUR 3x0,34mm <sup>2</sup> 1x0,5mm <sup>2</sup> , for outdoors, per m	4,54 €/pc	4021553012988
66313203	M8 connector stainless steel, 2-pole, screwable, moulded on cable oval 2x 0,5mm <sup>2</sup> , 350 mm cable length	24,80 €/pc	4021553063270
66313210	M8 connector stainless steel, 2-pole, screwable, moulded on cable oval 2x 0,5mm <sup>2</sup> , 1000 cm cable length	53,50 €/pc	4021553096896
66313230	M8 connector stainless steel, 2-pole, screwable, moulded on cable oval 2x 0,5mm <sup>2</sup> , 3000 mm cable length	33,15 €/pc	4021553063287
66313403	M8 connector stainless steel, 4-pole, screwable, moulded on cable oval 1x0,5+3x0,34mm <sup>2</sup> , 350 mm cable	27,50 €/pc	4021553063294
66313410	M8 connector stainless steel, 4-pole, screwable, moulded on cable oval 1x0,5+3x0,34mm <sup>2</sup> , 1000 cm cable	67,86 €/pc	4021553096902
66313430	M8 connector stainless steel, 4-pole, screwable, moulded on cable oval 1x0,5+3x0,34mm <sup>2</sup> , 3000 mm cable	38,95 €/pc	4021553063300
66313503	M8 connector stainless steel, 5-pole, screwable, moulded on cable oval 1x0,5+4x0,34mm <sup>2</sup> , 350 mm cable	26,64 €/pc	4021553102146
66313510	M8 connector stainless steel, 5-pole, screwable, moulded on cable oval 1x0,5+4x0,34mm <sup>2</sup> , 1000 cm cable	53,86 €/pc	4021553096919
66313530	M8 connector stainless steel, 5-pole, screwable, moulded on cable oval 1x0,5+4x0,34mm <sup>2</sup> , 3000 mm cable	33,24 €/pc	4021553102153
66600180	Power LED converter RC AC 190-265V 350mA 1W for 3-12LEDs	37,75 €/pc	4021553764948
66600181	Power LED converter RC AC 190-265V 700mA 3W for 3-9LEDs	40,24 €/pc	4021553764955
623327172	Bergamo 1.2 Indoor Wallwasher 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP30, 17° 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP30, 17°	285,00 €/pc	4021553102788
623327352	Bergamo 1.2 Indoor Wallwasher 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP30, 35° 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP30, 35°	285,00 €/pc	4021553102795
623327502	Bergamo 1.2 Indoor Wallwasher 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP30, 50x15° 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP30, 50x15°	285,00 €/pc	4021553102801
623330172	Bergamo 1.2 Indoor Wallwasher 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP30, 17° 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP30, 17°	285,00 €/pc	4021553102818
623330352	Bergamo 1.2 Indoor Wallwasher 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP30, 35° 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP30, 35°	285,00 €/pc	4021553102825
623330502	Bergamo 1.2 Indoor Wallwasher 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP30, 50x15° 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP30, 50x15°	285,00 €/pc	4021553102832
623336172	Bergamo 1.2 Indoor Wallwasher 336mm, RGBW, 4000K, 4x700mA, typ. 1550lm, 29,5W, IP30, 17° 336mm, RGBW, 4000K, 4x700mA, typ. 1550lm, 29,5W, IP30, 17°	245,00 €/pc	4021553111049
623336352	Bergamo 1.2 Indoor Wallwasher 336mm, RGBW, 4000 K, 4x700 mA, typ. 1570 lm, 29,5 W, IP30, 35° 336mm, RGBW, 4000 K, 4x700 mA, typ. 1570 lm, 29,5 W, IP30, 35°	245,00 €/pc	4021553111056
623336502	Bergamo 1.2 Indoor Wallwasher 336mm, RGBW, 4000K, 4x700mA, typ. 1570lm, 29,5W, IP30, 50x15° 336mm, RGBW, 4000K, 4x700mA, typ. 1570lm, 29,5W, IP30, 50x15°	245,00 €/pc	4021553111063
623340172	Bergamo 1.2 Indoor Wallwasher 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP30, 17° 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP30, 17°	295,00 €/pc	4021553102757
623340352	Bergamo 1.2 Indoor Wallwasher 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP30, 35° 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP30, 35°	295,00 €/pc	4021553102764
623340502	Bergamo 1.2 Indoor Wallwasher 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP30, 50x15° 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP30, 50x15°	295,00 €/pc	4021553102771
623427172	Bergamo 1.2 Outdoor Wallwasher 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP67, 17° 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP67, 17°	365,00 €/pc	4021553102870
623427352	Bergamo 1.2 Outdoor Wallwasher 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP67, 35° 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP67, 35°	365,00 €/pc	4021553102887
623427502	Bergamo 1.2 Outdoor Wallwasher 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP67, 50x15° 336 mm, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP67, 50x15°	365,00 €/pc	4021553102894
623430172	Bergamo 1.2 Outdoor Wallwasher 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP67, 17° 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP67, 17°	365,00 €/pc	4021553102900
623430352	Bergamo 1.2 Outdoor Wallwasher 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP67, 35° 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP67, 35°	365,00 €/pc	4021553102917
623430502	Bergamo 1.2 Outdoor Wallwasher 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP67, 50x15° 336 mm, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP67, 50x15°	365,00 €/pc	4021553102924
623436172	Bergamo 1.2 Outdoor Wallwasher - 336mm, RGBW, 4000K, 4x700mA, typ. 1550lm, 29,5W, IP67, 17° 336mm, RGBW, 4000K, 4x700mA, typ. 1550lm, 29,5W, IP67, 17°	325,00 €/pc	4021553111070
623436352	Bergamo 1.2 Outdoor Wallwasher 336mm, RGBW, 4000K, 4x700mA, typ. 1570lm, 29,5W, IP67, 35° 336mm, RGBW, 4000K, 4x700mA, typ. 1570lm, 29,5W, IP67, 35°	325,00 €/pc	4021553111087
623436502	Bergamo 1.2 Outdoor Wallwasher 336mm, RGBW, 4000K, 4x700mA, typ. 1570lm, 29,5W, IP67, 50x15° 336mm, RGBW, 4000K, 4x700mA, typ. 1570lm, 29,5W, IP67, 50x15°	325,00 €/pc	4021553111094
623440172	Bergamo 1.2 Outdoor Wallwasher 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP67, 17° 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP67, 17°	375,00 €/pc	4021553102849



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
623440352	Bergamo 1.2 Outdoor Wallwasher 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP67, 35° 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP67, 35°	375,00 €/pc	4021553102856
623440502	Bergamo 1.2 Outdoor Wallwasher 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP67, 50x15° 336 mm, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP67, 50x15°	375,00 €/pc	4021553102863
625031172	Bergamo 1.2 Indoor Wallwasher 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP30, 17° 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP30, 17°	265,00 €/pc	4021553110837
625031352	Bergamo 1.2 Indoor Wallwasher 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP30, 35° 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP30, 35°	265,00 €/pc	4021553110844
625031502	Bergamo 1.2 Indoor Wallwasher 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP30, 50x15° 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP30, 50x15°	265,00 €/pc	4021553110851
625431172	Bergamo 1.2 Outdoor Wallwasher 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP67, 17° 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP67, 17°	395,00 €/pc	4021553111339
625431352	Bergamo 1.2 Outdoor Wallwasher 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP67, 35° 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP67, 35°	395,00 €/pc	4021553111346
625431502	Bergamo 1.2 Outdoor Wallwasher 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP67, 50x15° 501 mm, RGB, 24 V DC, typ. 1570 lm, 27 W, IP67, 50x15°	395,00 €/pc	4021553111353
626200001	Leuchten-Verbinder mit Abhängung zur Deckenbefestigung inkl. Dekorklammer pulverbeschichtet RAL 9005 (tiefschwarz), max. Abpendellänge: < 5.000 mm	* €/pc	4021553122939
626204127	Milano Lichtband Eckleuchte 90° A 230 V AC, 329x329 mm, 2700 K, 1400 lm/m, 14,4 W/m	* €/pc	4021553122816
626204130	Milano Lichtband Eckleuchte 90° A 230 V AC, 329x329 mm, 3000 K, 1580 lm/m, 14,4 W/m	* €/pc	4021553122823
626204140	Milano Lichtband Eckleuchte 90° A 230 V AC, 329x329 mm, 4000 K, 1640 lm/m, 14,4 W/m	* €/pc	4021553122830
626204327	Milano Lichtband Eckleuchte 90° A 230 V AC, 329x329 mm, 2700 K, 2800 lm/m, 28,8 W/m	* €/pc	4021553122847
626204330	Milano Lichtband Eckleuchte 90° A 230 V AC, 329x329 mm, 3000 K, 2940 lm/m, 28,8 W/m	* €/pc	4021553122854
626204340	Milano Lichtband Eckleuchte 90° A 230 V AC, 329x329 mm, 4000 K, 3120 lm/m, 28,8 W/m	* €/pc	4021553122861
626205127	Milano Lichtband Eckleuchte 90° B 230 V AC, 329x329 mm, 2700 K, 1400 lm/m, 14,4 W/m	* €/pc	4021553122878
626205130	Milano Lichtband Eckleuchte 90° B 230 V AC, 329x329 mm, 3000 K, 1580 lm/m, 14,4 W/m	* €/pc	4021553122885
626205140	Milano Lichtband Eckleuchte 90° B 230 V AC, 329x329 mm, 4000 K, 1640 lm/m, 14,4 W/m	* €/pc	4021553122892
626205327	Milano Lichtband Eckleuchte 90° B 230 V AC, 329x329 mm, 2700 K, 2800 lm/m, 28,8 W/m	* €/pc	4021553122908
626205330	Milano Lichtband Eckleuchte 90° B 230 V AC, 329x329 mm, 3000 K, 2940 lm/m, 28,8 W/m	* €/pc	4021553122915
626205340	Milano Lichtband Eckleuchte 90° B 230 V AC, 329x329 mm, 4000 K, 3120 lm/m, 28,8 W/m	* €/pc	4021553122922
626211127	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 2700 K, 1400 lm/m, 14,4 W/m	* €/pc	4021553122335
626211130	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 3000 K, 1580 lm/m, 14,4 W/m	* €/pc	4021553122342
626211140	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 4000 K, 1640 lm/m, 14,4 W/m	* €/pc	4021553122359
626211327	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 2700 K, 2800 lm/m, 28,8 W/m	* €/pc	4021553122366
626211330	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 3000 K, 2940 lm/m, 28,8 W/m	* €/pc	4021553122373
626211340	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 4000 K, 3120 lm/m, 28,8 W/m	* €/pc	4021553122380
626212127	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 2700 K, 1400 lm/m, 14,4 W/m	* €/pc	4021553122571
626212130	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 3000 K, 1580 lm/m, 14,4 W/m	* €/pc	4021553122588
626212140	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 4000 K, 1640 lm/m, 14,4 W/m	* €/pc	4021553122595
626212327	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 2700 K, 2800 lm/m, 28,8 W/m	* €/pc	4021553122601
626212330	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 3000 K, 2940 lm/m, 28,8 W/m	* €/pc	4021553122618
626212340	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 4000 K, 3120 lm/m, 28,8 W/m	* €/pc	4021553122625
626213127	Milano Lichtband Abschlussleuchte 230 V AC, 1005 mm, 2700 K, 1400 lm/m, 14,4 W/m	* €/pc	4021553122694
626213130	Milano Lichtband Abschlussleuchte 230 V AC, 1005 mm, 3000 K, 1580 lm/m, 14,4 W/m	* €/pc	4021553122700
626213140	Milano Lichtband Abschlussleuchte 230 V AC, 1005 mm, 4000 K, 1640 lm/m, 14,4 W/m	* €/pc	4021553122717
626213327	Milano Lichtband Abschlussleuchte 230 V AC, 1005 mm, 2700 K, 2800 lm/m, 28,8 W/m	* €/pc	4021553122724
626213330	Milano Lichtband Abschlussleuchte 230 V AC, 1005 mm, 3000 K, 2940 lm/m, 28,8 W/m	* €/pc	4021553122731
626213340	Milano Lichtband Abschlussleuchte 230 V AC, 1005 mm, 4000 K, 3120 lm/m, 28,8 W/m	* €/pc	4021553122748
626231127	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 2700 K, 1400 lm/m, 14,4 W/m	* €/pc	4021553122397
626231130	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 3000 K, 1580 lm/m, 14,4 W/m	* €/pc	4021553122403
626231140	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 4000 K, 1640 lm/m, 14,4 W/m	* €/pc	4021553122410
626231327	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 2700 K, 2800 lm/m, 28,8 W/m	* €/pc	4021553122427
626231330	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 3000 K, 2940 lm/m, 28,8 W/m	* €/pc	4021553122434
626231340	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 4000 K, 3120 lm/m, 28,8 W/m	* €/pc	4021553122441



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
626232127	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 2700 K, 1400 lm/m, 14,4 W/m	* €/pc	4021553122632
626232130	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 3000 K, 1580 lm/m, 14,4 W/m	* €/pc	4021553122649
626232140	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 4000 K, 1640 lm/m, 14,4 W/m	* €/pc	4021553122656
626232327	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 2700 K, 2800 lm/m, 28,8 W/m	* €/pc	4021553122663
626232330	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 3000 K, 2940 lm/m, 28,8 W/m	* €/pc	4021553122670
626232340	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 4000 K, 3120 lm/m, 28,8 W/m	* €/pc	4021553122687
626233127	Milano Lichtband Abschlussleuchte 230 V AC, 3005 mm, 2700 K, 1400 lm/m, 14,4 W/m	* €/pc	4021553122755
626233130	Milano Lichtband Abschlussleuchte 230 V AC, 3005 mm, 3000 K, 1580 lm/m, 14,4 W/m	* €/pc	4021553122762
626233140	Milano Lichtband Abschlussleuchte 230 V AC, 3005 mm, 4000 K, 1640 lm/m, 14,4 W/m	* €/pc	4021553122779
626233327	Milano Lichtband Abschlussleuchte 230 V AC, 3005 mm, 2700 K, 2800 lm/m, 28,8 W/m	* €/pc	4021553122786
626233330	Milano Lichtband Abschlussleuchte 230 V AC, 3005 mm, 3000 K, 2940 lm/m, 28,8 W/m	* €/pc	4021553122793
626233340	Milano Lichtband Abschlussleuchte 230 V AC, 3005 mm, 4000 K, 3120 lm/m, 28,8 W/m	* €/pc	4021553122809
626250002	Leuchten-Abdeckung, opalweiß, PMMA, 40,6x9 mm, 5050 mm Milano Lichtband	* €/pc	4021553123745
626627172	Bergamo 1.2 Indoor Wallwasher 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP30, 17° 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP30, 17°	445,00 €/pc	4021553102962
626627352	Bergamo 1.2 Indoor Wallwasher 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP30, 35° 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP30, 35°	445,00 €/pc	4021553102979
626627502	Bergamo 1.2 Indoor Wallwasher 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP30, 50x15° 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP30, 50x15°	445,00 €/pc	4021553102986
626630172	Bergamo 1.2 Indoor Wallwasher 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP30, 17° 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP30, 17°	465,00 €/pc	4021553102993
626630352	Bergamo 1.2 Indoor Wallwasher 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP30, 35° 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP30, 35°	465,00 €/pc	4021553103075
626630502	Bergamo 1.2 Indoor Wallwasher 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP30, 50x15° 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP30, 50x15°	465,00 €/pc	4021553103082
626636172	Bergamo 1.2 Indoor Wallwasher 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP30, 17° 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP30, 17°	365,00 €/pc	4021553111100
626636352	Bergamo 1.2 Indoor Wallwasher 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP30, 35° 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP30, 35°	365,00 €/pc	4021553111117
626636502	Bergamo 1.2 Indoor Wallwasher 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP30, 50x15° 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP30, 50x15°	365,00 €/pc	4021553111124
626640172	Bergamo 1.2 Indoor Wallwasher 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP30, 17° 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP30, 17°	465,00 €/pc	4021553102931
626640352	Bergamo 1.2 Indoor Wallwasher 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP30, 35° 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP30, 35°	465,00 €/pc	4021553102948
626640502	Bergamo 1.2 Indoor Wallwasher 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP30, 50x15° 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP30, 50x15°	465,00 €/pc	4021553102955
626727172	Bergamo 1.2 Outdoor Wallwasher 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP67, 17° 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP67, 17°	595,00 €/pc	4021553103129
626727352	Bergamo 1.2 Outdoor Wallwasher 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP67, 35° 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP67, 35°	595,00 €/pc	4021553103136
626727502	Bergamo 1.2 Outdoor Wallwasher 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP67, 50x15° 666 mm, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP67, 50x15°	595,00 €/pc	4021553103143
626730172	Bergamo 1.2 Outdoor Wallwasher 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP67, 17° 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP67, 17°	615,00 €/pc	4021553094212
626730352	Bergamo 1.2 Outdoor Wallwasher 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP67, 35° 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP67, 35°	615,00 €/pc	4021553103167
626730502	Bergamo 1.2 Outdoor Wallwasher 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP67, 50x15° 666 mm, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP67, 50x15°	615,00 €/pc	4021553103174
626736172	Bergamo 1.2 Outdoor Wallwasher 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP67, 17° 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP67, 17°	525,00 €/pc	4021553111131
626736352	Bergamo 1.2 Outdoor Wallwasher 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP67, 35° 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP67, 35°	525,00 €/pc	4021553111148
626736502	Bergamo 1.2 Outdoor Wallwasher 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP67, 50x15° 666mm, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP67, 50x15°	525,00 €/pc	4021553111155
626740172	Bergamo 1.2 Outdoor Wallwasher 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP67, 17° 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP67, 17°	625,00 €/pc	4021553103099
626740352	Bergamo 1.2 Outdoor Wallwasher 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP67, 35° 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP67, 35°	625,00 €/pc	4021553103105
626740502	Bergamo 1.2 Outdoor Wallwasher 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP67, 50x15° 666 mm, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP67, 50x15°	625,00 €/pc	4021553103112
629031172	Bergamo 1.2 Indoor Wallwasher 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP30, 17° 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP30, 17°	405,00 €/pc	4021553110868
629031352	Bergamo 1.2 Indoor Wallwasher 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP30, 35° 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP30, 35°	405,00 €/pc	4021553110875
629031502	Bergamo 1.2 Indoor Wallwasher 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP30, 50x15° 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP30, 50x15°	405,00 €/pc	4021553110882
629431172	Bergamo 1.2 Outdoor Wallwasher 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP67, 17° 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP67, 17°	625,00 €/pc	4021553111360
629431352	Bergamo 1.2 Outdoor Wallwasher 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP67, 35° 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP67, 35°	625,00 €/pc	4021553111377
629431502	Bergamo 1.2 Outdoor Wallwasher 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP67, 50x15° 996 mm, RGB, 24 V DC, typ. 3140 lm, 54 W, IP67, 50x15°	625,00 €/pc	4021553111384
629827172	Bergamo 1.2 Indoor Wallwasher 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP30, 17° 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP30, 17°	625,00 €/pc	4021553103211
629827352	Bergamo 1.2 Indoor Wallwasher 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP30, 35° 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP30, 35°	625,00 €/pc	4021553103228



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear		
629827502	Bergamo 1.2 Indoor Wallwasher 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP30, 50x15° 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP30, 50x15°	* 625,00 €/pc	4021553103235
629830172	Bergamo 1.2 Indoor Wallwasher 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP30, 17° 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP30, 17°	625,00 €/pc	4021553103242
629830352	Bergamo 1.2 Indoor Wallwasher 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP30, 35° 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP30, 35°	625,00 €/pc	4021553103259
629830502	Bergamo 1.2 Indoor Wallwasher 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP30, 50x15° 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP30, 50x15°	625,00 €/pc	4021553103266
629836172	Bergamo 1.2 Indoor Wallwasher 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP30, 17° 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP30, 17°	495,00 €/pc	4021553111162
629836352	Bergamo 1.2 Indoor Wallwasher 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP30, 35° 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP30, 35°	495,00 €/pc	4021553111179
629836502	Bergamo 1.2 Indoor Wallwasher 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP30, 50x15° 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP30, 50x15°	495,00 €/pc	4021553111186
629840172	Bergamo 1.2 Indoor Wallwasher 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP30, 17° 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP30, 17°	645,00 €/pc	4021553103181
629840352	Bergamo 1.2 Indoor Wallwasher 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP30, 35° 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP30, 35°	645,00 €/pc	4021553103198
629840502	Bergamo 1.2 Indoor Wallwasher 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP30, 50x15° 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP30, 50x15°	645,00 €/pc	4021553103204
629927172	Bergamo 1.2 Outdoor Wallwasher 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP67, 17° 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP67, 17°	845,00 €/pc	4021553103303
629927352	Bergamo 1.2 Outdoor Wallwasher 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP67, 35° 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP67, 35°	845,00 €/pc	4021553103310
629927502	Bergamo 1.2 Outdoor Wallwasher 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP67, 50x15° 996 mm, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP67, 50x15°	845,00 €/pc	4021553103327
629930172	Bergamo 1.2 Outdoor Wallwasher 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP67, 17° 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP67, 17°	845,00 €/pc	4021553103334
629930352	Bergamo 1.2 Outdoor Wallwasher 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP67, 35° 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP67, 35°	845,00 €/pc	4021553103341
629930502	Bergamo 1.2 Outdoor Wallwasher 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP67, 50x15° 996 mm, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP67, 50x15°	845,00 €/pc	4021553103358
629936172	Bergamo 1.2 Outdoor Wallwasher 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP67, 17° 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP67, 17°	715,00 €/pc	4021553111193
629936352	Bergamo 1.2 Outdoor Wallwasher 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP67, 35° 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP67, 35°	715,00 €/pc	4021553111209
629936502	Bergamo 1.2 Outdoor Wallwasher 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP67, 50x15° 996mm, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP67, 50x15°	715,00 €/pc	4021553111216
629940172	Bergamo 1.2 Outdoor Wallwasher 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP67, 17° 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP67, 17°	865,00 €/pc	4021553103273
629940352	Bergamo 1.2 Outdoor Wallwasher 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP67, 35° 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP67, 35°	865,00 €/pc	4021553103280
629940502	Bergamo 1.2 Outdoor Wallwasher 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP67, 50x15° 996 mm, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP67, 50x15°	865,00 €/pc	4021553103297
633327172	Bergamo 1.2 Indoor Wallwasher 336 mm, with glare protection, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP30, 17°	285,00 €/pc	4021553103396
633327352	Bergamo 1.2 Indoor Wallwasher 336 mm, with glare protection, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP30, 35°	285,00 €/pc	4021553103402
633327502	Bergamo 1.2 Indoor Wallwasher 336 mm, with glare protection, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP30, 50x15°	285,00 €/pc	4021553103419
633330172	Bergamo 1.2 Indoor Wallwasher 336 mm, with glare protection, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP30, 17°	285,00 €/pc	4021553103426
633330352	Bergamo 1.2 Indoor Wallwasher 336 mm, with glare protection, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP30, 35°	285,00 €/pc	4021553103433
633330502	Bergamo 1.2 Indoor Wallwasher 336 mm, with glare protection, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP30, 50x15°	285,00 €/pc	4021553103440
633336172	Bergamo 1.2 Indoor Wallwasher 336mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 1550lm, 29,5W, IP30, 17°	249,00 €/pc	4021553111223
633336352	Bergamo 1.2 Indoor Wallwasher 336mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 1570lm, 29,5W, IP30, 35°	249,00 €/pc	4021553111230
633336502	Bergamo 1.2 Indoor Wallwasher 336mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 1570lm, 29,5W, IP30, 50x15°	249,00 €/pc	4021553111247
633340172	Bergamo 1.2 Indoor Wallwasher 336 mm, with glare protection, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP30, 17°	295,00 €/pc	4021553103365
633340352	Bergamo 1.2 Indoor Wallwasher 336 mm, with glare protection, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP30, 35°	295,00 €/pc	4021553103372
633340502	Bergamo 1.2 Indoor Wallwasher 336 mm, with glare protection, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP30, 50x15°	295,00 €/pc	4021553103389
633427172	Bergamo 1.2 Outdoor Wallwasher 336 mm, with glare protection, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP67, 17°	375,00 €/pc	4021553103488
633427352	Bergamo 1.2 Outdoor Wallwasher 336 mm, with glare protection, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP67, 35°	375,00 €/pc	4021553103495
633427502	Bergamo 1.2 Outdoor Wallwasher 336 mm, with glare protection, typ. 2700 K, 24V DC, typ. 1780 lm, 18 W, IP67, 50x15°	375,00 €/pc	4021553103501
633430172	Bergamo 1.2 Outdoor Wallwasher 336 mm, with glare protection, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP67, 17°	375,00 €/pc	4021553103518
633430352	Bergamo 1.2 Outdoor Wallwasher 336 mm, with glare protection, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP67, 35°	375,00 €/pc	4021553103525
633430502	Bergamo 1.2 Outdoor Wallwasher 336 mm, with glare protection, typ. 3000 K, 24V DC, typ. 1880 lm, 18 W, IP67, 50x15°	375,00 €/pc	4021553103532
633436172	Bergamo 1.2 Outdoor Wallwasher 336mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 1550lm, 29,5W, IP67, 17°	329,00 €/pc	4021553111254
633436352	Bergamo 1.2 Outdoor Wallwasher 336mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 1570lm, 29,5W, IP67, 35°	329,00 €/pc	4021553111261
633436502	Bergamo 1.2 Outdoor Wallwasher 336mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 1570lm, 29,5W, IP67, 50x15°	329,00 €/pc	4021553111278
633440172	Bergamo 1.2 Outdoor Wallwasher 336 mm, with glare protection, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP67, 17°	375,00 €/pc	4021553094618
633440352	Bergamo 1.2 Outdoor Wallwasher 336 mm, with glare protection, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP67, 35°	375,00 €/pc	4021553103464



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear		
633440502	Bergamo 1.2 Outdoor Wallwasher 336 mm, with glare protection, typ. 4000 K, 24V DC, typ. 1980 lm, 18 W, IP67, 50x15°	* 375,00 €/pc	4021553103471
635031172	Bergamo 1.2 Indoor Wallwasher 501 mm, with glare protection, RGB, 24 V DC, typ. 1570 lm, 27 W, IP30, 17°	265,00 €/pc	4021553110899
635031352	Bergamo 1.2 Indoor Wallwasher 501 mm, with glare protection, RGB, 24 V DC, typ. 1570 lm, 27 W, IP30, 35°	265,00 €/pc	4021553110905
635031502	Bergamo 1.2 Indoor Wallwasher 501 mm, with glare protection, RGB, 24 V DC, typ. 1570 lm, 27 W, IP30, 50x15°	265,00 €/pc	4021553110912
635431172	Bergamo 1.2 Outdoor Wallwasher 501 mm, with glare protection, RGB, 24 V DC, typ. 1570 lm, 27 W, IP67, 17°	385,00 €/pc	4021553111391
635431352	Bergamo 1.2 Outdoor Wallwasher 501 mm, with glare protection, RGB, 24 V DC, typ. 1570 lm, 27 W, IP67, 35°	385,00 €/pc	4021553111407
635431502	Bergamo 1.2 Outdoor Wallwasher 501 mm, with glare protection, RGB, 24 V DC, typ. 1570 lm, 27 W, IP67, 50x15°	385,00 €/pc	4021553111414
636627172	Bergamo 1.2 Indoor Wallwasher 666 mm, with glare protection, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP30, 17°	450,00 €/pc	4021553103570
636627352	Bergamo 1.2 Indoor Wallwasher 666 mm, with glare protection, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP30, 35°	450,00 €/pc	4021553094793
636627502	Bergamo 1.2 Indoor Wallwasher 666 mm, with glare protection, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP30, 50x15°	450,00 €/pc	4021553103594
636630172	Bergamo 1.2 Indoor Wallwasher 666 mm, with glare protection, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP30, 17°	450,00 €/pc	4021553103600
636630352	Bergamo 1.2 Indoor Wallwasher 666 mm, with glare protection, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP30, 35°	450,00 €/pc	4021553103617
636630502	Bergamo 1.2 Indoor Wallwasher 666 mm, with glare protection, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP30, 50x15°	450,00 €/pc	4021553103624
636636172	Bergamo 1.2 Indoor Wallwasher 666mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP30, 17°	375,00 €/pc	4021553111285
636636352	Bergamo 1.2 Indoor Wallwasher 666mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP30, 35°	375,00 €/pc	4021553111292
636636502	Bergamo 1.2 Indoor Wallwasher 666mm, with glare protection RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP30, 50x15°	375,00 €/pc	4021553111308
636640172	Bergamo 1.2 Indoor Wallwasher 666 mm, with glare protection, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP30, 17°	475,00 €/pc	4021553103549
636640352	Bergamo 1.2 Indoor Wallwasher 666 mm, with glare protection, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP30, 35°	475,00 €/pc	4021553103556
636640502	Bergamo 1.2 Indoor Wallwasher 666 mm, with glare protection, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP30, 50x15°	475,00 €/pc	4021553103563
636727172	Bergamo 1.2 Outdoor Wallwasher 666 mm, with glare protection, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP67, 17°	620,00 €/pc	4021553103662
636727352	Bergamo 1.2 Outdoor Wallwasher 666 mm, with glare protection, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP67, 35°	620,00 €/pc	4021553103679
636727502	Bergamo 1.2 Outdoor Wallwasher 666 mm, with glare protection, typ. 2700 K, 24V DC, typ. 3560 lm, 36 W, IP67, 50x15°	620,00 €/pc	4021553103686
636730172	Bergamo 1.2 Outdoor Wallwasher 666 mm, with glare protection, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP67, 17°	620,00 €/pc	4021553103693
636730352	Bergamo 1.2 Outdoor Wallwasher 666 mm, with glare protection, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP67, 35°	620,00 €/pc	4021553103709
636730502	Bergamo 1.2 Outdoor Wallwasher 666 mm, with glare protection, typ. 3000 K, 24V DC, typ. 3760 lm, 36 W, IP67, 50x15°	620,00 €/pc	4021553103716
636736172	Bergamo 1.2 Outdoor Wallwasher 666mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP67, 17°	545,00 €/pc	4021553111315
636736352	Bergamo 1.2 Outdoor Wallwasher 666mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP67, 35°	545,00 €/pc	4021553111322
636736502	Bergamo 1.2 Outdoor Wallwasher 666mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 3100 lm, 59W, IP67, 50x15°	545,00 €/pc	4021553110950
636740172	Bergamo 1.2 Outdoor Wallwasher 666 mm, with glare protection, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP67, 17°	645,00 €/pc	4021553103631
636740352	Bergamo 1.2 Outdoor Wallwasher 666 mm, with glare protection, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP67, 35°	645,00 €/pc	4021553103648
636740502	Bergamo 1.2 Outdoor Wallwasher 666 mm, with glare protection, typ. 4000 K, 24V DC, typ. 3960 lm, 36 W, IP67, 50x15°	645,00 €/pc	4021553103655
639031172	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, RGB, 24 V DC, typ. 3140 lm, 54 W, IP30, 17°	410,00 €/pc	4021553110929
639031352	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, RGB, 24 V DC, typ. 3140 lm, 54 W, IP30, 35°	410,00 €/pc	4021553110936
639031502	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, RGB, 24 V DC, typ. 3140 lm, 54 W, IP30, 50x15°	410,00 €/pc	4021553110943
639431172	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, RGB, 24 V DC, typ. 3140 lm, 54 W, IP67, 17°	630,00 €/pc	4021553111421
639431352	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, RGB, 24 V DC, typ. 3140 lm, 54 W, IP67, 35°	630,00 €/pc	4021553111438
639431502	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, RGB, 24 V DC, typ. 3140 lm, 54 W, IP67, 50x15°	630,00 €/pc	4021553111445
639827172	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP30, 17°	630,00 €/pc	4021553103754
639827352	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP30, 35°	630,00 €/pc	4021553103761
639827502	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP30, 50x15°	630,00 €/pc	4021553103778
639830172	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP30, 17°	630,00 €/pc	4021553103785
639830352	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP30, 35°	630,00 €/pc	4021553103792
639830502	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP30, 50x15°	630,00 €/pc	4021553103808
639836172	Bergamo 1.2 Indoor Wallwasher 996mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP30, 17°	495,00 €/pc	4021553110967
639836352	Bergamo 1.2 Indoor Wallwasher 996mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP30, 35°	495,00 €/pc	4021553110974



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
639836502	Bergamo 1.2 Indoor Wallwasher 996mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP30, 50x15°	495,00	€/pc	4021553110981
639840172	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP30, 17°	660,00	€/pc	4021553103723
639840352	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP30, 35°	660,00	€/pc	4021553103730
639840502	Bergamo 1.2 Indoor Wallwasher 996 mm, with glare protection, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP30, 50x15°	660,00	€/pc	4021553103747
639927172	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP67, 17°	850,00	€/pc	4021553103846
639927352	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP67, 35°	850,00	€/pc	4021553103853
639927502	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, typ. 2700 K, 24V DC, typ. 5340 lm, 54 W, IP67, 50x15°	850,00	€/pc	4021553103860
639930172	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP67, 17°	850,00	€/pc	4021553103877
639930352	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP67, 35°	850,00	€/pc	4021553103884
639930502	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, typ. 3000 K, 24V DC, typ. 5640 lm, 54 W, IP67, 50x15°	850,00	€/pc	4021553103891
639936172	Bergamo 1.2 Outdoor Wallwasher 996mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP67, 17°	715,00	€/pc	4021553110998
639936352	Bergamo 1.2 Outdoor Wallwasher 996mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP67, 35°	715,00	€/pc	4021553111025
639936502	Bergamo 1.2 Outdoor Wallwasher 996mm, with glare protection, RGBW, 4000K, 4x700mA, typ. 4650 lm, 89W, IP67, 50x15°	715,00	€/pc	4021553111032
639940172	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP67, 17°	880,00	€/pc	4021553103815
639940352	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP67, 35°	880,00	€/pc	4021553103822
639940502	Bergamo 1.2 Outdoor Wallwasher 996 mm, with glare protection, typ. 4000 K, 24V DC, typ. 5940 lm, 54 W, IP67, 50x15°	880,00	€/pc	4021553103839
50000531T	LEDlight flex 16 10 STANDARD RGB IP 66-MFC, cut 10 cm, 24 V DC, 15 W/m typ. 384 lm/m	13,23	€/pc	4021553119533
50013128T	LEDlight flex 16 8p STANDARD 500 IP 66-MFC 2.0, cut-out 10 cm, 24V DC, 4,8 W/m, 2700 K 480 lm/m	4,20	€/pc	4021553119359
50013133T	LEDlight flex 16 8p STANDARD 500 IP 66-MFC 2.0, cut 10 cm, 24V DC, 4,8 W/m, 3000 K 530 lm/m	4,20	€/pc	4021553119366
50013134T	LEDlight flex 16 8p STANDARD 500 IP 66-MFC 2.0, cut 10 cm, 24V DC, 4,8 W/m, 4000 K 560 lm/m	4,20	€/pc	4021553119373
50013328T	LEDlight flex 16 8p STANDARD 1000 IP 66-MFC 2.0, cut 10 cm, 24 V DC, 9,8 W/m, 2700 K 1070 lm/m	4,72	€/pc	4021553119380
50013333T	LEDlight flex 16 8p STANDARD 1000 IP 66-MFC 2.0, cut 10 cm, 24 V DC, 9,8 W/m, 3000 K 1080 lm/m	4,72	€/pc	4021553119397
50013334T	LEDlight flex 16 8p STANDARD 1000 IP 66-MFC 2.0, cut 10 cm, 24 V DC, 9,8 W/m, 4000 K 1130 lm/m	4,72	€/pc	4021553119403
50013528T	LEDlight flex 08 8 STANDARD 1500 IP 66-MFC 2.0, cut 5 cm, 24 V DC, 14,4 W/m, 2700 K 1400 lm/m	3,41	€/pc	4021553119410
50013533T	LEDlight flex 08 8 STANDARD 1500 IP 66-MFC 2.0, cut 5 cm, 24 V DC, 14,4 W/m, 3000 K 1580 lm/m	3,41	€/pc	4021553119427
50013534T	LEDlight flex 08 8 STANDARD 1500 IP 66-MFC 2.0, cut 5 cm, 24 V DC, 14,4 W/m, 4000 K 1640 lm/m	3,41	€/pc	4021553119434
50013728T	LEDlight flex 08 8 STANDARD 2000 IP 66-MFC 2.0, cut 5 cm, 24 V DC, 19,7 W/m, 2700 K 1860 lm/m	3,65	€/pc	4021553119441
50013733T	LEDlight flex 08 8 STANDARD 2000 IP 66-MFC 2.0, cut 5 cm, 24 V DC, 19,7 W/m, 3000 K 2150 lm/m	3,65	€/pc	4021553119458
50013734T	LEDlight flex 08 8 STANDARD 2000 IP 66-MFC 2.0, cut 5 cm, 24 V DC, 19,7 W/m, 4000 K 2190 lm/m	3,65	€/pc	4021553119465
50013928T	LEDlight flex 08 8 STANDARD 3000 IP 66-MFC 2.0, cut 5 cm, 24 V DC, 28,8 W/m, 2700 K 2800 lm/m	3,90	€/pc	4021553119472
50013933T	LEDlight flex 08 8 STANDARD 3000 IP 66-MFC 2.0, cut 5 cm, 24 V DC, 28,8 W/m, 3000 K 2940 lm/m	3,90	€/pc	4021553119489
50013934T	LEDlight flex 08 8 STANDARD 3000 IP 66-MFC 2.0, cut 5 cm, 24 V DC, 28,8 W/m, 4000 K 3120 lm/m	3,90	€/pc	4021553119496
50014928T	LEDlight flex 16 10 STANDARD RGBW IP 66-MFC, cut 10 cm, 24 VDC, typ 20 W/m, RGB+typ 2700 K typ. 775 lm/m	12,73	€/pc	4021553119502
50014933T	LEDlight flex 16 10 STANDARD RGBW IP 66-MFC, cut 10 cm, 24 VDC, typ 20 W/m, RGB+typ 3000 K typ. 775 lm/m	12,73	€/pc	4021553119519
50014934T	LEDlight flex 16 10 STANDARD RGBW IP 66-MFC, cut 10 cm, 24 VDC, typ 20 W/m, RGB+typ 4000 K typ. 875 lm/m	13,49	€/pc	4021553119526
50413128T	LEDlight flex 16 8p STANDARD 500 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 4,8 W/m, 2700 K 480 lm/m 480 lm/m	143,00	€/pc	4021553112428
50413133T	LEDlight flex 16 8p STANDARD 500 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 4,8 W/m, 3000 K 530 lm/m 530 lm/m	143,00	€/pc	4021553112411
50413134T	LEDlight flex 16 8p STANDARD 500 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 4,8 W/m, 4000 K 560 lm/m 560 lm/m	143,00	€/pc	4021553112404
50413328T	LEDlight flex 16 8p STANDARD 1000 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 9,8 W/m, 2700 K 930 lm/m 930 lm/m	160,50	€/pc	4021553112398
50413333T	LEDlight flex 16 8p STANDARD 1000 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 9,8 W/m, 3000 K 1080 lm/m 1080 lm/m	160,50	€/pc	4021553112381
50413334T	LEDlight flex 16 8p STANDARD 1000 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 9,8 W/m, 4000 K 1090 lm/m 1090 lm/m	160,50	€/pc	4021553112374
50413528T	LEDlight flex 08 8 STANDARD 1500 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 14,4 W/m, 2700 K 1400 lm/m 1400 lm/m	232,80	€/pc	4021553111735
50413533T	LEDlight flex 08 8 STANDARD 1500 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 14,4 W/m, 3000 K 1580 lm/m 1580 lm/m	232,80	€/pc	4021553111742
50413534T	LEDlight flex 08 8 STANDARD 1500 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 14,4 W/m, 4000 K 1640 lm/m 1640 lm/m	232,80	€/pc	4021553111759
50413728T	LEDlight flex 08 8 STANDARD 2000 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 19,7 W/m, 2700 K 1860 lm/m 1860 lm/m	248,15	€/pc	4021553111766



Codi	Descripció	Preus PVP		EAN
			€/pc	
20010000	AQUALUC MINI Standard clear		*	
50413733T	LEDlight flex 08 8 STANDARD 2000 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 19,7 W/m, 3000 K 2150 lm/m 2150 lm/m	248,15	€/pc	4021553111773
50413734T	LEDlight flex 08 8 STANDARD 2000 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 19,7 W/m, 4000 K 2190 lm/m 2190 lm/m	248,15	€/pc	4021553111780
50413928T	LEDlight flex 08 8 STANDARD 3000 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 28,8 W/m, 2700 K 2800 lm/m 2800 lm/m	258,30	€/pc	4021553111797
50413933T	LEDlight flex 08 8 STANDARD 3000 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 28,8 W/m, 3000 K 2940 lm/m 2940 lm/m	265,25	€/pc	4021553111803
50413934T	LEDlight flex 08 8 STANDARD 3000 IP 66-MFC 2.0, reel 500 cm, 24 V DC, 28,8 W/m, 4000 K 3120 lm/m 3120 lm/m	265,25	€/pc	4021553111810
50414928T	LEDlight flex 16 10 STANDARD RGBW IP 66-MFC, reel 500 cm, 24 VDC, typ. 20 W/m, RGB+typ. 2700 K	459,00	€/pc	4021553114248
50414933T	LEDlight flex 16 10 STANDARD RGBW IP 66-MFC, reel 500 cm, 24 VDC, typ. 20 W/m, RGB+typ. 3000 K	459,00	€/pc	4021553114255
50414934T	LEDlight flex 16 10 STANDARD RGBW IP 66-MFC, reel 500 cm, 24 VDC, typ. 20 W/m, RGB+typ. 4000 K	459,00	€/pc	4021553114262
50510531T	LEDlight flex 16 10 STANDARD RGB IP 66-MFC, reel 510 cm, 24 V DC, typ. 15 W/m, typ. 384 lm/m	459,00	€/pc	4021553102214
62394121A	CATania 30 Unterputzprofil für Netzteilinbau, Aluminium roh, 1000 mm	49,00	€/pc	4021553125268
62394122A	CATania 30 Unterputzprofil für Netzteilinbau, Aluminium roh, 2010 mm	98,00	€/pc	4021553082943
62394252	CATania 2525 cover PMMA satined 23,7x4,7 mm 2010 mm	21,60	€/pc	
62394255	CATania 2525 cover PMMA satined 23,7x4,7 mm 5030 mm	59,90	€/pc	
62398401_9005	BARdolino; Walllight 2.0; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 23,3x37,1 mm; 1000 mm	18,50	€/pc	4021553120829
62398401_9010	BARdolino; Walllight 2.0; profile; aluminium; powder-coated; RAL 9010; 23,3x37,1 mm; 1000 mm	18,50	€/pc	4021553120553
62398402_9005	BARdolino; Walllight 2.0; profile; aluminium; powder-coated; RAL 9005; 23,3x37,1 mm; 2010 mm	37,00	€/pc	4021553120836
62398402_9010	BARdolino; Walllight 2.0; profile; aluminium; powder-coated; RAL 9010; 23,3x37,1 mm; 2010 mm	37,00	€/pc	4021553120560
62398403_9005	BARdolino; Walllight 2.0; profile; aluminium; powder-coated; RAL 9005; 23,3x37,1 mm; 3020 mm	57,50	€/pc	4021553120843
62398403_9010	BARdolino; Walllight 2.0; profile; aluminium; powder-coated; RAL 9010; 23,3x37,1 mm; 3020 mm	57,50	€/pc	4021553120577
62398405_9005	BARdolino; Walllight 2.0; profile; aluminium; powder-coated; RAL 9005; 23,3x37,1 mm; 5030 mm	101,75	€/pc	4021553116990
62398405_9010	BARdolino; Walllight 2.0; profile; aluminium; powder-coated; RAL 9010; 23,3x37,1 mm; 5030 mm	101,75	€/pc	4021553116471
62398613_9005	BARdolino; high; endcaps; aluminium; powder coated; RAL9005; 18,4x19,7 mm; 3 mm; 2 pieces incl. screws	15,00	€/pc	4021553114651
62398613_9010	BARdolino; high; endcaps; aluminium; powder coated; RAL9010; 18,4x19,7 mm; 3 mm; 2 pieces incl. screws	15,00	€/pc	4021553114538
62398614_9005	BARdolino; flat; endcaps; aluminium; powder coated; RAL9005; 18,4x13 mm; 3 mm; 2 pieces incl. screws	15,00	€/pc	4021553114613
62398614_9010	BARdolino; flat; endcaps; aluminium; powder coated; RAL9010; 18,4x13 mm; 3 mm; 2 pieces incl. screws	15,00	€/pc	4021553114491
62399101_9005	BARdolino; hoch; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x19,7 mm; 1000 mm	11,25	€/pc	4021553120850
62399101_9010	BARdolino; hoch; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x19,7 mm; 1000 mm	11,25	€/pc	4021553120584
62399102_9005	BARdolino; hoch; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x19,7 mm; 2010 mm	22,50	€/pc	4021553120867
62399102_9010	BARdolino; hoch; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x19,7 mm; 2010 mm	22,50	€/pc	4021553120591
62399103_9005	BARdolino; hoch; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x19,7 mm; 3020 mm	35,00	€/pc	4021553120874
62399103_9010	BARdolino; hoch; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x19,7 mm; 3020 mm	35,00	€/pc	4021553120607
62399105_9005	BARdolino; hoch; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL9005; 18,4x19,7 mm; 5030 mm	62,00	€/pc	4021553114644
62399105_9010	BARdolino; hoch; Profil; Aluminium; pulverbeschichtet; reinweiß RAL9010; 18,4x19,7 mm; 5030 mm	62,00	€/pc	4021553114521
62399110_9005	BARdolino; H; Endkappenset; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x30x2 mm	17,50	€/pc	4021553116587
62399110_9010	BARdolino; H; Endkappenset; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x30x2 mm	17,50	€/pc	4021553117027
62399111_9005	BARdolino; H; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x30 mm; 1000 mm	19,25	€/pc	4021553120881
62399111_9010	BARdolino; H; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x30 mm; 1000 mm	19,25	€/pc	4021553120614
62399112_9005	BARdolino; H; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x30 mm; 2010 mm	38,50	€/pc	4021553120898
62399112_9010	BARdolino; H; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x30 mm; 2010 mm	38,50	€/pc	4021553120621
62399113_9005	BARdolino; H; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x30 mm; 3020 mm	59,75	€/pc	4021553120904
62399113_9010	BARdolino; H; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x30 mm; 3020 mm	59,75	€/pc	4021553120638
62399115_9005	BARdolino; H; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x30 mm; 5030 mm	106,00	€/pc	4021553116563
62399115_9010	BARdolino; H; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x30 mm; 5030 mm	106,00	€/pc	4021553117034
62399201_9005	BARdolino; flach; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x13 mm; 1000 mm	8,00	€/pc	4021553120911
62399201_9010	BARdolino; flach; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x13 mm; 1000 mm	8,00	€/pc	4021553120645



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
20010000	AQUALUC MINI Standard clear			
62399202_9005	BARdolino; flach; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x13 mm; 2010 mm	16,00	€/pc	4021553120928
62399202_9010	BARdolino; flat; profile; aluminium; powder-coated; RAL 9010; 18,4x13 mm; 2010 mm	16,00	€/pc	4021553120652
62399203_9005	BARdolino; flat; profile; aluminium; powder-coated; RAL 9005; 18,4x13 mm; 3020 mm	25,00	€/pc	4021553120935
62399203_9010	BARdolino; flat; profile; aluminium; powder-coated; RAL 9010; 18,4x13 mm; 3020 mm	25,00	€/pc	4021553120669
62399205_9005	BARdolino; flat; profile; aluminium; powder-coated; RAL9005; 18,4x13 mm; 5030 mm	44,00	€/pc	4021553114606
62399205_9010	BARdolino; flat; profile; aluminium; powder-coated; RAL9010; 18,4x13 mm; 5030 mm	44,00	€/pc	4021553114484
62399501_9005	BARdolino; T; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 35x25 mm; 1000 mm	17,50	€/pc	4021553120942
62399501_9010	BARdolino; T; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 35x25 mm; 1000 mm	17,50	€/pc	4021553120676
62399502_9005	BARdolino; T; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 35x25 mm; 2010 mm	35,00	€/pc	4021553120959
62399502_9010	BARdolino; T; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 35x25 mm; 2010 mm	35,00	€/pc	4021553120683
62399503_9005	BARdolino; T; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 35x25 mm; 3020 mm	53,50	€/pc	4021553120966
62399503_9010	BARdolino; T; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 35x25 mm; 3020 mm	53,50	€/pc	4021553120690
62399505_9005	BARdolino; T; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 35x25 mm; 5030 mm	92,50	€/pc	4021553117072
62399505_9010	BARdolino T profile, aluminium, powder-coated, RAL 9010, 35x25 mm, 5030 mm	92,50	€/pc	4021553116532
62399531_9005	BARdolino; Muro; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x37,3 mm; 1000 mm	18,50	€/pc	4021553120973
62399531_9010	BARdolino; Muro; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x37,3 mm; 1000 mm	18,50	€/pc	4021553120706
62399532_9005	BARdolino; Muro; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x37,3 mm; 2010 mm	37,00	€/pc	4021553120980
62399532_9010	BARdolino; Muro; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x37,3 mm; 2010 mm	37,00	€/pc	4021553120713
62399533_9005	BARdolino; Muro; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 18,4x37,3 mm; 3020 mm	57,50	€/pc	4021553120997
62399533_9010	BARdolino; Muro; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 18,4x37,3 mm; 3020 mm	57,50	€/pc	4021553120720
62399535_9005	BARdolino Muro, profile, aluminium, powder-coated, RAL 9005, 18,4x37,3 mm, 5030 mm	101,75	€/pc	4021553117096
62399535_9010	BARdolino Muro, profile, aluminium, powder-coated, RAL 9010, 18,4x37,3 mm, 5030 mm	101,75	€/pc	4021553116501
62399536_9005	BARdolino Muro, end cap set, aluminium, powder-coated, RAL 9005, 18,4x37,1x2 mm	13,00	€/pc	4021553117102
62399536_9010	BARdolino Muro, end cap set, aluminium, powder-coated, RAL 9010, 18,4x37,1x2 mm	13,00	€/pc	4021553116525
62399607_9005	BARdolino T profile aluminium end cap, short, powder-coated, RAL 9005, 35x25x10 mm	17,50	€/pc	4021553117119
62399607_9010	BARdolino T profile aluminium end cap, short, powder-coated, RAL 9010, 35x25x10 mm	17,50	€/pc	4021553116556
62399641_9005	CATania; 4050; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 40x50 mm; 1000 mm	32,00	€/pc	4021553121635
62399641_9010	CATania; 4050; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 40x50 mm; 1000 mm	32,00	€/pc	4021553120737
62399642_9005	CATania; 4050; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 40x50 mm; 2010 mm	64,00	€/pc	4021553121642
62399642_9010	CATania; 4050; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 40x50 mm; 2010 mm	64,00	€/pc	4021553120744
62399643_9005	CATania; 4050; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 40x50 mm; 3020 mm	99,50	€/pc	4021553121659
62399643_9010	CATania; 4050; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 40x50 mm; 3020 mm	99,50	€/pc	4021553120751
62399645_9005	CATania; 4050; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 40x50 mm; 5030 mm	176,00	€/pc	4021553117133
62399645_9010	CATania; 4050; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 40x50 mm; 5030 mm	176,00	€/pc	4021553116440
62399647_9005	CATania; 4050; Endkappenset; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 40x50x9 mm; schraublose Sichtfläche	32,00	€/pc	4021553117140
62399647_9010	CATania; 4050; Endkappenset; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 40x50x9 mm; schraublose Sichtfläche	32,00	€/pc	4021553116464
62399811_9010	CATania; 3030; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 30x30 mm; 1000 mm	18,00	€/pc	4021553120768
62399812_9010	CATania; 3030; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 30x30 mm; 2010 mm	36,00	€/pc	4021553120775
62399813_9010	CATania 3030, profile, aluminium, powder-coated, RAL 9010, 30x30 mm, 3020 mm	54,00	€/pc	4021553120782
62399815_9010	CATania 3030, profile, aluminium, powder-coated, RAL9010, 30x30 mm, 5.030 mm	101,00	€/pc	4021553114569
62399827_9010	CATania 3030, endcaps, aluminium, powder coated, RAL9010, 30x30 mm, 2 mm, 2 pieces incl. screws	17,00	€/pc	4021553114576
62399831_9005	CATania; 3030 T; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 40x30 mm; 1000 mm	21,50	€/pc	4021553121666
62399831_9010	CATania; 3030 T; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 40x30 mm; 1000 mm	21,50	€/pc	4021553120799
62399832_9005	CATania; 3030 T; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 40x30 mm; 2010 mm	43,00	€/pc	4021553121673
62399832_9010	CATania; 3030 T; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 40x30 mm; 2010 mm	43,00	€/pc	4021553120805



Codi	Descripció	Preus PVP	EAN
20010000	AQUALUC MINI Standard clear	* €/pc	
62399833_9005	CATania; 3030 T; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL 9005; 40x30 mm; 3020 mm	66,70 €/pc	4021553121680
62399833_9010	CATania; 3030 T; Profil; Aluminium; pulverbeschichtet; reinweiß RAL 9010; 40x30 mm; 3020 mm	66,70 €/pc	4021553120812
62399835_9005	CATania; 3030 T; Profil; Aluminium; pulverbeschichtet; tiefschwarz RAL9005; 40x30 mm; 5030 mm	118,30 €/pc	4021553117171
62399835_9010	CATania; 3030 T; Profil; Aluminium; pulverbeschichtet; reinweiß RAL9010; 40x30 mm; 5030 mm	118,30 €/pc	4021553117188
62399837_9005	CATania; 3030 T; Endkappen; Aluminium; pulverbeschichtet; tiefschwarz RAL9005; 40x30 mm; 2 mm; 2 Stück	23,50 €/pc	4021553117195
62399837_9010	CATania; 3030 T; Endkappen; Aluminium; pulverbeschichtet; reinweiß RAL9010; 40x30 mm; 2 mm; 2 Stück	23,50 €/pc	4021553117201
62399917_9005	BARdolino, Walllight 2.0, endcap set, aluminium, powder-coated, RAL 9005, 23,3x37,1x2 mm	13,00 €/pc	4021553117218
62399917_9010	BARdolino, Walllight 2.0, endcap set, aluminium, powder-coated, RAL 9010, 23,3x37,1x2 mm	13,00 €/pc	4021553116495
626211127A	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 2700 K, 1400 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122212
626211130A	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 3000 K, 1580 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122229
626211140A	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 4000 K, 1640 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122236
626211327A	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 2700 K, 2800 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122243
626211330A	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 3000 K, 2940 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122250
626211340A	Milano Lichtband Anfangsleuchte 230 V AC, 1005 mm, 4000 K, 3120 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122267
626212127A	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 2700 K, 1400 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122458
626212130A	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 3000 K, 1580 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122465
626212140A	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 4000 K, 1640 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122472
626212327A	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 2700 K, 2800 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122489
626212330A	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 3000 K, 2940 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122496
626212340A	Milano Lichtband Mittelleuchte 230 V AC, 1005 mm, 4000 K, 3120 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122502
626231127A	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 2700 K, 1400 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122274
626231130A	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 3000 K, 1580 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122281
626231140A	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 4000 K, 1640 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122298
626231327A	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 2700 K, 2800 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122304
626231330A	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 3000 K, 2940 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122311
626231340A	Milano Lichtband Anfangsleuchte 230 V AC, 3005 mm, 4000 K, 3120 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122328
626232127A	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 2700 K, 1400 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122519
626232130A	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 3000 K, 1580 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122526
626232140A	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 4000 K, 1640 lm/m, 14,4 W/m, Anschlussleitung 6 m	* €/pc	4021553122533
626232327A	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 2700 K, 2800 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122540
626232330A	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 3000 K, 2940 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122557
626232340A	Milano Lichtband Mittelleuchte 230 V AC, 3005 mm, 4000 K, 3120 lm/m, 28,8 W/m, Anschlussleitung 6 m	* €/pc	4021553122564
LEDKAB34	Connection cable with Euro plug, 2000 mm, 2x 0,75 mm <sup>2</sup> , white	3,60 €/pc	4021553763590
LEDKAB41	Connecting cable Schuko plug, 1500 mm, 3 x 0.75 mm <sup>2</sup> , white	7,60 €/pc	4021553082172
LEDTREIB10	Power LED converter mini 190-265V/6V 350mA for 1 LED	17,21 €/pc	4021553761312
LEDTREIB13	Power LED converter round 190-265V/36V 350mA for 1-10LEDs	24,11 €/pc	4021553761343



Codi	Descripció	Preus PVP		EAN
		*	€/pc	
<b>20010000</b>	AQUALUC MINI Standard clear			
<b>LEDTREIB14</b>	Power LED converter round 190-265V/12V 700mA for 1-3LEDs	<b>24,11</b>	€/pc	4021553761350
<b>LEDTREIB17</b>	Power LED converter professional 230V 350mA for 1-9LEDs	<b>24,40</b>	€/pc	4021553761374
<b>LEDTREIB32</b>	Power LED converter mini 190-265V/6V 700mA	<b>18,97</b>	€/pc	4021553762302
<b>LEDTREIB53</b>	Power LED converter PowerDesign 190-265V AC 700mA 3W for 3-9LEDs	<b>35,25</b>	€/pc	4021553763705
<b>LEDTREIB59</b>	Power LED converter DC System, 10-28V DC, 350mA 1W for 1-3/6LEDs	<b>15,40</b>	€/pc	4021553765006
<b>LEDTREIB61</b>	Power LED converter DC System, 10-28V DC, 700mA 3W for 1-3/6LEDs	<b>19,00</b>	€/pc	4021553765013
<b>LEDTREIB66</b>	LED converter universal dimming (1-10V/Poti), 110-240V, DIP-switch 10/12/24V 350/700/1050mA, 10-20W	<b>55,54</b>	€/pc	4021553765051
<b>LEDTREIB67</b>	LED converter mini dimmer 240V, 350/700mA, dimmable phase cuts	<b>39,39</b>	€/pc	4021553765068
<b>NT64024030</b>	Power supply pri.230VAC / sek.24V DC 30W IP64 1,3A 145x47x30mm	<b>52,98</b>	€/pc	4021553853246