

REFERÈNCIA	DESCRIPCIÓ	PREUS PVP
CC10W100-440_D	CC10W100-440CG DALI/1-10V 220-240VAC 9-40V 100/180/270/350/440mA (DIP Switch) Dimensions 120*46*23,8mm	30,81 €
CC10W180270CGt	CC10W180-270CG t 220-240VAC 26-38V 180/200/250/270mA (DIP Switch) Dimensions 122*41*23mm	13,47 €
CC10W200350CGt	CC10W200-350CG t 220-240VAC 16-29V 200/250/300/350mA (DIP Switch) Dimensions 122*41*23mm	13,47 €
CC10W350500CGt	CC10W350-500CG t 220-240VAC 12-20V 350/400/450/500mA (DIP Switch) Dimensions 122*41*23mm	13,47 €
CC10W500700CGt	CC10W500-700CG t 220-240VAC 8-14V 500/550/600/700mA (DIP Switch) Dimensions 122*41*23mm	13,47 €
CC12W350-700_D	CC12W350-700CG DALI 220-240VAC 3-24V 350/500/550/700mA (DIP Switch) Dimensions 88*52*25,5mm	33,16 €
CC15W100-700DALINFC	CC15W100-700 DALI NFC - (DIP Switch) Regulación mA a través APP KGP NFC - 2.5-46V Dimensions 138*30*21mm (TAPAS INCLUIDAS)	33,00 €
CC15W100-700NFC	CC15W100-700 NFC - (DIP Switch) Regulación mA a través APP KGP NFC - 2.5-46V Dimensions 138*30*21mm (TAPAS INCLUIDAS)	13,63 €
CC15W200350CGt	CC15W200-350CG t 220-240VAC 26-42V 200/250/300/350mA (DIP Switch) Dimensions 122*41*23mm	13,80 €
CC15W400550CGt	CC15W400-550CG t 220-240VAC 16-29V 400/450/500/550mA (DIP Switch) Dimensions 122*41*23mm	13,80 €
CC15W500700CGt	CC15W500-700CG t 220-240VAC 12-20V 500/550/600/700mA (DIP Switch) Dimensions 122*41*23mm	13,80 €
CC20W100-800DALI	CC20W100-800 DALI - (DIP Switch) 3-45V Dimensions 110*40*21mm (TAPAS INCLUIDAS)	31,50 €
CC20W200-550D	CC20W200-550 DALI 220-240VAC 3-45V 200/250/300/350/400/450/500/550mA (DIP Switch) Dimensions 78*40,5*22mm	33,27 €
CC20W250-700_D	CC20W250-700CG DALI/1-10V 220-240VAC 9-60V 250/350/500/700mA (DIP Switch) Dimensions 150*52*28mm	38,38 €
CC20W350500CGt	CC20W350-500CG t 220-240VAC 26-38V 350/400/450/500mA (DIP Switch) Dimensions 137,6*44*30mm	15,99 €
CC20W500700CGt	CC20W500-700CG t 220-240VAC 15-28V 500/550/600/700mA (DIP Switch) Dimensions 137,6*44*30mm	15,99 €
CC20W700900CGt	CC20W700-900CG t 220-240VAC 14-22V 700/800/850/900mA (DIP Switch) Dimensions 137,6*44*30mm	15,99 €
CC23W100-700DALINFC	CC23W100-700 DALI NFC - (DIP Switch) Regulación mA a través APP KGP NFC - 2.5-46V Dimensions 138*30*21mm (TAPAS INCLUIDAS)	33,00 €
CC23W100-700NFC	CC23W100-700 NFC - (DIP Switch) Regulación mA a través APP KGP NFC - 2.5-46V Dimensions 138*30*21mm (TAPAS INCLUIDAS)	14,13 €
CC30W300-900_D	CC30W300-900CG DALI/1-10V 220-240VAC 9-58V 300/350/400/450/500/550/600/650/700/750/800/850/900mA (DIP Switch) Dimensions 103*67*22mm	39,73 €
CC30W350-700	CC30W350-700 220-240VAC 27-45V 350/400/450/500/550/600/650/700mA (DIP Switch) Dimensions 97*44*23mm	10,03 €
CC30W350-700D	CC30W350-700 DALI 220-240VAC 9-45V 350/400/450/500/550/600/650/700mA (DIP Switch) Dimensions 137.5*44*23mm (TAPAS INCLUIDAS)	33,00 €
CC30W500700CGt	CC30W500-700CG t 220-240VAC 26-42V 500/550/600/700mA (DIP Switch) Dimensions 137,6*44*30mm	18,52 €
CC30W700900CGt	CC30W700-900CG t 220-240VAC 16-28V 700/800/850/900mA (DIP Switch) Dimensions 137,6*44*30mm	18,52 €
CC36W150-900DALINFC	CC36W150-900 DALI NFC - (DIP Switch) Regulación mA a través APP KGP NFC - 2.5-50V Dimensions 163*30*21mm (TAPAS INCLUIDAS)	34,50 €
CC36W150-900NFC	CC36W150-900 NFC - (DIP Switch) Regulación mA a través APP KGP NFC - 2.5-50V Dimensions 163*30*21mm (TAPAS INCLUIDAS)	15,81 €
CC36W500700CGt	CC36W500-700CG t 220-240VAC 30-52V 500/550/600/700mA (DIP Switch) Dimensions 137,6*44*30mm	19,19 €
CC36W700900CGt	CC36W700-900CG t 220-240VAC 26-40V 700/800/850/900mA (DIP Switch) Dimensions 137,6*44*30mm	19,19 €
CC40W5001050_D	CC40W500-1050CG DALI/1-10V 220-240VAC 9-58V 500/550/600/650/700/750/800/850/900/950/1000/1050mA (DIP Switch) Dimensions 123*79*24mm	44,11 €
CC40W7001050_t	CC40W700-1050CG t 220-240VAC 27-38V 700/800/950/1050mA (DIP Switch) Dimensions 137,6*44*30mm	21,04 €
CC44W700-1050	CC44W700-1050 220-240VAC 27-45V 700/750/800/850/900/950/1000/1050mA (DIP Switch) Dimensions 97*44*23mm	10,27 €
CC44W700-1050D	CC44W700-1050 DALI 220-240VAC 9-45V 700/750/800/850/900/950/1000/1050mA (DIP Switch) Dimensions 137.5*44*23mm (TAPAS INCLUIDAS)	34,00 €
CC50W7001400_D	CC50W700-1400CG DALI/1-10V 220-240VAC 9-58V 700/800/900/1050/1200/1300/1400mA (DIP Switch) Dimensions 123*79*24mm	46,30 €

REFERÈNCIA	DESCRIPCIÓ	PREUS PVP
CC53W500-1400DALINFC	CC53W500-1400 DALI NFC - (DIP Switch) Regulación mA a través APP KGP NFC - 2.5-44V Dimensions 143*43*30mm (TAPAS INCLUIDAS)	49,14 €
CC53W500-1400NFC	CC53W500-1400 NFC - (DIP Switch) Regulación mA a través APP KGP NFC - 2.5-44V Dimensions 143*43*30mm (TAPAS INCLUIDAS)	23,05 €
CC7W100-180CGt	CC7W100-180CG t 220-240VAC 26-40V 100/120/140/180mA (DIP Switch) Dimensions 122*41*23mm	13,30 €
CC7W180-350CGt	CC7W180-350CG t 220-240VAC 12-20V 180/200/300/350mA (DIP Switch) Dimensions 122*41*23mm	13,30 €
CC7W350-500CGt	CC7W350-500CG t 220-240VAC 7-13V 350/400/450/500mA (DIP Switch) Dimensions 122*41*23mm	13,30 €
CV100W24CGt	CV100W24CG t 220-240VAC 24V Dimensions 210*67*34mm	90,91 €
CV120W24CG	CV120W24CG 220-240VAC 24V Dimensions 253.2*42.5*31mm	40,24 €
CV120W24CGDALI	CV120W24CG DALI 220-240VAC 24V Dimensions 253.2*42.5*31mm	51,35 €
CV180W24CG	CV180W24CG 220-240VAC 24V Dimensions 253.2*42.5*31mm	45,45 €
CV180W24CGDALI	CV180W24CG DALI 220-240VAC 24V Dimensions 253.2*42.5*31mm	62,29 €
CV250W24CG	CV250W24CG 220-240VAC 24V Dimensions 270*50*31mm	55,56 €
CV250W24CGDALI	CV250W24CG DALI 220-240VAC 24V Dimensions 270*50*31mm	72,39 €
CV25W24CGt	CV25W24CG t 220-240VAC 24V Dimensions 128*52*30mm	35,35 €
CV30W24CG	CV30W24CG 220-240VAC 24V Dimensions 135*36*25mm	15,66 €
CV30W24CGDALI	CV30W24CG DALI 220-240VAC 24V Dimensions 135*36*25mm	36,20 €
CV50W24CGt	CV50W24CG t 220-240VAC 24V Dimensions 184*61*32mm	45,12 €
CV60W24CG	CV60W24CG 220-240VAC 24V Dimensions 151.5*40.2*31mm	21,89 €
CV60W24CGDALI	CV60W24CG DALI 220-240VAC 24V Dimensions 151.5*40.2*31mm	40,34 €
FV100W24CGD	FV100W24CG DALI 220-240VAC 24V Dimensions 190*65*22mm	65,66 €
FV120W24CG	FV120W24CG 220-240VAC 24V Dimensions 190*65*22mm	45,29 €
FV120W24CG1-10	FV120W24CG 1-10 220-240VAC 24V Dimensions 190*65*22mm	50,51 €
FV12W24CG	FV12W24CG 220-240VAC 24V Dimensions 112*46*15.5mm	12,96 €
FV24W24CG	FV24W24CG 220-240VAC 24V Dimensions 137*50*15,5mm	19,36 €
FV24W24CG1-10	FV24W24CG 1-10 220-240VAC 24V Dimensions 137*50*15,5mm	23,23 €
FV36W24CG	FV36W24CG 220-240VAC 24V Dimensions 170*57*18mm	21,55 €
FV36W24CG1-10	FV36W24CG 1-10 220-240VAC 24V Dimensions 170*57*18mm	26,94 €
FV60W24CG	FV60W24CG 220-240VAC 24V Dimensions 170*57*18mm	31,99 €
FV60W24CG1-10	FV60W24CG 1-10 220-240VAC 24V Dimensions 170*57*18mm	37,04 €
FV60W24CGD	FV60W24CG DALI 220-240VAC 24V Dimensions 170*57*18mm	61,45 €
FV90W24CG	FV90W24CG 220-240VAC 24V Dimensions 190*65*22mm	40,40 €
FV90W24CG1-10	FV90W24CG 1-10 220-240VAC 24V Dimensions 190*65*22mm	45,29 €
LV100W24CG	LV100W24CG 220-240VAC 24V Dimensions 350*30*18mm	41,08 €
LV100W24CG1-10	LV100W24CG 1-10 220-240VAC 24V Dimensions 350*30*18mm	47,81 €

REFERÈNCIA	DESCRIPCIÓ	PREUS PVP
LV100W24CGD	LV100W24CG DALI 220-240VAC 24V Dimensions 350*30*18mm	62,63 €
LV100W48CG	LV100W48CG 220-240VAC 48V Dimensions 350*30*18mm	42,76 €
LV100W48VDC-T	LV100W48VDC-T with DALI wire 220-240 48V Dimensions 297.5*16*19mm NEGRO	53,87 €
LV100W48VDC-T_3M	LV100W48VDC-T_3M with DALI wire 220-240 48V BLACK with 3mt. cable Dimensions 297.5*16*19mm	64,00 €
LV100W48VDC-TW	LV100W48VDC-T with DALI wire 220-240 48V Dimensions 297.5*16*19mm BLANCO	53,87 €
LV100W48VDC-TW_3M	LV100W48VDC-TW_3M with DALI wire 220-240 48V WHITE with 3mt. cable Dimensions 297.5*16*19mm	64,00 €
LV150W24CG	LV150W24CG 220-240VAC 24V Dimensions 350*30*18mm	47,81 €
LV150W24CG1-10	LV150W24CG 1-10 220-240VAC 24V Dimensions 350*30*18mm	53,20 €
LV150W24CGD	LV150W24CG DALI 220-240VAC 24V Dimensions 350*30*18mm	71,04 €
LV150W48CG	LV150W48CG 220-240VAC 48V Dimensions 350*30*18mm	49,49 €
LV250W24CG	LV250W24CG 220-240VAC 24V Dimensions 400*40*22mm	59,53 €
LV250W24CG1-10	LV250W24CG 1-10 220-240VAC 24V Dimensions 400*40*22mm	61,35 €
LV250W24CGD	LV250W24CG DALI 220-240VAC 24V Dimensions 400*40*22mm	84,18 €
LV250W48CG	LV250W48CG 220-240VAC 48V Dimensions 400*40*22mm	61,21 €
LV250W48VDC-T	LV250W48VDC-T with DALI wire 220-240 48V Dimensions 268*43,5*22mm NEGRO	67,34 €
LV250W48VDC-T_3M	LV250W48VDC-T with DALI wire 220-240 48V BLACK with cable 3mt. Dimensions 268*43,5*22mm	78,00 €
LV250W48VDC-TW	LV250W48VDC-T with DALI wire 220-240 48V Dimensions 268*43,5*22mm BLANCO	67,34 €
LV250W48VDC-TW_3M	LV250W48VDC-T with DALI wire 220-240 48V WHITE with cable 3mt. Dimensions 268*43,5*22mm	78,00 €
LV30W24CG	LV30W24CG 220-240VAC 24V Dimensions 300*30*16mm	18,52 €
LV30W24CG1-10	LV30W24CG 1-10 220-240VAC 24V Dimensions 300*30*16mm	22,90 €
LV30W24CGD	LV30W24CG DALI 220-240VAC 24V Dimensions 300*30*16mm	41,08 €
LV60W24CG	LV60W24CG 220-240VAC 24V Dimensions 300*30*16mm	26,94 €
LV60W24CG1-10	LV60W24CG 1-10 220-240VAC 24V Dimensions 300*30*16mm	34,18 €
LV60W24CGD	LV60W24CG DALI 220-240VAC 24V Dimensions 300*30*16mm	50,17 €
SR_CC_15-23-36	Strain relief for CC15W100-700 NFC / CC23W100-700 NFC / CC36W150-900 NFC // 2 pcs need for one driver	0,51 €
SR_CC20_D	Strain relief for CC20W200-550 DALI // 2 pcs need for one driver	1,01 €
SR_CC20-28	Strain relief for CC20W100-800 DALI // 2 pcs need for one driver	0,51 €
SR_CC21-30-44	Standard Strain relief for CC30W350-700 DALI / CC44W700-1050 DALI // 2 pcs need for one driver	1,18 €
SR_CC21-30-44_5POL	5-POL Strain relief for looping - CC30W350-700 DALI / CC44W700-1050 DALI // max. 1 per driver need the other one should be standard	2,36 €
SR_CC53	Strain relief for CC53W500-1400 NFC // 2 pcs need for one driver	1,18 €
SR_DIP_3POL_23	SR_DIP_3POL_23(30/44W)_3-POL Strain relief for looping - CC30W350-700 / CC44W700-1050 // max. 1 per driver need the other one should be standard	2,02 €
XSV100W24	XSV100W24 220-240VAC 24V Dimensions 320*30*21mm	61,45 €
XSV100W24D	XSV100W24 DALI 220-240VAC 24V Dimensions 320*30*21mm	86,20 €

REFERÈNCIA	DESCRIPCIÓ	PREUS PVP
XSV100W48	XSV100W48 220-240VAC 48V Dimensions 320*30*21mm	63,13 €
XSV100W48D	XSV100W48 DALI 220-240VAC 48V Dimensions 320*30*21mm	87,88 €
XSV160W24	XSV160W24 220-240VAC 24V Dimensions 350*30*21mm	65,66 €
XSV160W24D	XSV160W24 DALI 220-240VAC 24V Dimensions 350*30*21mm	90,91 €
XSV160W48	XSV160W48 220-240VAC 48V Dimensions 350*30*21mm	67,34 €
XSV160W48D	XSV160W48 DALI 220-240VAC 48V Dimensions 350*30*21mm	92,59 €
XSV240W24	XSV240W24 220-240VAC 24V Dimensions 400*30*21mm	80,81 €
XSV240W24D	XSV240W24 DALI 220-240VAC 24V Dimensions 400*30*21mm	107,74 €
XSV240W48	XSV240W48 220-240VAC 48V Dimensions 400*30*21mm	82,49 €
XSV240W48D	XSV240W48 DALI 220-240VAC 48V Dimensions 400*30*21mm	109,43 €
XSV30W24	XSV30W24 220-240VAC 24V Dimensions 250*30*21mm	39,73 €
XSV30W24D	XSV30W24 DALI 220-240VAC 24V Dimensions 250*30*21mm	62,79 €
XSV400W24	XSV400W24 220-240VAC 24V Dimensions 400*60*22mm	141,41 €
XSV400W24D	XSV400W24 DALI 220-240VAC 24V Dimensions 400*40*21mm	148,15 €
XSV400W48	XSV400W48 220-240VAC 48V Dimensions 400*40*21mm	143,10 €
XSV400W48D	XSV400W48 DALI 220-240VAC 48V Dimensions 400*40*21mm	149,83 €
XSV60W24	XSV60W24 220-240VAC 24V Dimensions 290*30*21mm	50,51 €
XSV60W24D	XSV60W24 DALI 220-240VAC 24V Dimensions 290*30*21mm	72,39 €
XSV60W48	XSV60W48 220-240VAC 48V Dimensions 290*30*21mm	52,19 €
XSV60W48D	XSV60W48 DALI 220-240VAC 48V Dimensions 290*30*21mm	74,07 €
XV100W12UNI	XV100W12 UNI 100-250VAC 12V Dimensions 190*52*37mm	34,51 €
XV100W24UNI	XV100W24 UNI 100-250VAC 24V Dimensions 190*52*37mm	34,51 €
XV150W24UNI	XV150W24 UNI 190-250VAC 24V Dimensions 190*63*38mm	45,45 €
XV36W12UNI	XV36W12 UNI 100-250VAC 12V Dimensions 148*40*30mm	20,20 €
XV36W24UNI	XV36W24 UNI 100-250VAC 24V Dimensions 148*40*30mm	20,20 €
XV60W12UNI	XV60W12 UNI 100-250VAC 12V Dimensions 166*42*34mm	25,25 €
XV60W24UNI	XV60W24 UNI 100-250VAC 24V Dimensions 166*42*34mm	25,25 €